

HPAP-214 Donor Summary



HPAP	214	UNOS	
Recovery OPO	CAOP-OneLegacy	Allocation Via	UPENN ☐ nPOD ☒
Age (years)	29	DCD	YES ☐ NO ☒
Race	White/Hispanic or Latino	DBD	YES ☒ NO ☐
Sex	M ☒ F ☐	Admission to Cross Clamp	83 Hours 27 Mins.
ABO (Rh)	0 (Positive)	Cross Clamp Time	6/29/2026, 00:57 (EDT)
BMI (Kg/m²)	23.88	Cold Ischemia Time*	31 Hours 59 Mins.
Weight (kg)	69.40		
Height (cm)	170.00		
Cause of Death	Head Trauma	Preservation Solution	UW ☒ HTK ☐
Mechanism of Injury	Blunt Injury	Organs Recovered	Heart ☐ Kidney ☒ Lung ☐ Pancreas ☒ Liver ☒ Intestine ☐
Cardiac Arrest/Downtime	Yes ☐ No ☒	Intraoperative time lapse from liver to pancreas removal from the peritoneal cavity:	Hours Mins. N/A
CPR / Time	Yes ☐ No ☒	Organs Discarded	Heart ☐ Kidney ☐ Lung ☐ Pancreas ☐ Liver ☐ Intestine ☐
Total Est. Downtime	No Downtime	Blood Culture	No growth: Monitored continually by instrument for 5 days
Date /Time of Admission	06/25/2026 13:30 EDT	PHS High Risk	YES ☐ NO ☒
		Acute Lung Injury	Stable right apical ground-glass opacity with small bilateral pleural effusions and dependent atelectasis; no pneumothorax.

*Cold Ischemia time is calculated from time of cross clamp to start of enzyme perfusion for islet isolation.



HPAP-214 Donor Summary

Medical History:

		Duration	Medications	Compliance
Type of Diabetes	None	-----	-----	-----
History of cancer	-----	-----	-----	-----
CAD	-----	-----	-----	-----
Hypertension	-----	-----	-----	-----
Hyperlipidemia	-----	-----	-----	-----
Autoimmune disease	-----	-----	-----	-----
Family History	CAD ☐	Diabetes ☐	Auto immune disease ☐	Others:
Surgical History:	None			
Comments:	Social History: History of marijuana use. Smoked ½ pack of cigarettes per day for 16 years. Drank 1–2 beers approximately every 6 months since age 19.			

Hemodynamic Profile

Average BP During Hospitalization (mmHg)	115/70	
Average Low BP During Hospitalization	N/A	Duration: N/A
Average BP in OR (mmHg)	N/A	
Average Low BP in OR (mmHg)	N/A	Duration: N/A
Average HR in OR (bpm)	N/A	
ABG-pH range	7.13 - 7.52	

INTERVENTION

Blood Products/Meds Transfused Before Organ Recovery

Product	Amount (ml)	Units	Total (ml)
Fresh Frozen Plasma	220- 351	2	571
PRBCs	300	1	300
Platelets	-----	-----	-----
Norepinephrine (Levophed)	-----	Continuous infusion (4–30 mcg/min)	
Vasopressin	-----	Continuous 0.040 units/min (2.4 units/hr)	
Neo-Syneprine	-----	-----	-----
Epinephrine	-----	-----	-----
Phenylephrine (Neo-Syneprine)	-----	-----	-----
Dopamine	-----	-----	-----



HPAP-214 Donor Summary

Blood Products/Meds Transfused Intraoperative

Product	Amount (ml)	Units	Total (ml)
Fresh Frozen Plasma	N/A	N/A	N/A
PRBCs	N/A	N/A	N/A
Platelets	N/A	N/A	N/A
Norepinephrine (Levophed)	N/A	N/A	N/A
Vasopressin	N/A	N/A	N/A
Neo-Synephrine (phenylephrine)	N/A	N/A	N/A
Epinephrine	N/A	N/A	N/A
Dopamine	N/A	N/A	N/A
Heparin	N/A	N/A	N/A

Initial Autoantibody Screening (nPOD): ELISA

GAD-65 (GAD A)	IA-2
Positive (2.5 index)	Negative

Confirmatory results: Radioimmuno Assay (RIA)

	GAD-65 (unit/ml)	IA-2 (unit/ml)	Insulin AAB (unit/ml)	ZnT8 (unit/ml)
Results	21	0	-0.001	0.001
Cut-off values	20	5	0.01	0.02

*Sample obtained at time of organ recovery.

	C-peptide (ng/ml)	Proinsulin
Results	4.82	N/A

*Sample obtained at time of organ recovery.

HLA (OPO)*

Class 1	A	24	24	Class II	DR	11	14
	B	18	35		DR51	N-Negative	N-Negative
	C	04	07		DR52	52	52
	Bw4	Negative			DR53	N-Negative	N-Negative
	Bw6	Positive			DQB1	7	7
			DQA1		05	05	
			DPB1		04:02	04:02	
			DPA1		01	01	
Comment:							

HPAP-214 Donor Summary



Confirmatory HLA (UPENN)*

Class 1	A	24:02	-----	Class II	DRB1	11:04	14:02
	B	18:01	35:14		DRB3	01:01	02:02
	C	04:01	07:01		DRB4	-----	-----
					DRB5	-----	-----
					DQB1	03:01	-----
					DQA1	05:03	05:05
					DPB1	04:02	-----
					DPA1	01:03	-----

*HLA typing performed using NGS

Infectious Disease Serology

Test	Result	Hemo/Plasma Dilution Status	
		Qualified	Non-Qualified
EBV IgG	Positive	✓	-
EBV IgM	Negative	✓	-
CMV (IgG)	Positive	✓	-
HBcAb	Non-Reactive	✓	-
HBsAg	Non-Reactive	✓	-
HCV Ab	Non-Reactive	✓	-
HIV I/II (HIV Ag/Ab Combo)	Non-Reactive	✓	-
Syphilis	Non-Reactive	✓	-
Procleix Ultrio	ND	-	-
Ultrio HBV	Non-Reactive	✓	-
Ultrio HCV	Non-Reactive	✓	-
Ultrio HIV	Non-Reactive	✓	-
Toxoplasma Ab	Negative	✓	-
Chagas (T.cruzi) Ag	Non-Reactive	✓	-
WNV IgM	Negative	✓	-
WNV NAT	Non-Reactive	✓	-
SARS-CoV-2	Negative	✓	-



HPAP-214 Donor Summary

Laboratory Panel

	Initial	Peak	Terminal
Na (mEq/L) (135-145)	15.0	20.0	12.5
Creatinine (<1.5)	1.04	1.17	1.15
Glucose (mg/dL) (60-150)	118	184	133
HbA1C%	5.1	-----	-----
Total bilirubin (0-1.0)	0.3	1.7	1.3
SGOT (AST) (0-40)	58	76	26
SGPT (ALT) (5-35)	55	55	22
Alkaline phosphatase (45-110)	95	95	49
Serum Amylase (23-851)	103	132	116
Serum Lipase (0-80)	10	11	11
WBC (THO/uL) (4.5-11.0)	15.0	20.0	12.5
Hgb (g/dL) (12-16)	15.0	15.0	7.5
Platelets (THO/uL) (150-350)	239	239	96
INR (<2.0)	1.30	2.40	1.40

Urinalysis

	1 st	2 nd	3 rd	4 th -13 th
Glucose	Negative	70	Negative	Negative

Medications During Hospitalization

Steroids**	Solu-medrol 500 mg IV (one early dose listed as 2 g)		
Diuretics	Lasix administered within 24 hours prior to cross-clamp.		
T3 Protocol	-----		
T4 Protocol*	Yes, administered within 24 hours prior to cross-clamp.		
Insulin**	Yes, continuous IV insulin infusion (0.5–5.6 units/hr).		
Antihypertensive	-----		
Vasodilators	-----		
DDAVP**	-----		
Total parenteral nutrition	-----		
Other	Zosyn 4.5 g Q8H, Rocephin 1 gram once, Synthroid Continuous infusion (30 mcg/hr), Linezolid 600 mg IV, Diamox 500 mg IV, Pepcid 20 mg IV, KCl 20–40 mEq IV, Heparin 5000 units, Albumin 5% 250 mL IV, Albumin 25% 100–500 mL IV, Thiamine 100 mg IV once 500 mg, Albuterol 2.5 mg nebulizer, NS 100 ml	Specify	

*T4 protocol: Levothyroxine, (20 mcgs), Solumedrol (2 gms,) Dextrose 50%, (1 amp), Regular Insulin (20u), Vasopressin (1 unit)

Mi Z, Novitzky D, Collins JF, Cooper D KC. The optimal hormonal replacement modality selection for multiple organ procurement from brain-dead organ donors. Clinical Epidemiology 2015;7 17-27.

** Excluding T4 Protocol