

HPAP-215 Donor Summary



HPAP	215	UNOS	
Recovery OPO	WALC-Life Center Northwest	Allocation Via	UPENN ☐ nPOD ☒
Age (years)	10	DCD	YES ☒ NO ☐
Race	White: Origin not reported	DBD	YES ☐ NO ☒
Sex	M ☒ F ☐	Admission to Cross Clamp	23 Hours 34 Mins.
ABO (Rh)	O	Cross Clamp Time	07/06/2026 11:34 EDT
BMI (Kg/m²)	14.950	Cold Ischemia Time*	23 Hours 29 Mins. WIT : 12 mins
Weight (kg)	31.000		
Height (cm)	144.00		
Cause of Death	ANOXIA	Preservation Solution	UW ☒ HTK ☐
Mechanism of Injury	ASPHYXIATION	Organs Recovered	Heart ☒ Kidney ☒ Lung ☐ Pancreas ☒ Liver ☒ Intestine ☐
Cardiac Arrest/Downtime	Yes ☒ No ☐ 30 minutes	Intraoperative time lapse from liver to pancreas removal from the peritoneal cavity:	00 Hours 00 Mins.
CPR / Time	Yes ☒ No ☐ 20 minutes	Organs Discarded	Heart ☐ Kidney ☐ Lung ☐ Pancreas ☐ Liver ☐ Intestine ☐
Total Est. Downtime	30 minutes	Blood Culture	06/27/2026 : No growth 07/01/2026 : Positive for <i>Staphylococcus aureus</i> (x2) 07/04/2026 : Pending (2 cultures, NG at 18–24 h). 07/05/2026: Pending/In process (2 cultures).
Date /Time of Admission	06/25/2026 02:00 EDT	PHS High Risk	YES ☐ NO ☒
		Acute Lung Injury	Diffuse bilateral ground-glass opacities with worsening left lower lobe atelectasis, consistent with multifocal pneumonia /pneumonitis.

*Cold Ischemia time is calculated from time of cross clamp to start of enzyme perfusion for islet isolation.



HPAP-215 Donor Summary

Medical History:

		Duration	Medications	Compliance
Type of Diabetes	None	-----	-----	-----
History of cancer	-----	-----	-----	-----
CAD	-----	-----	-----	-----
Hypertension	-----	-----	-----	-----
Hyperlipidemia	-----	-----	-----	-----
Autoimmune disease	-----	-----	-----	-----
Family History	CAD ☐	Diabetes ☒ Maternal grandmother	Auto immune disease ☐	Others:
Surgical History:	Left hand surgery 6/16/25			
Comments:	Medical Hx: ADHD, Depression, Seasonal allergies Medication Hx: Methylphenidate, Fluoxetine, OTC allergy medicine, children's multivitamin			

Hemodynamic Profile

Average BP During Hospitalization (mmHg)	121/67	
Average Low BP During Hospitalization	108/65	Duration: 1 min.
Average BP in OR (mmHg)	N/A	
Average Low BP in OR (mmHg)	35/2 (Lowest blood pressure DCD patient)	Duration: 1 min.
Average HR in OR (bpm)	52 (DCD FLOWSHEET)	
ABG-pH range	7.35 – 7.48	

INTERVENTION

Blood Products/Meds Transfused Before Organ Recovery

Product	Amount (ml)	Units	Total (ml)
Fresh Frozen Plasma	-----	-----	-----
PRBCs	-----	-----	-----
Platelets	-----	-----	-----
Norepinephrine (Levophed)	N/A	N/A	N/A
Vasopressin	N/A	N/A	N/A
Neo-Syneprine	N/A	N/A	N/A
Epinephrine	N/A	N/A	N/A
Phenylephrine	N/A	N/A	N/A
Dopamine	N/A	N/A	N/A



HPAP-215 Donor Summary

Blood Products/Meds Transfused Intraoperative

Product	Amount (ml)	Units	Total (ml)
Fresh Frozen Plasma	-----	-----	-----
PRBCs	-----	-----	-----
Platelets	-----	-----	-----
Norepinephrine (Levophed)	-----	-----	-----
Vasopressin	-----	-----	-----
Neo-Synephrine (phenylephrine)	-----	-----	-----
Epinephrine	-----	-----	-----
Dopamine	-----	-----	-----
Heparin	-----	20,000	-----

Initial Autoantibody Screening (nPOD): ELISA

GAD-65	IA-2
N/A	N/A

Confirmatory results: Radioimmuno Assay (RIA)

	GAD-65 (unit/ml)	IA-2 (unit/ml)	Insulin AAB (unit/ml)	ZnT8 (unit/ml)
Results	0	0	-0.006	-0.001
Cut-off values	20	5	0.01	0.02

*Sample obtained at time of organ recovery.

	C-peptide (ng/ml)	Proinsulin
Results	4.07	N/A

*Sample obtained at time of organ recovery.

HLA (OPO)*

Class 1	A	24	32	Class II	DR	01	11
	B	07	64		DR51	N-Negative	N-Negative
	C	07	08		DR52	52	N-Negative
	Bw4	Negative			DR53	N-Negative	N-Negative
	Bw6	Positive			DQB1	05	07
			DQA1		01	05	
			DPB1		04:01P	04:01P	
DPA1			01	01			
Comment:							

HPAP-215 Donor Summary



Confirmatory HLA (UPENN)*

Class 1	A	24:02	32:01	Class II	DRB1	01:01	11:01
	B	07:02	14:01		DRB3	02:02	-----
	C	07:02	08:02		DRB4	-----	-----
					DRB5	-----	-----
					DQB1	03:01	05:01
					DQA1	01:01	05:05
					DPB1	04:01	-----
					DPA1	01:03	-----

*HLA typing performed using NGS

Infectious Disease Serology

Test	Result	Hemo/Plasma Dilution Status	
		Qualified	Non-Qualified
EBV IgG	Negative	✓	-
EBV IgM	Not Done	-	-
EBNA	Negative	✓	-
CMV	Positive	✓	-
HBcAb	Non-reactive	✓	-
HBsAg	Non-reactive	✓	-
HCV Ab	Non-reactive	✓	-
HIV I/II	Not Done	-	-
HIV Ag/Ab Combo	Non-reactive	✓	-
Syphilis	Negative	✓	-
Procleix Ultrio	Not Done	-	-
Ultrio HBV (HBV NAT)	Negative	✓	-
Ultrio HCV (HCV NAT)	Negative	✓	-
Ultrio HIV (HIV NAT)	Negative	✓	-
Toxoplasma Ab	Negative	✓	-
West Nile NAT	Negative	✓	-
Strongyloides Ab	Negative	✓	-
SARS-CoV-2	Negative	✓	-

HPAP-215 Donor Summary



Laboratory Panel

	Initial	Peak	Terminal
Na (mEq/L) (135-145)	146	146	141
Creatinine (<1.5)	0.74	0.74	0.47
Glucose (mg/dL) (60-150)	111	125	113
HbA1C%	5	-----	-----
Total bilirubin (0-1.0)	0.4	0.4	0.2
SGOT (AST) (0-40)	101	101	75
SGPT (ALT) (5-35)	83	83	20
Alkaline phosphatase (45-110)	215	215	153
Serum Amylase (23-851)	37 (7/01/26)	48	N/A
Serum Lipase (0-80)	28	53	N/A
WBC (THO/uL) (4.5-11.0)	7.2	15.55	9.78
Hgb (g/dL) (12-16)	13.3	13.3	9.1
Platelets (THO/uL) (150-350)	282	473	455
INR (<2.0)	1.14	1.14	0.94

Urinalysis

	1 st	2 nd	3 rd	4 th - 8 th
Glucose	Negative	Negative	Negative	Negative

Medications During Hospitalization

Steroids**	No
Diuretics	No
T3 Protocol	No
T4 Protocol*	No
Insulin**	No
Antihypertensive	No
Vasodilators	No
DDAVP**	No
Total parenteral nutrition	No
Other	Ceftriaxone (Rocephin) 2,000 mg; Zosyn 3.375 g; Vancomycin; Linezolid 300 mg; Precedex 0.3 mcg/kg/hr; clonidine (oral) 30 mcg; clonidine 0.05 mg; fentanyl 30 mcg; fentanyl infusion 0.05 mcg/kg/hr; vecuronium 5 mg; calcium gluconate 2,000 mg; acetaminophen 448 mg; Liquifilm Tears (2 drops); Keppra (levetiracetam) 310 mg; Ativan (lorazepam) 3.6 mg; Protonix (pantoprazole) 20 mg; Versed (midazolam) 1.55 mg.

*T4 protocol: Levothyroxine, (20 mcgs), Solumedrol (2 gms,) Dextrose 50%, (1 amp), Regular Insulin (20u), Vasopressin (1 unit)

Mi Z, Novitzky D, Collins JF, Cooper D KC. The optimal hormonal replacement modality selection for multiple organ procurement from brain-dead organ donors. Clinical Epidemiology 2015;7 17-27.

** Excluding T4 Protocol