

HPAP-207 Donor Summary



HPAP	207	UNOS		
Recovery OPO	PADV - Gift of Life Donor Program	Allocation Via	UPENN ☒ nPOD ☐	
Age (years)	30	DCD	YES ☐ NO ☒	
Race	Caucasian	DBD	YES ☒ NO ☐	
Sex	M ☒ F ☐	Admission to Cross Clamp	70 Hours 04 Mins.	
ABO (Rh)	A+ (None A1)	Cross Clamp Time	03/23/2026 02:04 ET	
BMI (Kg/m²)	24.61	Cold Ischemia Time*	9 Hours 34 Mins.	
Weight (kg)	75.6			
Height (cm)	175.26			
Cause of Death	Head Trauma	Preservation Solution	UW ☒ HTK ☐ (Belzer/Viaspan/SPS)	
Mechanism of Injury	Gunshot Wound	Organs Recovered	Heart ☒ Lung ☒ Liver ☒	Kidney ☒ Pancreas ☒ Intestine ☐
Cardiac Arrest/Downtime	Yes ☐ No ☒	Intraoperative time lapse from liver to pancreas removal from the peritoneal cavity:	00 Hours 11 Mins.	
CPR / Time	Yes ☐ No ☒	Organs Discarded	Heart ☐ Lung ☐ Liver ☐	Kidney ☐ Pancreas ☐ Intestine ☐
Total Est. Downtime	-----	Blood Culture	No Growth	
Date /Time of Admission	03/20/2026 04:00 ET	PHS High Risk	YES ☐ NO ☒	
		Acute Lung Injury	Bibasilar atelectasis; small left effusion; no acute lung injury.	

*Cold Ischemia time is calculated from time of cross clamp to start of enzyme perfusion for islet isolation.



HPAP-207 Donor Summary

Medical History:

		Duration	Medications	Compliance
Type of Diabetes	None	----	----	----
History of cancer	----	----	----	----
CAD	----	----	----	----
Hypertension	----	----	----	----
Hyperlipidemia	----	----	----	----
Autoimmune disease	----	----	----	----
Family History	CAD ☐	Diabetes ☒ Grandfather	Auto immune disease ☐	Others:
Surgical History:	Arthroscopy knee infection lavage and drain.			
Comments:	Medical Hx: knee effusion, septic joint with IV antibiotics, pyogenic arthritis of left knee joint Social Hx: Occasional alcohol use (beer and liquor); smoked cigarettes, one pack per week throughout adult life. Patient was lock up from 2/2024 until 10/2025 in county prison for assault.			

Hemodynamic Profile

Average BP During Hospitalization (mmHg)	127/73	
Average Low BP During Hospitalization	93/64	Duration: 1- 15 min.
Average BP in OR (mmHg)	116/56	
Average Low BP in OR (mmHg)	100/5	Duration: 0 min.
Average HR in OR (bpm)	112	
ABG-pH range	7.17 – 7.44	

INTERVENTION

Blood Products/Meds Transfused Before Organ Recovery

Product	Amount (ml)	Units	Total (ml)
Fresh Frozen Plasma	N/A	N/A	N/A
PRBCs	N/A	N/A	N/A
Platelets	N/A	N/A	N/A
Norepinephrine (Levophed)	N/A	N/A	N/A
Vasopressin	N/A	N/A	N/A
Neo-Synephrine	N/A	N/A	N/A
Epinephrine	N/A	N/A	N/A
Phenylephrine	N/A	N/A	N/A
Dopamine	N/A	N/A	N/A



HPAP-207 Donor Summary

Blood Products/Meds Transfused Intraoperative

Product	Amount (ml)	Units	Total (ml)
Fresh Frozen Plasma	-----	-----	-----
PRBCs	-----	-----	-----
Platelets	-----	-----	-----
Norepinephrine (Levophed)	-----	-----	-----
Vasopressin	-----	-----	-----
Neo-Synephrine (phenylephrine)	-----	-----	-----
Epinephrine	-----	-----	-----
Dopamine	-----	-----	-----
Heparin	-----	30,000	-----

Initial Autoantibody Screening (nPOD): ELISA

GAD-65	IA-2
Negative	Negative

Confirmatory results: Radioimmuno Assay (RIA)

	GAD-65 (unit/ml)	IA-2 (unit/ml)	Insulin AAB (unit/ml)	ZnT8 (unit/ml)
Results	0	0	-0.001	-0.003
Cut-off values	20	5	0.01	0.02

*Sample obtained at time of organ recovery.

	C-peptide (ng/ml)	Proinsulin
Results	6.6	ND

*Sample obtained at time of organ recovery.

HLA (OPO)*

Class 1	A	2	3	Class II	DR	4	15
	B	27	44		DR51	51	N-Negative
	C	01	05		DR52	N-Negative	N-Negative
	Bw4	Positive			DR53	53	N-Negative
	Bw6	Negative			DQB1	8	6
			DQA1		01	03	
			DPB1		02:01	15:01	
		DPA1	01	01			
Comment:							

HPAP-207 Donor Summary



Confirmatory HLA (UPENN)*

Class 1	A	02:01	03:01	Class II	DRB1	04:04	15:01
	B	27:05	44:02		DRB3	-----	-----
	C	01:02	05:01		DRB4	01:03	-----
					DRB5	-----	01:01
					DQB1	03:02	06:02
					DQA1	01:02	03:01
					DPB1	02:01	15:01
					DPA1	01:03	01:04

*HLA typing performed using NGS

Infectious Disease Serology

Test	Result	Hemo/Plasma Dilution Status	
		Qualified	Non-Qualified
EBV IgG	Positive	✓	-
EBV IgM	Negative	✓	-
CMV (Total Ab)	Positive	✓	-
HBcAb	Non-Reactive	✓	-
HBsAg	Non-Reactive	✓	-
HCV Ab	Non-Reactive	✓	-
HIV I/II (HIV Ag/Ab Combo)	Non-Reactive	✓	-
Syphilis	Non-Reactive	✓	-
Procleix Ultrio	ND	-	-
Ultrio HBV	Non-Reactive	✓	-
Ultrio HCV	Non-Reactive	✓	-
Ultrio HIV (HIV1/2)	Non-Reactive	✓	-
Toxoplasma Ab	Negative	✓	-
SARS-CoV-2	Negative / Not detected	✓	-



HPAP-207 Donor Summary

Laboratory Panel

	Initial	Peak	Terminal
Na (mEq/L) (135-145)	142	142	140
Creatinine (<1.5)	0.76	0.84	0.71
Glucose (mg/dL) (60-150)	129	196	190
HbA1C%	4.9	-----	-----
Total bilirubin (0-1.0)	0.6	0.9	0.5
SGOT (AST) (0-40)	80	80	27
SGPT (ALT) (5-35)	48	54	26
Alkaline phosphatase (45-110)	29	40	32
Serum Amylase (23-851)	49	112	95
Serum Lipase (0-80)	10	10	9
WBC (THO/uL) (4.5-11.0)	18.6	18.6	15
Hgb (g/dL) (12-16)	12.4	12.4	9
Platelets (THO/uL) (150-350)	279	279	169
INR (<2.0)	1.3	1.6	1.3

Urinalysis

	1 st	2 nd	3 rd	4 th
Glucose	Negative	Negative	>=500 - Abnormal	NA

Medications During Hospitalization

Steroids**	-----
Diuretics	-----
T3 Protocol	N/A
T4 Protocol*	-----
Insulin**	N/A
Antihypertensive	N/A
Vasodilators	N/A
DDAVP**	N/A
Total parenteral nutrition	N/A
Other	Vancomycin 1500 mg, Ceftriaxone 2000mg, Flagyl 500 mg, Specify

*T4 protocol: Levothyroxine, (20 mcgs), Solumedrol (2 gms,) Dextrose 50%, (1 amp), Regular Insulin (20u), Vasopressin (1 unit)

Mi Z, Novitzky D, Collins JF, Cooper D KC. The optimal hormonal replacement modality selection for multiple organ procurement from brain-dead organ donors. Clinical Epidemiology 2015;7 17-27.

** Excluding T4 Protocol