

HPAP-204 Donor Summary



HPAP	204	UNOS	
Recovery OPO	TXSB-Southwest Transplant Alliance (IIAM)	Allocation Via	UPENN ☐ nPOD ☒
Age (years)	38	DCD	YES ☐ NO ☒
Race/Ethnicity	White/Hispanic or Latino	DBD	YES ☒ NO ☐
Sex	M ☒ F ☐	Admission to Cross Clamp	131 Hours 23 Mins.
ABO (Rh)	A	Cross Clamp Time	02/16/2026 23:37 MT
BMI (Kg/m ²)	23.957	Cold Ischemia Time*	14 Hours 04 Mins.
Weight (kg)	71		
Height (cm)	173		
Cause of Death	HEAD TRAUMA	Preservation Solution	UW ☒ HTK ☐ UW shortage; Servator B used.
Mechanism of Injury	GUNSHOT WOUND	Organs Recovered	Heart ☐ Kidney ☒ Lung ☐ Pancreas ☒ Liver ☒ Intestine ☐
Cardiac Arrest/Downtime	Yes ☒ 30 min. No ☐	Intraoperative time lapse from liver to pancreas removal from the peritoneal cavity:	☐ Hours ☐ Mins. NA
CPR / Time	Yes ☒ No ☐ 30 min.	Organs Discarded	Heart ☐ Kidney ☐ Lung ☐ Pancreas ☐ Liver ☐ Intestine ☐
Total Est. Downtime	30 min.	Blood Culture	24 hour-No growth.
Date /Time of Admission	02/11/2026 12:14 MST	PHS High Risk	YES ☐ NO ☒
		Acute Lung Injury	RLL ground-glass opacities and atelectasis, suggestive of pneumonia vs aspiration pneumonitis; trace bilateral pleural effusions. No evidence of ALI or ARDS.

*Cold Ischemia time is calculated from time of cross clamp to start of enzyme perfusion for islet isolation.



HPAP-204 Donor Summary

Medical History:

		Duration	Medications	Compliance
Type of Diabetes	T1D	3 years	insulin via pump	Yes
History of cancer	----	----	----	----
CAD	----	----	----	----
Hypertension	yes	for the past year	NA	Yes
Hyperlipidemia	----	----	----	----
Autoimmune disease	----	----	----	----
Family History	CAD ☐	Diabetes ☐ Both grandmothers	Auto immune disease ☐	Others:
Surgical History:	NA			
Comments:	Social Hx: Former smoker (1–2 cigarettes/day for <1 year; quit 2000). Occasional alcohol use (beer 1–2×/month, ~2–3 bottles per occasion).			

Hemodynamic Profile

Average BP During Hospitalization (mmHg)	113/56	
Average Low BP During Hospitalization	NA	Duration: NA
Average BP in OR (mmHg)	NA	
Average Low BP in OR (mmHg)	NA	Duration: NA
Average HR in OR (bpm)	NA	
ABG-pH range	7.05 – 7.49	

INTERVENTION

Blood Products/Meds Transfused Before Organ Recovery

Product	Amount (ml)	Units	Total (ml)
Fresh Frozen Plasma (Cryo)	-----	X2	-----
PRBCs and whole	-----	1-5	-----
Platelets	-----	-----	-----
Norepinephrine (Levophed)	-----	30 MCG/MIN for the duration of 35:45:00 hrs.	
Vasopressin	-----	2.4 UNITS/HR for the duration of 30:15:00 hrs.	
Neo-Syneprine	-----	40 MCG/MIN for the duration of 50:06:00 hrs.	
Epinephrine	-----	-----	-----
Phenylephrine	-----	-----	-----
Dopamine	-----	-----	-----



HPAP-204 Donor Summary

Blood Products/Meds Transfused Intraoperative

Product	Amount (ml)	Units	Total (ml)
Fresh Frozen Plasma	NA	NA	NA
PRBCs	NA	NA	NA
Platelets	NA	NA	NA
Norepinephrine (Levophed)	NA	NA	NA
Vasopressin	NA	NA	NA
Neo-Syneprine (phenylephrine)	NA	NA	NA
Epinephrine	NA	NA	NA
Dopamine	NA	NA	NA
Heparin	NA	NA	NA

Initial Autoantibody Screening (nPOD): ELISA

GAD-65	IA-2
-----	-----

Confirmatory results: Radioimmuno Assay (RIA)

	GAD-65 (unit/ml)	IA-2 (unit/ml)	Insulin AAB (unit/ml)	ZnT8 (unit/ml)
Results	0	0	0.004	-0.004
Cut-off values	20	5	0.01	0.02

*Sample obtained at time of organ recovery.

	C-peptide (ng/ml)	Proinsulin
Results	<0.02	NA

*Sample obtained at time of organ recovery.

HLA (OPO)*

Class 1	A	1	24	Class II	DR	4	17
	B	18	40:05		DR51	N-Negative	N-Negative
	C	05	10		DR52	52	N-Negative
	Bw4	Negative			DR53	53	N-Negative
	Bw6	Positive			DQB1	2	8
			DQA1		03	05	
			DPB1		02:01	03:01	
		DPA1	01	01			
Comment:							

HPAP-204 Donor Summary



Confirmatory HLA (UPENN)*

Class 1	A	01:01	24:02	Class II	DRB1	03:01	04:04
	B	18:01	40:05		DRB3	02:02	-----
	C	03:04	05:01		DRB4	-----	01:03
					DRB5	-----	-----
					DQB1	02:01	03:02
					DQA1	03:01	05:01
					DPB1	02:01	03:01
					DPA1	01:03	-----

*HLA typing performed using NGS

Infectious Disease Serology

Test	Result	Hemo/Plasma Dilution Status	
		Qualified	Non-Qualified
EBV IgG	Positive	✓	-
EBV IgM	Negative	✓	-
CMV	Negative	✓	-
HBcAb	Non-Reactive	✓	-
HBsAg	Non-Reactive	✓	-
HCV Ab	Non-Reactive	✓	-
HIV I/II	Not Done	-	-
HIV Ag/Ab Combo	Non-Reactive	✓	-
Syphilis	Negative	✓	-
Procleix Ultrio (Ultrio Elite)	Non-Reactive	-	-
Ultrio HBV (HBV NAT)	Negative	✓	-
Ultrio HCV (HCV NAT)	Negative	✓	-
Ultrio HIV (HIV NAT)	Negative	✓	-
Toxoplasma Ab	Negative	✓	-
West Nile NAT	Negative	✓	-
Strongyloides Ab	Negative	✓	-
SARS-CoV-2	Negative	✓	-



HPAP-204 Donor Summary

Laboratory Panel

	Initial	Peak	Terminal
Na (mEq/L) (135-145)	144	148	145
Creatinine (<1.5)	1.83	8.45	5.82
Glucose (mg/dL) (60-150)	483	502	140
HbA1C%	5.8	-----	-----
Total bilirubin (0-1.0)	0.3	1	1
SGOT (AST) (0-40)	242	342	117
SGPT (ALT) (5-35)	261	482	250
Alkaline phosphatase (45-110)	33	66	66
Serum Amylase (23-851)	276	NA	276
Serum Lipase (0-80)	42	NA	42.6
WBC (THO/uL) (4.5-11.0)	5.07	22.3	20.62
Hgb (g/dL) (12-16)	8.1	8.1	7.5
Platelets (THO/uL) (150-350)	83	140	99
INR (<2.0)	1.5	1.5	1.4

Urinalysis

	1 st	2 nd	3 rd	4 th
Glucose	Positive: >1000	Positive: 250		

Medications During Hospitalization

Steroids**	Soluortef
Diuretics	Lasix
T3 Protocol	-----
T4 Protocol*	-----
Insulin**	Insulin begin date/time: 02/12/2026 09:50
Antihypertensive	-----
Vasodilators	-----
DDAVP**	-----
Total parenteral nutrition	-----
Support therapy	Renal replacement therapy: continuous
Other	Zosyn, sodium bicarb, CA Gluconate , Specify mag sulf, k phos, albumin

*T4 protocol: Levothyroxine, (20 mcgs), Solumedrol (2 gms,) Dextrose 50%, (1 amp), Regular Insulin (20u), Vasopressin (1 unit)

Mi Z, Novitzky D, Collins JF, Cooper D KC. The optimal hormonal replacement modality selection for multiple organ procurement from brain-dead organ donors. Clinical Epidemiology 2015;7 17-27.

** Excluding T4 Protocol