

HPAP-217 Donor Summary



HPAP	217	UNOS	
Recovery OPO	GLDP-Gift of Life Donor Program	Allocation Via	UPENN ☒ nPOD ☐
Age (years)	55	DCD	YES ☐ NO ☒
Race	Caucasian	DBD	YES ☒ NO ☐
Sex	M ☒ F ☐	Admission to Cross Clamp	88 Hours 09 Mins.
ABO (Rh)	0 Positive	Cross Clamp Time	07/22/2026 14:04
BMI (Kg/m ²)	25.88	Cold Ischemia Time*	2 Hours 29 Mins.
Weight (kg)	169.84		
Height (cm)	172.72		
Cause of Death	Head Trauma	Preservation Solution	UW ☒ HTK ☐
Mechanism of Injury	Gunshot Wound	Organs Recovered	Heart ☐ Kidney ☒ Lung ☐ Pancreas ☒ Liver ☒ Intestine ☐
Cardiac Arrest/Downtime	Yes ☐ No ☒	Intraoperative time lapse from liver to pancreas removal from the peritoneal cavity:	00 Hours 36 Mins
CPR / Time	Yes ☐ No ☒	Organs Discarded	Heart ☐ Kidney ☐ Lung ☐ Pancreas ☐ Liver ☐ Intestine ☐
Total Est. Downtime	-----	Blood Culture	No Growth
Date /Time of Admission	07/19/2026 00:55	PHS High Risk	YES ☐ NO ☒
		Acute Lung Injury	No active disease in the chest; mild bibasilar atelectasis. No pleural effusion or pneumothorax.

*Cold Ischemia time is calculated from time of cross clamp to start of enzyme perfusion for islet isolation.



HPAP-217 Donor Summary

Medical History:

		Duration	Medications	Compliance
Type of Diabetes	None	----	----	----
History of cancer	----	----	----	----
CAD	----	----	----	----
Hypertension	----	----	----	----
Hyperlipidemia	----	----	----	----
Autoimmune disease	----	----	----	----
Family History	CAD ☐	Diabetes ☒ Mother	Auto immune disease ☐	Others:
Surgical History:	R elbow drain, impacted tooth removal			
Comments:	Medical Hx: hemorrhoids, Bee allergies Social Hx: ETOH (18 beers per week) cocaine, marijuana, cigars			

Hemodynamic Profile

Average BP During Hospitalization (mmHg)	~ 126/72 (based on available reported averages)	
Average Low BP During Hospitalization	70/40	Duration: 15 min.
Average BP in OR (mmHg)	130/70	
Average Low BP in OR (mmHg)	87/60	Duration: 2 min.
Average HR in OR (bpm)	85	
ABG-pH range	7.05-7.48	

INTERVENTION

Blood Products/Meds Transfused Before Organ Recovery

Product	Amount (ml)	Units	Total (ml)
Fresh Frozen Plasma	----	----	----
PRBCs	----	----	----
Platelets	----	----	----
Norepinephrine (Levophed)	-----	Continuous, dose not documented; started 63:48 hr. pre-cross-clamp, duration 22:49 hr.	
Vasopressin	----	62:18 hr. pre-cross-clamp; dose/duration not documented.	
Neo-Syneprine	----	----	----
Epinephrine	----	----	----
Phenylephrine	----	30 mcg/min continuous; started 40:40 hr. pre-cross-clamp; duration not documented.	
Dopamine	----	----	----



HPAP-217 Donor Summary

Blood Products/Meds Transfused Intraoperative

Product	Amount (ml)	Units	Total (ml)
Fresh Frozen Plasma	-----	-----	-----
PRBCs	-----	-----	-----
Platelets	-----	-----	-----
Norepinephrine (Levophed)	-----	-----	-----
Vasopressin	-----	-----	-----
Neo-Synephrine (phenylephrine)	-----	-----	-----
Epinephrine	-----	-----	-----
Dopamine	-----	-----	-----
Heparin	-----	-----	-----

Initial Autoantibody Screening (nPOD): ELISA

Not performed for HPAP-T2D program

GAD-65	IA-2
ND	ND

Confirmatory results: Radioimmuno Assay (RIA)

	GAD-65 (unit/ml)	IA-2 (unit/ml)	Insulin AAB (unit/ml)	ZnT8 (unit/ml)
Results	0	0	0.004	-0.004
Cut-off values	20	5	0.01	0.02

*Sample obtained at time of organ recovery.

	C-peptide (ng/ml)	Proinsulin
Results	20.15	N/A

*Sample obtained at time of organ recovery.

HLA (OPO)*

Class 1	A	2	25	Class II	DR	13	13
	B	52	58		DR51	N-Negative	N-Negative
	C	07	12		DR52	52	52
	Bw4	Positive			DR53	N-Negative	N-Negative
	Bw6	Negative			DQB1 (DQ)	7	6
			DQA1		01	05	
			DPB1		04:01	104:01	
			DPA1		01	01	
Comment:							

HPAP-217 Donor Summary



Confirmatory HLA (UPENN)*

Not performed for HPAP-T2D program

Class 1	A			Class II	DRB1		
	B				DRB3		
	C				DRB4		
					DRB5		
					DQB1		
					DQA1		
					DPB1		
					DPA1		

*HLA typing performed using NGS

Infectious Disease Serology

Test	Result	Hemo/Plasma Dilution Status	
		Qualified	Non-Qualified
EBV IgG	Positive	✓	-
EBV IgM	Negative	✓	-
CMV	Positive	✓	-
HBcAb	Non-Reactive	✓	-
HBsAg	Non-Reactive	✓	-
HCV Ab	Non-Reactive	✓	-
HIV I/II (HIV Ag/Ab Combo)	Non-Reactive	✓	-
Syphilis	Non-Reactive	✓	-
Procleix Ultrio	N/A	-	-
Ultrio HBV	Non-Reactive	✓	-
Ultrio HCV	Non-Reactive	✓	-
Ultrio HIV	Non-Reactive	✓	-
Toxoplasma Ab	Negative	✓	-
Strongyloides IgG	Negative	✓	-
WNV NAT	Negative	✓	-
SARS-CoV-2	Negative	✓	-



HPAP-217 Donor Summary

Laboratory Panel

	Initial	Peak	Terminal
Na (mEq/L) (135-145)	146	162	154
Creatinine (<1.5)	0.7	5.96	5.96
Glucose (mg/dL) (60-150)	173	255	173
HbA1C%	5.8	-----	-----
Total bilirubin (0-1.0)	1.6	1.6	1
SGOT (AST) (0-40)	49	49	46
SGPT (ALT) (5-35)	12	12	8
Alkaline phosphatase (45-110)	77	77	62
Serum Amylase (23-851)	59 (7/21/26)	295	276
Serum Lipase (0-80)	44 (7/20/26)	73	47
WBC (THO/uL) (4.5-11.0)	19.7	21.3	14.4
Hgb (g/dL) (12-16)	13.9	14.6	9.4
Platelets (THO/uL) (150-350)	206	221	89
INR (<2.0)	1.7	1.7	1.3

Urinalysis

	1 st	2 nd	3 rd	4 th
Glucose	Negative	Negative	Negative	N/A

Medications During Hospitalization

Steroids**	-----		
Diuretics	Mannitol 25% 50 gm, Furosemide 80 mg		
T3 Protocol	-----		
T4 Protocol*	-----		
Insulin**	Insulin aspart 5 units 1 dose		
Antihypertensive	Nicardipine 7.5 mg/hr		
Vasodilators	-----		
DDAVP**	1 mcg		
Total parenteral nutrition	-----		
Other	3% Hypertonic Saline 30 ml/hr, Fentanyl 75 mcg/hr, Propofol 10 mcg/kg/min, Acetaminophen 975 (x5), Ceftriaxone 1gm, Keppra 500 - 1000mg (x2), Unasyn 3gm, Fentanyl 100mcg, Magnesium Sulfate, Potassium Chloride 20 mEq, Potassium Phosphate 30 mmol, Tranexamic Acid 1000 mg, Sodium Phosphate 30 mmol, Calcium Gluconate 1000 mg, Dextrose 50% 50 ml	Specify	

*T4 protocol: Levothyroxine, (20 mcgs), Solumedrol (2 gms,) Dextrose 50%, (1 amp), Regular Insulin (20u), Vasopressin (1 unit)

Mi Z, Novitzky D, Collins JF, Cooper D KC. The optimal hormonal replacement modality selection for multiple organ procurement from brain-dead organ donors. *Clinical Epidemiology* 2015;7 17-27.

** Excluding T4 Protocol