

HPAP-203 Donor Summary



HPAP	203	UNOS	
Recovery OPO	GLDP- Gift of Life Donor Program	Allocation Via	UPENN ☒ nPOD ☐
Age (years)	55	DCD	YES ☐ NO ☒
Race	Caucasian	DBD	YES ☒ NO ☐
Sex	M ☒ F ☐	Admission to Cross Clamp	130 Hours 45 Mins.
ABO (Rh)	O Positive	Cross Clamp Time	11/23/2025 03:19 EST
BMI (Kg/m ²)	33.15	Cold Ischemia Time*	7 Hours 32 Mins.
Weight (kg)	98.9		
Height (cm)	172.72		
Cause of Death	CVA/Stroke	Preservation Solution	UW ☒ HTK ☐ UW/Belzer Cold Storage/Viaspan/SPS-1
Mechanism of Injury	Intracranial Hemorrhage/Stroke	Organs Recovered	Heart ☐ Kidney ☒ Lung ☒ Pancreas ☒ Liver ☒ Intestine ☐
Cardiac Arrest/Downtime	Yes ☒ No ☐	Intraoperative time laps from liver to pancreas removal from the peritoneal cavity:	00 Hours 23 Mins.
CPR / Time	Yes ☒ No ☐ Unknown time Defibrillation used	Organs Discarded	Heart ☐ Kidney ☐ Lung ☐ Pancreas ☐ Liver ☐ Intestine ☐
Total Est. Downtime	Unknown	Blood Culture	No Growth
Date /Time of Admission	11/17/2025 16:34 EST	PHS High Risk	YES ☐ NO ☒
		Acute Lung Injury	Bibasilar atelectasis, grossly stable. No pleural effusion or pneumothorax

*Cold Ischemia time is calculated from time of cross clamp to start of enzyme perfusion for islet isolation.



HPAP-203 Donor Summary

Medical History:

		Duration	Medications	Compliance
Type of Diabetes	T2DM	6 months	Oral medication — name unknown	yes
History of cancer	-----	-----	-----	-----
CAD	-----	-----	-----	-----
Hypertension	yes	10 years	Medication name unknown	yes
Hyperlipidemia	yes	10 years	Medication name unknown	yes
Autoimmune disease	-----	-----	-----	-----
Family History	CAD ☒ Mother	Diabetes ☒ Father	Auto immune disease ☐	Others:
Surgical History:	Ear Surgery			
Comments:	Medical Hx: HTN, HLD, DM2, Anemia, Anxiety/Depression. Allergies to Lotrimin Social Hx: Occasional Cigar, + Daily beer use: ~3–4/day weekdays; 6–12/day weekends × 20 yrs. Medication Hx: Prilosec 7 years, Depression med 4 years			

Hemodynamic Profile

Average BP During Hospitalization (mmHg)	130/73	
Average Low BP During Hospitalization	79/43	Duration: 5 – 9 min.
Average BP in OR (mmHg)	112/68	
Average Low BP in OR (mmHg)	64/45	Duration: 5 min.
Average HR in OR (bpm)	98	
ABG-pH range	7.21 – 7.48	

INTERVENTION

Blood Products/Meds Transfused Before Organ Recovery

Product	Amount (ml)	Units	Total (ml)
Fresh Frozen Plasma	-----	-----	-----
PRBCs	-----	-----	-----
Platelets	-----	-----	-----
Norepinephrine (Levophed)	-----	-----	-----
Vasopressin	-----	-----	-----
Neo-Syneprine	-----	-----	-----
Epinephrine	-----	-----	-----
Phenylephrine	-----	-----	-----
Dopamine	-----	-----	-----

HPAP-203 Donor Summary



Blood Products/Meds Transfused Intraoperative

Product	Amount (ml)	Units	Total (ml)
Fresh Frozen Plasma	-----	-----	-----
PRBCs	-----	-----	-----
Platelets	-----	-----	-----
Norepinephrine (Levophed)	-----	-----	-----
Vasopressin	-----	-----	-----
Neo-Syneprine (phenylephrine)	-----	-----	-----
Epinephrine	-----	-----	-----
Dopamine	-----	-----	-----
Heparin	-----	30,000	-----

Initial Autoantibody Screening (nPOD): ELISA

Not performed for HPAP-T2D program

GAD-65	IA-2

Confirmatory results: Radioimmuno Assay (RIA)

	GAD-65 (unit/ml)	IA-2 (unit/ml)	Insulin AAB (unit/ml)	ZnT8 (unit/ml)
Results	0	0	-0.001	-0.006
Cut-off values	20	5	0.01	0.02

*Sample obtained at time of organ recovery.

	C-peptide (ng/ml)	Proinsulin
Results	4.23	NA

*Sample obtained at time of organ recovery.

HLA (OPO)*

Class 1	A	3	32	Class II	DR	4	12
	B	51	55		DR51	N-Negative	N-Negative
	C	05	15		DR52	52	N-Negative
	Bw4	Positive			DR53	53	N-Negative
	Bw6	Positive			DQB1	7	7
					DQA1	03	05
					DPB1	03:01	04:01
					DPA1	01	01
Comment:							

HPAP-203 Donor Summary



Confirmatory HLA (UPENN)*

Not performed for HPAP-T2D program

Class 1	A			Class II	DRB1		
	B				DRB3		
	C				DRB4		
					DRB5		
					DQB1		
					DQA1		
					DPB1		
					DPA1		

*HLA typing performed using NGS

Infectious Disease Serology

Test	Result	Hemo/Plasma Dilution Status	
		Qualified	Non-Qualified
EBV IgG	Positive	✓	-
EBV IgM	Negative	✓	-
CMV	Negative	✓	-
HBcAb	Non-Reactive	✓	-
HBsAg	Non-Reactive	✓	-
HCV Ab	Non-Reactive	✓	-
HIV I/II (HIV AG/ Ab Combo)	Non-Reactive	✓	-
Syphilis	Non-Reactive	✓	-
Procleix Ultrio	NA	-	-
Ultrio HBV	Non-Reactive	✓	-
Ultrio HCV	Non-Reactive	✓	-
Ultrio HIV (HIV 1-2)	Non-Reactive	✓	-
Toxoplasma Ab	Negative	✓	-
SARS-CoV-2	Not Detected	✓	-

HPAP-203 Donor Summary



Laboratory Panel

	Initial	Peak	Terminal
Na (mEq/L) (135-145)	139	159	156
Creatinine (<1.5)	1.09	1.23	1.04
Glucose (mg/dL) (60-150)	321	321	232
HbA1C%	6.2	-----	-----
Total bilirubin (0-1.0)	0.3	0.9	0.4
SGOT (AST) (0-40)	37	37	12
SGPT (ALT) (5-35)	22	22	9
Alkaline phosphatase (45-110)	98	98	65
Serum Amylase (23-851)	17	122	40
Serum Lipase (0-80)	22	22	14
WBC (THO/uL) (4.5-11.0)	22.9	22.9	13.4
Hgb (g/dL) (12-16)	14.7	15.1	9.9
Platelets (THO/uL) (150-350)	364	367	223
INR (<2.0)	1	1.4	1.4

Urinalysis

	1 st	2 nd	3 rd	4 th	5 th - 6 th
Glucose	Positive: 500	Positive: >1000	Positive: 100	Positive: 500	Negative

Medications During Hospitalization

Steroids**	NA		
Diuretics	Mannitol 50 gms		
T3 Protocol	NA		
T4 Protocol*	-----		
Insulin**	NA		
Antihypertensive	NA		
Vasodilators	NA		
DDAVP**	NA		
Total parenteral nutrition	NA		
Other	NA	Specify	

*T4 protocol: Levothyroxine, (20 mcgs), Solumedrol (2 gms,) Dextrose 50%, (1 amp), Regular Insulin (20u), Vasopressin (1 unit)

Mi Z, Novitzky D, Collins JF, Cooper D KC. The optimal hormonal replacement modality selection for multiple organ procurement from brain-dead organ donors. Clinical Epidemiology 2015;7 17-27.

** Excluding T4 Protocol