

# Mapping Your Data

Tools to Map Your Data

# Maps!

- Showing data visually can help tell the story of data exploration
- Every map is a diagram, in the sense that a map is an abstracted representation of some but not all facets of a place (Taken from a very solid mapping article, <http://www.spur.org/publications/urbanist-article/2012-11-09/grand-reductions-10-diagrams-changed-city-planning>)
- Mapping can provide unseen insights into data
- Mapping can provide context to a data hypothesis



# Mapping Styles


Various purposes  
(Broadacre city imaginary map, 1932)





# Topological Map






Zoning/Architectural Map







# Thematic Map



# Heat Map





# Choropleth Map



# Leaflet.js

is an open-source JavaScript library for mobile-friendly  
interactive maps

# About Leaflet.js

- Easy to use
- Works efficiently across all major desktop and mobile platforms, can be extended with lots of plugins, and has a simple API
- Developed by Vladimir Agafonkin of Mapbox with a team of dedicated contributors (236 people so far!)
- Access the project's github here. <https://github.com/Leaflet/Leaflet>



- View Examples here: <http://leafletjs.com/examples/quick-start.html>
- View choropleth map example here: <http://leafletjs.com/examples/choropleth.html>

# Leaflet (cont.)

- Leaflet is a great tool, but requires some javascript knowledge to use it
- Interacting with Pandas requires you to output panda data frames to .json and then have the leaflet library consume this information
- To have multiple map's you might have to spin up a web server or use a series of plinkr's (more concise)



# Folium

YES. A leaflet library for python and specifically ipython notebooks!

# Folium Features

- Allows us to combine our panda data frames while using most of the features of leaflet in python
- Builds on the data wrangling strengths of the Python ecosystem and the mapping strengths of the Leaflet.js library. Manipulate your data in Python, then visualize it in on a Leaflet map via Folium (From github)
- Supports geojson format and topojson format



# Geojson sources

- GeoJSON is an open format for encoding information about geographic features using JSON format
- Easier to use and view than older shape files, .gis files, or .kml files
- One can download geojson files from a various sources to load into folium, to visualize county boundaries, city boundaries, any data that you would like to map.
- TopoJSON is an extension to GeoJSON that encodes topology in the geojson file
- <http://eric.clst.org/Stuff/USGeoJSON>
- [https://catalog.data.gov/dataset?res\\_format=geojson](https://catalog.data.gov/dataset?res_format=geojson)
- <https://data.sfgov.org/>

```
{
  "type": "Feature",
  "properties": {
    "name": "Nob Hill",
    "cartodb_id": 25,
    "created_at": "2013-02-10T05:44:04.653Z",
    "updated_at": "2013-02-10T05:44:04.923Z",
  },
  "geometry": {
    "type": "MultiPolygon",
    "coordinates": [
      [
        [
          [-122.418609, 37.78891],
          [-122.421954, 37.788488],
          [-122.422333, 37.79035],
          [-122.422697, 37.792133],
          [-122.423435, 37.795722],
          [-122.410257, 37.7974],
          [-122.409062, 37.791429],
          [-122.408805, 37.790184],
          [-122.408797, 37.790161],
          [-122.408789, 37.790145],
          [-122.408912, 37.790132],
          [-122.409094, 37.790105],
          [-122.411745, 37.789802],
          [-122.418609, 37.78891]
        ]
      ]
    ]
  }
}
```

```
"type": "FeatureCollection",
"features": [
  {
    "type": "Feature",
    "geometry": {
      "type": "Point",
      "coordinates": [-122.414495, 37.769535]
    },
    "properties": {
      "cartodb_id": 12980,
      "supervisor_district": 9,
      "caseid": 3744148,
      "point": "(37.769535428, -122.414494983)",
      "neighborhood": "Mission",
      "source": "Open311",
      "opened": "2014-06-16T08:41:07Z",
      "lon": -122.414494983,
      "lat": 37.769535428
    }
  }
]
```

# GeoJson Examples

Let's give this library a  
shot