What if your code could be automatically blocked before it becomes a security risk?

What is Jira?

- Issue tracking & project management tool used in industry
- Helps teams manage:
- Tasks, Bugs, Features, Security issues
- Acts as a central system of record for all work

Why Jira is Widely Used in Industry?

- Standard tool for Agile & DevOps workflows
- **Provides:**
- Traceability (who did what, when)
- Accountability (assigned ownership)
- Collaboration between teams
- **Integrates with:**
- CI/CD pipelines & Security tools
- Used for compliance & audit evidence (SOC2, ISO 27001)

How Jira Works?

- Work is created as Issues (Tickets)
- Each issue has:
- Title, Description, Priority & Assignee
- Moves through workflow:
- To Do → In Progress → Done
- Can represent:
- Bug, Feature & Security vulnerability

Security Requirements

- Define what security controls must be implemented
- Examples:
- Input validation required
- Authentication & authorization enforced
- Data must be encrypted
- Stored as Jira tickets
- Ensure security is:
- Planned, Tracked & Implemented

Security Gates

(Build Pass/Fail Concept)

- Automated rules that decide:
- Build passes & Build fails
- Based on:
- Vulnerability severity, Code quality & Policy compliance
- Example:
- High severity vulnerability → Build FAIL
- No critical issues → Build PASS

Jira + DevSecOps Integration

- Security tools generate findings → sent to Jira as tickets
- Developers fix issues → update Jira
- Pipeline checks:
- “Are all critical issues resolved?”
- If not → deployment blocked

Real-World Example