



Learn Git and GitHub without any code!

Using the Hello World guide, you'll start a branch, write comments, and open a pull request.

[Read the guide](#)

Branch: **master** ▼

[Find file](#)

[Copy path](#)

[cfn-certificate-provider](#) / [docs](#) / [IssuedCertificate.md](#)



mvanholsteijn improved documentation

573881d on Oct 4, 2018

[1 contributor](#)

Raw

Blame

History



27 lines (19 sloc) 956 Bytes

Custom::IssuedCertificate

The `Custom::IssuedCertificate` waits until a certificate reaches the state 'ISSUED'.

No actual resource is created. If you need to use the issued certificate, please let your ELB or CloudFront Distribution depend on this resource. It will return the ARN of the Certificate.

Syntax

To declare this entity in your AWS CloudFormation template, use the following syntax:

```
IssuedCertificate:
  Type: Custom::IssuedCertificate
  Properties:
    CertificateArn: !Ref Certificate
    ServiceToken: !Sub 'arn:aws:lambda:${AWS::Region}:${AWS::AccountId}:function:binxio-cfn-certifici
```

Properties

You can specify the following properties:

"CertificateArn" - of the certificate to wait for (required).

"ServiceToken" - pointing to the function implementing this resource (required).

No other properties are required.

Return Value

The resource returns the ARN of the Certificate.