

# REST API

Version 0.0.1-SNAPSHOT

---

## Table of Contents

### 유저 API

- 회원가입 (성공)
- 회원가입 (email 중복 실패)
- 회원가입 (유효성 검사 email 형식 오류)
- 로그인 (성공)
- 로그인 (인증 실패)
- 회원상세보기 (성공)
- 회원상세보기 (인증 안됨 실패)
- 회원 정보 수정 (성공)
- 회원 정보 수정 (인증 실패)
- 회원 정보 수정 (토큰은 있으나 존재하지 않는 유저 실패)
- 일정 관련 요청 결과 확인 (성공)
- 일정 관련 요청 결과 확인 후 처리 (성공)

### 개인연차/당직 API

- 일정 등록 요청 (성공)
- 일정 등록 요청 (실패 - 일정 종료가 시작보다 빠름)
- 일정 수정 요청 (성공)
- 일정 수정 요청 (실패 - 일정 종료가 시작보다 빠름)
- 일정 수정 요청 (실패 - 존재하지 않는 일정 수정 요청)
- 일정 수정 요청 (실패 - 권한이 부여되지 않은 유저 수정 요청)
- 일정 삭제 요청 (성공)
- 일정 삭제 요청 (실패 - 존재하지 않는 일정 삭제 요청)
- 일정 삭제 요청 (실패 - 권한이 부여되지 않은 유저 삭제 요청)
- 일정 조회 요청 (토큰 X)
- 일정 조회 요청 (유저 토큰)
- 일정 조회 요청 (관리자 토큰)

### 관리자 API

- 유저 권한 변경 - 성공
- 일정 등록 승인 - 성공
- 일정 등록 승인 - 인증 실패
- 일정 등록 승인 - 유효한 토큰은 있으나 삭제된 유저일 경우
- 일정 등록 거절 - 성공
- 일정 등록 거절 - 인증 실패
- 일정 등록 거절 - 유효한 토큰은 있으나 삭제된 유저일 경우
- 일정 삭제 승인 - 성공
- 일정 삭제 승인 - 인증 실패
- 일정 삭제 승인 - 유효한 토큰은 있으나 삭제된 유저일 경우

일정 삭제 거절 - 성공  
일정 삭제 거절 - 인증 실패  
일정 삭제 거절 - 유효한 토큰은 있으나 삭제된 유저일 경우  
일정 업데이트 승인 - 성공  
일정 업데이트 승인 - 인증 실패  
일정 업데이트 승인 - 유효한 토큰은 있으나 삭제된 유저일 경우  
일정 업데이트 승인 - 존재하지 않는 수정 요청 실패  
일정 수정 거절 - 성공  
일정 수정 거절 - 인증 실패  
일정 삭제 거절 - 유효한 토큰은 있으나 삭제된 유저일 경우  
일정 업데이트 승인 - 존재하지 않는 수정 요청 실패  
등록 요청 데이터조회 - 성공  
수정 요청 데이터 조회 - 성공  
삭제 요청 데이터 조회 - 성공  
전체 유저 조회 - 성공

---

## 유저 API

### 회원가입 (성공)

#### Request Example

```
POST /join HTTP/1.1
Content-Type: application/json;charset=UTF-8
Content-Length: 77
Host: localhost:8080
```

```
{
  "email" : "love@nate.com",
  "password" : "1234",
  "username" : "love"
}
```

HTTP

#### Response Example

HTTP/1.1 201 Created HTTP

Vary: Origin  
Vary: Access-Control-Request-Method  
Vary: Access-Control-Request-Headers  
Authorization: Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJqd3RzdHVkeSIsInJvbGUiOiJlVU0VSIiwiaWQiOiJQs  
Content-Type: application/json;charset=UTF-8  
X-Content-Type-Options: nosniff  
X-XSS-Protection: 1; mode=block  
Cache-Control: no-cache, no-store, max-age=0, must-revalidate  
Pragma: no-cache  
Expires: 0  
Content-Length: 148

```
{
  "status" : 201,
  "msg" : "성공",
  "data" : {
    "id" : 4,
    "email" : "love@nate.com",
    "username" : "love",
    "role" : "USER"
  }
}
```

## Curl

```
$ curl 'http://localhost:8080/join' -i -X POST \
  -H 'Content-Type: application/json;charset=UTF-8' \
  -d '{
    "email" : "love@nate.com",
    "password" : "1234",
    "username" : "love"
  }'
```

BASH

## 회원가입 (email 중복 실패)

### Request Example

**POST** /join HTTP/1.1

Content-Type: application/json;charset=UTF-8  
Content-Length: 77  
Host: localhost:8080

```
{
  "email" : "ssar@nate.com",
  "password" : "1234",
  "username" : "ssar"
}
```

HTTP

### Response Example

HTTP

```
HTTP/1.1 400 Bad Request
Vary: Origin
Vary: Access-Control-Request-Method
Vary: Access-Control-Request-Headers
Content-Type: application/json;charset=UTF-8
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
Content-Length: 129
```

```
{
  "status" : 400,
  "msg" : "badRequest",
  "data" : {
    "key" : "email",
    "value" : "이메일이 존재합니다."
  }
}
```

## Curl

BASH

```
$ curl 'http://localhost:8080/join' -i -X POST \
  -H 'Content-Type: application/json;charset=UTF-8' \
  -d '{
    "email" : "ssar@nate.com",
    "password" : "1234",
    "username" : "ssar"
  }'
```

## 회원가입 (유효성 검사 email 형식 오류)

### Request Example

HTTP

```
POST /join HTTP/1.1
Content-Type: application/json;charset=UTF-8
Content-Length: 76
Host: localhost:8080
```

```
{
  "email" : "ssarnate.com",
  "password" : "1234",
  "username" : "ssar"
}
```

### Response Example

HTTP/1.1 400 Bad Request  
Vary: Origin  
Vary: Access-Control-Request-Method  
Vary: Access-Control-Request-Headers  
Content-Type: application/json;charset=UTF-8  
X-Content-Type-Options: nosniff  
X-XSS-Protection: 1; mode=block  
Cache-Control: no-cache, no-store, max-age=0, must-revalidate  
Pragma: no-cache  
Expires: 0  
Content-Length: 141

HTTP

```
{
  "status" : 400,
  "msg" : "badRequest",
  "data" : {
    "key" : "email",
    "value" : "이메일 형식으로 작성해주세요"
  }
}
```

## Curl

```
$ curl 'http://localhost:8080/join' -i -X POST \
  -H 'Content-Type: application/json;charset=UTF-8' \
  -d '{
    "email" : "ssarnate.com",
    "password" : "1234",
    "username" : "ssar"
  }'
```

BASH

## 로그인 (성공)

### Request Example

**POST** /login HTTP/1.1  
Content-Type: application/json;charset=UTF-8  
Content-Length: 54  
Host: localhost:8080

```
{
  "email" : "ssar@nate.com",
  "password" : "1234"
}
```

HTTP

### Response Example

HTTP/1.1 200 OK HTTP

Vary: Origin

Vary: Access-Control-Request-Method

Vary: Access-Control-Request-Headers

Authorization: Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJqd3RzdHVkeSIsInJvbGUiOiJlVU0VSIiwiaWQiOiJEs

Content-Type: application/json;charset=UTF-8

X-Content-Type-Options: nosniff

X-XSS-Protection: 1; mode=block

Cache-Control: no-cache, no-store, max-age=0, must-revalidate

Pragma: no-cache

Expires: 0

Content-Length: 148

```
{
  "status" : 200,
  "msg" : "성공",
  "data" : {
    "id" : 1,
    "email" : "ssar@nate.com",
    "username" : "ssar",
    "role" : "USER"
  }
}
```

## Curl

```
$ curl 'http://localhost:8080/login' -i -X POST \
  -H 'Content-Type: application/json;charset=UTF-8' \
  -d '{
    "email" : "ssar@nate.com",
    "password" : "1234"
  }'
```

BASH

## 로그인 (인증 실패)

### Request Example

**POST** /login HTTP/1.1

Content-Type: application/json;charset=UTF-8

Content-Length: 44

Host: localhost:8080

```
{
  "email" : null,
  "password" : "12345"
}
```

HTTP

### Response Example

```
HTTP/1.1 401 Unauthorized
Vary: Origin
Vary: Access-Control-Request-Method
Vary: Access-Control-Request-Headers
Content-Type: application/json;charset=UTF-8
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
Content-Length: 89
```

HTTP

```
{
  "status" : 401,
  "msg" : "unAuthorized",
  "data" : "인증되지 않았습니다"
}
```

## Curl

```
$ curl 'http://localhost:8080/login' -i -X POST \
  -H 'Content-Type: application/json;charset=UTF-8' \
  -d '{
    "email" : null,
    "password" : "12345"
  }'
```

BASH

## 회원상세보기 (성공)

### Request Example

```
GET /s/user HTTP/1.1
Host: localhost:8080
```

HTTP

### Response Example

```
HTTP/1.1 200 OK
Vary: Origin
Vary: Access-Control-Request-Method
Vary: Access-Control-Request-Headers
Content-Type: application/json;charset=UTF-8
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
Content-Length: 148
```

HTTP

```
{
  "status" : 200,
  "msg" : "성공",
  "data" : {
    "id" : 1,
    "email" : "ssar@nate.com",
    "username" : "ssar",
    "role" : "USER"
  }
}
```

## Curl

```
$ curl 'http://localhost:8080/s/user' -i -X GET
```

BASH

## 회원상세보기 (인증 안됨 실패)

### Request Example

```
GET /s/user HTTP/1.1
Host: localhost:8080
```

HTTP

```
POST /join HTTP/1.1
Content-Type: application/json;charset=UTF-8
Content-Length: 77
Host: localhost:8080
```

HTTP

```
{
  "email" : "love@nate.com",
  "password" : "1234",
  "username" : "love"
}
```

### Response Example

```
HTTP/1.1 401 Unauthorized
Vary: Origin
Vary: Access-Control-Request-Method
Vary: Access-Control-Request-Headers
Content-Type: application/json; charset=utf-8
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
Content-Length: 89
```

HTTP

```
{
  "status" : 401,
  "msg" : "unAuthorized",
  "data" : "인증되지 않았습니다"
}
```

## Curl

```
$ curl 'http://localhost:8080/s/user' -i -X GET
```

BASH

## 회원 정보 수정 (성공)

### Request Example



HTTP

HTTP

```
{
  "status" : 200,
  "msg" : "성공",
  "data" : {
    "id" : 1,
    "email" : "ssar@nate.com",
    "username" : "archie",
    "role" : "USER"
  }
}
```

## BASH

9페이지/51페이지

```
POST /s/user HTTP/1.1
Content-Type: application/json;charset=UTF-8
Content-Length: 50
Host: localhost:8080
```

```
{
  "password" : "5678",
  "username" : "archie"
}
```

HTTP

## Response Example

```
HTTP/1.1 401 Unauthorized
Vary: Origin
Vary: Access-Control-Request-Method
Vary: Access-Control-Request-Headers
Content-Type: application/json; charset=utf-8
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
Content-Length: 89
```

```
{
  "status" : 401,
  "msg" : "unAuthorized",
  "data" : "인증되지 않았습니다"
}
```

HTTP

## Curl

```
$ curl 'http://localhost:8080/s/user' -i -X POST \
  -H 'Content-Type: application/json;charset=UTF-8' \
  -d '{
    "password" : "5678",
    "username" : "archie"
  }'
```

BASH

## 회원 정보 수정 (토큰은 있으나 존재하지 않는 유저 실패)

### Request Example

```
POST /s/user HTTP/1.1
Content-Type: application/json;charset=UTF-8
Authorization: Bearer Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJqd3RzdHVkeSIsInJvbGUiOiJlJWU0VSIiwia
Content-Length: 50
Host: localhost:8080
```

```
{
  "password" : "5678",
  "username" : "archie"
}
```

HTTP

### Response Example

```
HTTP/1.1 200 OK
Vary: Origin
Vary: Access-Control-Request-Method
Vary: Access-Control-Request-Headers
Content-Type: application/json;charset=UTF-8
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
Content-Length: 150
```

HTTP

```
{
  "status" : 200,
  "msg" : "성공",
  "data" : {
    "id" : 1,
    "email" : "ssar@nate.com",
    "username" : "archie",
    "role" : "USER"
  }
}
```

## Curl

```
$ curl 'http://localhost:8080/s/user' -i -X POST \
  -H 'Content-Type: application/json;charset=UTF-8' \
  -H 'Authorization: Bearer Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJqd3RzdHVkeSIsInJvbGUiOiJVVU0VSIiwiaWQiOiJEsImV4cCI6MTY4NDIzMzU1OH0.i90LqkRokTjcF_ag07WNds6nPwSwtHu_fiwLF1Adoj0x5NH4lBmxHPq-GmI3U5dAWHQoz-RZre0Ze2WbfABF1w' \
  -d '{
    "password" : "5678",
    "username" : "archie"
  }'
```

BASH

## 일정 관련 요청 결과 확인 (성공)

### Request Example

```
GET /s/user/annualDutyCheck HTTP/1.1
Content-Type: application/json;charset=UTF-8
Authorization: Bearer Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJqd3RzdHVkeSIsInJvbGUiOiJVVU0VSIiwiaWQiOiJEsImV4cCI6MTY4NDIzMzU1OH0.i90LqkRokTjcF_ag07WNds6nPwSwtHu_fiwLF1Adoj0x5NH4lBmxHPq-GmI3U5dAWHQoz-RZre0Ze2WbfABF1w
Host: localhost:8080

{
  "updateRequestLogList" : [ 10, 11, 12 ]
}
```

HTTP

### Response Example

```
HTTP/1.1 200 OK
Vary: Origin
Vary: Access-Control-Request-Method
Vary: Access-Control-Request-Headers
Content-Type: application/json;charset=UTF-8
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
```

HTTP

Pragma: no-cache  
Expires: 0  
Content-Length: 1495

```
{
  "status" : 200,
  "msg" : "성공",
  "data" : [ {
    "id" : 10,
    "username" : null,
    "msg" : "일정 등록에 성공하였습니다.",
    "annualDuty" : {
      "id" : 145,
      "status" : "1",
      "user" : {
        "id" : 1,
        "email" : "ssar@nate.com",
        "username" : "ssar",
        "role" : "USER"
      },
      "title" : "ssar의 일정",
      "startTime" : "2023-05-15T19:39:19.733833",
      "endTime" : "2023-05-20T19:39:19.733834",
      "type" : true,
      "updateStatus" : null
    }
  }, {
    "id" : 11,
    "username" : null,
    "msg" : "일정 등록에 성공하였습니다.",
    "annualDuty" : {
      "id" : 146,
      "status" : "1",
      "user" : {
        "id" : 1,
        "email" : "ssar@nate.com",
        "username" : "ssar",
        "role" : "USER"
      },
      "title" : "ssar의 일정",
      "startTime" : "2023-05-15T19:39:19.735116",
      "endTime" : "2023-05-20T19:39:19.735117",
      "type" : true,
      "updateStatus" : null
    }
  }, {
    "id" : 12,
    "username" : null,
    "msg" : "일정 등록에 성공하였습니다.",
    "annualDuty" : {
      "id" : 147,
      "status" : "1",
      "user" : {
        "id" : 1,
        "email" : "ssar@nate.com",
        "username" : "ssar",
        "role" : "USER"
      },
      "title" : "ssar의 일정",
      "startTime" : "2023-05-15T19:39:19.735914",
      "endTime" : "2023-05-20T19:39:19.735914",
      "type" : true,
      "updateStatus" : null
    }
  }
] }
```

```
}
```

## Curl

```
$ curl 'http://localhost:8080/s/user/annualDutyCheck' -i -X GET \
  -H 'Content-Type: application/json;charset=UTF-8' \
  -H 'Authorization: Bearer Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJqd3RzdHVkeSIsInJvbGUiOiJWU0VSIiwiaWQiOiJEsImV4cCI6MTY4NDIzMzU1
  OX0.rfJp0sF1VHm7kNq7SsRKltIt2WUnnjWM61Kvlb4RxdYL8Un62MHoLLKQVY1Is1_ODLn6txylJyJgv-0kCtrqrA' \
  -d '{
    "updateRequestLogList" : [ 10, 11, 12 ]
  }'
```

BASH

## 일정 관련 요청 결과 확인 후 처리 (성공)

### Request Example

```
POST /s/user/annualDutyCheck HTTP/1.1
Content-Type: application/json;charset=UTF-8
Authorization: Bearer Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJqd3RzdHVkeSIsInJvbGUiOiJWU0VSIiwiaWQiOiJEsImV4cCI6MTY4NDIzMzU1
Content-Length: 43
Host: localhost:8080

{
  "annualDutyCheckedList" : [ 7, 8, 9 ]
}
```

HTTP

### Response Example

```
HTTP/1.1 200 OK
Vary: Origin
Vary: Access-Control-Request-Method
Vary: Access-Control-Request-Headers
Content-Type: application/json;charset=UTF-8
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
Content-Length: 57

{
  "status" : 200,
  "msg" : "성공",
  "data" : null
}
```

HTTP

## Curl

```
$ curl 'http://localhost:8080/s/user/annualDutyCheck' -i -X POST \
  -H 'Content-Type: application/json;charset=UTF-8' \
  -H 'Authorization: Bearer Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJqd3RzdHVkeSIsInJvbGUiOiJWU0VSIiwiaWQiOiJEsImV4cCI6MTY4NDIzMzU1
  OX0.rfJp0sF1VHm7kNq7SsRKltIt2WUnnjWM61Kvlb4RxdYL8Un62MHoLLKQVY1Is1_ODLn6txylJyJgv-0kCtrqrA' \
  -d '{
    "annualDutyCheckedList" : [ 7, 8, 9 ]
  }'
```

BASH

## 개인연차/당직 API

### 일정 등록 요청 (성공)

#### Request Example

Unresolved directive in api-docs.adoc - include::./build/generated-snippets/{annualduty}/save\_test/http-request.adoc[]

#### Response Example

```
HTTP/1.1 200 OK
Vary: Origin
Vary: Access-Control-Request-Method
Vary: Access-Control-Request-Headers
Content-Type: application/json;charset=UTF-8
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
Content-Length: 390
```

HTTP

```
{
  "status" : 200,
  "msg" : "성공",
  "data" : {
    "id" : 81,
    "status" : "0",
    "user" : {
      "id" : 1,
      "email" : "taeheoki@nate.com",
      "username" : "taeheoki",
      "role" : "USER"
    },
    "title" : "taeheoki의 일정",
    "startTime" : "2023-05-15T19:39:14.699",
    "endTime" : "2023-05-20T19:39:14.699",
    "type" : true,
    "updateStatus" : null
  }
}
```

#### Curl

```
$ curl 'http://localhost:8080/s/user/annualDuty/save' -i -X POST \
-H 'Content-Type: application/json;charset=UTF-8' \
-d '{
  "calendarId" : "0",
  "username" : "taeheoki",
  "email" : "taeheoki@nate.com",
  "title" : "taeheoki의 일정",
  "start" : "2023-05-15T19:39:14.699Z",
  "end" : "2023-05-20T19:39:14.699Z",
  "isAllday" : true,
  "role" : "USER",
  "endTimeAfterStartTime" : true
}'
```

BASH

## 일정 등록 요청 (실패 - 일정 종료가 시작보다 빠름)

### Request Example

```
POST /s/user/annualDuty/save HTTP/1.1
Content-Type: application/json;charset=UTF-8
Content-Length: 271
Host: localhost:8080
```

HTTP

```
{
  "calendarId" : "0",
  "username" : "taeheoki",
  "email" : "taeheoki@nate.com",
  "title" : "taeheoki의 일정",
  "start" : "2023-05-15T19:39:15.260Z",
  "end" : "2023-05-10T19:39:15.260Z",
  "isAllday" : true,
  "role" : "USER",
  "endTimeAfterStartTime" : false
}
```

### Response Example

```
HTTP/1.1 400 Bad Request
Vary: Origin
Vary: Access-Control-Request-Method
Vary: Access-Control-Request-Headers
Content-Type: application/json;charset=UTF-8
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
Content-Length: 151
```

HTTP

```
{
  "status" : 400,
  "msg" : "badRequest",
  "data" : {
    "key" : "endTimeAfterStartTime",
    "value" : "End time should be after start time"
  }
}
```

### Curl

```
$ curl 'http://localhost:8080/s/user/annualDuty/save' -i -X POST \
  -H 'Content-Type: application/json;charset=UTF-8' \
  -d '{
    "calendarId" : "0",
    "username" : "taeheoki",
    "email" : "taeheoki@nate.com",
    "title" : "taeheoki의 일정",
    "start" : "2023-05-15T19:39:15.260Z",
    "end" : "2023-05-10T19:39:15.260Z",
    "isAllday" : true,
    "role" : "USER",
    "endTimeAfterStartTime" : false
  }'
```

BASH

## 일정 수정 요청 (성공)

### Request Example

```
POST /s/user/annualDuty/update/141 HTTP/1.1
Content-Type: application/json;charset=UTF-8
Content-Length: 155
Host: localhost:8080
```

HTTP

```
{
  "title" : "taeheoki의 일정 수정",
  "start" : "2023-05-15T19:39:16.634Z",
  "end" : "2023-05-30T19:39:16.634Z",
  "endTimeAfterStartTime" : true
}
```

### Response Example

```
HTTP/1.1 200 OK
Vary: Origin
Vary: Access-Control-Request-Method
Vary: Access-Control-Request-Headers
Content-Type: application/json;charset=UTF-8
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
Content-Length: 614
```

HTTP

```
{
  "status" : 200,
  "msg" : "성공",
  "data" : {
    "id" : 17,
    "annualDuty" : {
      "id" : 141,
      "status" : "1",
      "user" : {
        "id" : 1,
        "email" : "taeheoki@nate.com",
        "username" : "taeheoki",
        "role" : "USER"
      },
      "title" : "taeheoki의 일정",
      "startTime" : "2023-05-15T19:39:16.63417",
      "endTime" : "2023-05-20T19:39:16.634172",
      "type" : true,
      "updateStatus" : 1
    },
    "title" : "taeheoki의 일정 수정",
    "startTime" : "2023-05-15T19:39:16.634",
    "endTime" : "2023-05-30T19:39:16.634",
    "status" : false
  }
}
```

### Curl



```
$ curl 'http://localhost:8080/s/user/annualDuty/update/141' -i -X POST \
  -H 'Content-Type: application/json;charset=UTF-8' \
  -d '{
    "title" : "taeheoki의 일정 수정",
    "start" : "2023-05-15T19:39:16.634Z",
    "end" : "2023-05-30T19:39:16.634Z",
    "endTimeAfterStartTime" : true
  }'
```

BASH

## 일정 수정 요청 (실패 - 일정 종료가 시작보다 빠름)

### Request Example

```
POST /s/user/annualDuty/update/90 HTTP/1.1
Content-Type: application/json;charset=UTF-8
Content-Length: 156
Host: localhost:8080
```

```
{
  "title" : "taeheoki의 일정 수정",
  "start" : "2023-05-15T19:39:14.979Z",
  "end" : "2023-04-30T19:39:14.979Z",
  "endTimeAfterStartTime" : false
}
```

HTTP

### Response Example

```
HTTP/1.1 400 Bad Request
Vary: Origin
Vary: Access-Control-Request-Method
Vary: Access-Control-Request-Headers
Content-Type: application/json;charset=UTF-8
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
Content-Length: 151
```

```
{
  "status" : 400,
  "msg" : "badRequest",
  "data" : {
    "key" : "endTimeAfterStartTime",
    "value" : "End time should be after start time"
  }
}
```

HTTP

### Curl

```
$ curl 'http://localhost:8080/s/user/annualDuty/update/90' -i -X POST \
  -H 'Content-Type: application/json;charset=UTF-8' \
  -d '{
    "title" : "taeheoki의 일정 수정",
    "start" : "2023-05-15T19:39:14.979Z",
    "end" : "2023-04-30T19:39:14.979Z",
    "endTimeAfterStartTime" : false
  }'
```

BASH

## 일정 수정 요청 (실패 - 존재하지 않는 일정 수정 요청)

### Request Example

```
POST /s/user/annualDuty/update/9223372036854775807 HTTP/1.1
Content-Type: application/json;charset=UTF-8
Content-Length: 155
Host: localhost:8080
```

```
{
  "title" : "taeheoki의 일정 수정",
  "start" : "2023-05-15T19:39:14.209Z",
  "end" : "2023-05-30T19:39:14.209Z",
  "endTimeAfterStartTime" : true
}
```

HTTP

### Response Example

```
HTTP/1.1 400 Bad Request
Vary: Origin
Vary: Access-Control-Request-Method
Vary: Access-Control-Request-Headers
Content-Type: application/json;charset=UTF-8
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
Content-Length: 133
```

```
{
  "status" : 400,
  "msg" : "badRequest",
  "data" : {
    "key" : "id",
    "value" : "존재하지 않는 일정입니다."
  }
}
```

HTTP

### Curl

```
$ curl 'http://localhost:8080/s/user/annualDuty/update/9223372036854775807' -i -X POST \
-H 'Content-Type: application/json;charset=UTF-8' \
-d '{
  "title" : "taeheoki의 일정 수정",
  "start" : "2023-05-15T19:39:14.209Z",
  "end" : "2023-05-30T19:39:14.209Z",
  "endTimeAfterStartTime" : true
}'
```

BASH

## 일정 수정 요청 (실패 - 권한이 부여되지 않은 유저 수정 요청)

### Request Example

```
POST /s/user/annualDuty/update/56 HTTP/1.1
Content-Type: application/json;charset=UTF-8
Content-Length: 155
Host: localhost:8080
```

HTTP

```
{
  "title" : "taeheoki의 일정 수정",
  "start" : "2023-05-15T19:39:13.936Z",
  "end" : "2023-05-30T19:39:13.936Z",
  "endTimeAfterStartTime" : true
}
```

## Response Example

```
HTTP/1.1 401 Unauthorized
Vary: Origin
Vary: Access-Control-Request-Method
Vary: Access-Control-Request-Headers
Content-Type: application/json;charset=UTF-8
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
Content-Length: 108
```

HTTP

```
{
  "status" : 401,
  "msg" : "unAuthorized",
  "data" : "본인의 일정만 수정할 수 있습니다."
}
```

## Curl

```
$ curl 'http://localhost:8080/s/user/annualDuty/update/56' -i -X POST \
-H 'Content-Type: application/json;charset=UTF-8' \
-d '{
  "title" : "taeheoki의 일정 수정",
  "start" : "2023-05-15T19:39:13.936Z",
  "end" : "2023-05-30T19:39:13.936Z",
  "endTimeAfterStartTime" : true
}'
```

BASH

## 일정 삭제 요청 (성공)

### Request Example

```
POST /s/user/annualDuty/delete/107 HTTP/1.1
Host: localhost:8080
```

HTTP

### Response Example

```
HTTP/1.1 200 OK
Vary: Origin
Vary: Access-Control-Request-Method
Vary: Access-Control-Request-Headers
Content-Type: application/json;charset=UTF-8
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
Content-Length: 57
```

HTTP

```
{
  "status" : 200,
  "msg" : "성공",
  "data" : null
}
```

## Curl

```
$ curl 'http://localhost:8080/s/user/annualDuty/delete/107' -i -X POST
```

BASH

## 일정 삭제 요청 (실패 - 존재하지 않는 일정 삭제 요청)

### Request Example

```
POST /s/user/annualDuty/delete/9223372036854775807 HTTP/1.1
Host: localhost:8080
```

HTTP

### Response Example

```
HTTP/1.1 400 Bad Request
Vary: Origin
Vary: Access-Control-Request-Method
Vary: Access-Control-Request-Headers
Content-Type: application/json;charset=UTF-8
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
Content-Length: 133
```

HTTP

```
{
  "status" : 400,
  "msg" : "badRequest",
  "data" : {
    "key" : "id",
    "value" : "존재하지 않는 일정입니다."
  }
}
```

## Curl

```
$ curl 'http://localhost:8080/s/user/annualDuty/delete/9223372036854775807' -i -X POST
```

BASH

## 일정 삭제 요청 (실패 - 권한이 부여되지 않은 유저 삭제 요청)

## Request Example

```
POST /s/user/annualDuty/delete/132 HTTP/1.1
Host: localhost:8080
```

HTTP

## Response Example

```
HTTP/1.1 401 Unauthorized
Vary: Origin
Vary: Access-Control-Request-Method
Vary: Access-Control-Request-Headers
Content-Type: application/json;charset=UTF-8
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
Content-Length: 108
```

HTTP

```
{
  "status" : 401,
  "msg" : "unAuthorized",
  "data" : "본인의 일정만 수정할 수 있습니다."
}
```

## Curl

```
$ curl 'http://localhost:8080/s/user/annualDuty/delete/132' -i -X POST
```

BASH

## 일정 조회 요청 (토큰 X)

### Request Example

```
GET /annualDuty?year=2023&month=5 HTTP/1.1
Host: localhost:8080
```

HTTP

### Response Example

```
HTTP/1.1 200 OK
Vary: Origin
Vary: Access-Control-Request-Method
Vary: Access-Control-Request-Headers
Content-Type: application/json;charset=UTF-8
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
Content-Length: 1435
```

HTTP

```
{
  "status" : 200,
  "msg" : "성공",
  "data" : [ {
    "id" : 66,
    "status" : "1",
    "user" : {
      "id" : 1,
      "email" : "taeheoki@nate.com",

```

```
    "username" : "taeheoki",
    "role" : "USER"
  },
  "title" : "taeheoki의 일정",
  "startTime" : "2023-05-15T19:39:14.451871",
  "endTime" : "2023-05-20T19:39:14.451877",
  "type" : true,
  "updateStatus" : null
}, {
  "id" : 68,
  "status" : "1",
  "user" : {
    "id" : 1,
    "email" : "taeheoki@nate.com",
    "username" : "taeheoki",
    "role" : "USER"
  },
  "title" : "taeheoki의 일정",
  "startTime" : "2023-05-15T19:39:14.452771",
  "endTime" : "2023-05-20T19:39:14.452774",
  "type" : true,
  "updateStatus" : null
}, {
  "id" : 70,
  "status" : "1",
  "user" : {
    "id" : 1,
    "email" : "taeheoki@nate.com",
    "username" : "taeheoki",
    "role" : "USER"
  },
  "title" : "taeheoki의 일정",
  "startTime" : "2023-05-15T19:39:14.453579",
  "endTime" : "2023-05-20T19:39:14.453582",
  "type" : true,
  "updateStatus" : null
}, {
  "id" : 72,
  "status" : "1",
  "user" : {
    "id" : 1,
    "email" : "taeheoki@nate.com",
    "username" : "taeheoki",
    "role" : "USER"
  },
  "title" : "taeheoki의 일정",
  "startTime" : "2023-05-15T19:39:14.454178",
  "endTime" : "2023-05-20T19:39:14.454181",
  "type" : true,
  "updateStatus" : null
} ]
}
```

## Curl

```
$ curl 'http://localhost:8080/annualDuty?year=2023&month=5' -i -X GET
```

BASH

## 일정 조회 요청 (유저 토큰)

### Request Example

GET /annualDuty/?year=2023&month=5 HTTP/1.1

HTTP

Authorization: Bearer Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJqd3RzdHVkeSIsInJvbGUiOiJlVU0VSIiwia

Host: localhost:8080

## Response Example

HTTP

HTTP/1.1 200 OK

Vary: Origin

Vary: Access-Control-Request-Method

Vary: Access-Control-Request-Headers

Content-Type: application/json; charset=UTF-8

X-Content-Type-Options: nosniff

X-XSS-Protection: 1; mode=block

Cache-Control: no-cache, no-store, max-age=0, must-revalidate

Pragma: no-cache

Expires: 0

Content-Length: 2103

```
{
  "status" : 200,
  "msg" : "성공",
  "data" : [ {
    "id" : 109,
    "status" : "1",
    "user" : {
      "id" : 1,
      "email" : "taeheoki@nate.com",
      "username" : "taeheoki",
      "role" : "USER"
    },
    "title" : "taeheoki의 일정",
    "startTime" : "2023-05-15T19:39:15.884236",
    "endTime" : "2023-05-20T19:39:15.884238",
    "type" : true,
    "updateStatus" : null
  }, {
    "id" : 110,
    "status" : "0",
    "user" : {
      "id" : 2,
      "email" : "ssar@nate.com",
      "username" : "ssar",
      "role" : "USER"
    },
    "title" : "ssar의 일정",
    "startTime" : "2023-05-15T19:39:15.885513",
    "endTime" : "2023-05-20T19:39:15.885519",
    "type" : true,
    "updateStatus" : null
  }, {
    "id" : 111,
    "status" : "1",
    "user" : {
      "id" : 1,
      "email" : "taeheoki@nate.com",
      "username" : "taeheoki",
      "role" : "USER"
    },
    "title" : "taeheoki의 일정",
    "startTime" : "2023-05-15T19:39:15.887085",
    "endTime" : "2023-05-20T19:39:15.887086",
    "type" : true,
  }
]
```

```
    "updateStatus" : null
  }, {
    "id" : 113,
    "status" : "1",
    "user" : {
      "id" : 1,
      "email" : "taeheoki@nate.com",
      "username" : "taeheoki",
      "role" : "USER"
    },
    "title" : "taeheoki의 일정",
    "startTime" : "2023-05-15T19:39:15.888499",
    "endTime" : "2023-05-20T19:39:15.8885",
    "type" : true,
    "updateStatus" : null
  }, {
    "id" : 114,
    "status" : "0",
    "user" : {
      "id" : 2,
      "email" : "ssar@nate.com",
      "username" : "ssar",
      "role" : "USER"
    },
    "title" : "ssar의 일정",
    "startTime" : "2023-05-15T19:39:15.88875",
    "endTime" : "2023-05-20T19:39:15.88875",
    "type" : true,
    "updateStatus" : null
  }, {
    "id" : 115,
    "status" : "1",
    "user" : {
      "id" : 1,
      "email" : "taeheoki@nate.com",
      "username" : "taeheoki",
      "role" : "USER"
    },
    "title" : "taeheoki의 일정",
    "startTime" : "2023-05-15T19:39:15.889008",
    "endTime" : "2023-05-20T19:39:15.889008",
    "type" : true,
    "updateStatus" : null
  } ]
}
```

## Curl

```
$ curl 'http://localhost:8080/annualDuty/?year=2023&month=5' -i -X GET \
-H 'Authorization: Bearer Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJqd3RzdHVkeSIsInJvbGUiOiJlVU0VSIiwiaWQiOiJlImV4cCI6MTY4NDIzMzU1NX0.LfZnnN7Q7PK9Aq8pLM04zYWWc6EWF-wwUHFaOmCcYKLISOh1tQr3Ck6uCZ09XjViYAtMYBdk8r3Gz85EZ_1X6A'
```

BASH

## 일정 조회 요청 (관리자 토큰)

### Request Example

```
GET /annualDuty/?year=2023&month=5 HTTP/1.1
Authorization: Bearer Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJqd3RzdHVkeSIsInJvbGUiOiJlVU0VSIiwiaWQiOiJlImV4cCI6MTY4NDIzMzU1NX0.LfZnnN7Q7PK9Aq8pLM04zYWWc6EWF-wwUHFaOmCcYKLISOh1tQr3Ck6uCZ09XjViYAtMYBdk8r3Gz85EZ_1X6A'
Host: localhost:8080
```

HTTP



## Response Example

HTTP

HTTP/1.1 200 OK  
Vary: Origin  
Vary: Access-Control-Request-Method  
Vary: Access-Control-Request-Headers  
Content-Type: application/json;charset=UTF-8  
X-Content-Type-Options: nosniff  
X-XSS-Protection: 1; mode=block  
Cache-Control: no-cache, no-store, max-age=0, must-revalidate  
Pragma: no-cache  
Expires: 0  
Content-Length: 2788

```
{
  "status" : 200,
  "msg" : "성공",
  "data" : [ {
    "id" : 40,
    "status" : "0",
    "user" : {
      "id" : 1,
      "email" : "taeheoki@nate.com",
      "username" : "taeheoki",
      "role" : "USER"
    },
    "title" : "taeheoki의 일정",
    "startTime" : "2023-05-15T19:39:13.642098",
    "endTime" : "2023-05-20T19:39:13.642103",
    "type" : true,
    "updateStatus" : null
  }, {
    "id" : 41,
    "status" : "1",
    "user" : {
      "id" : 1,
      "email" : "taeheoki@nate.com",
      "username" : "taeheoki",
      "role" : "USER"
    },
    "title" : "taeheoki의 일정",
    "startTime" : "2023-05-15T19:39:13.642731",
    "endTime" : "2023-05-20T19:39:13.642735",
    "type" : true,
    "updateStatus" : null
  }, {
    "id" : 42,
    "status" : "0",
    "user" : {
      "id" : 2,
      "email" : "ssar@nate.com",
      "username" : "ssar",
      "role" : "USER"
    },
    "title" : "ssar의 일정",
    "startTime" : "2023-05-15T19:39:13.643063",
    "endTime" : "2023-05-20T19:39:13.64307",
    "type" : true,
    "updateStatus" : null
  }, {
    "id" : 43,
    "status" : "1",
    "user" : {
      "id" : 1,
      "email" : "taeheoki@nate.com",
```

```
    "username" : "taeheoki",
    "role" : "USER"
  },
  "title" : "taeheoki의 일정",
  "startTime" : "2023-05-15T19:39:13.643421",
  "endTime" : "2023-05-20T19:39:13.643424",
  "type" : true,
  "updateStatus" : null
}, {
  "id" : 44,
  "status" : "0",
  "user" : {
    "id" : 1,
    "email" : "taeheoki@nate.com",
    "username" : "taeheoki",
    "role" : "USER"
  },
  "title" : "taeheoki의 일정",
  "startTime" : "2023-05-15T19:39:13.643712",
  "endTime" : "2023-05-20T19:39:13.643715",
  "type" : true,
  "updateStatus" : null
}, {
  "id" : 45,
  "status" : "1",
  "user" : {
    "id" : 1,
    "email" : "taeheoki@nate.com",
    "username" : "taeheoki",
    "role" : "USER"
  },
  "title" : "taeheoki의 일정",
  "startTime" : "2023-05-15T19:39:13.64418",
  "endTime" : "2023-05-20T19:39:13.644185",
  "type" : true,
  "updateStatus" : null
}, {
  "id" : 46,
  "status" : "0",
  "user" : {
    "id" : 2,
    "email" : "ssar@nate.com",
    "username" : "ssar",
    "role" : "USER"
  },
  "title" : "ssar의 일정",
  "startTime" : "2023-05-15T19:39:13.644771",
  "endTime" : "2023-05-20T19:39:13.644774",
  "type" : true,
  "updateStatus" : null
}, {
  "id" : 47,
  "status" : "1",
  "user" : {
    "id" : 1,
    "email" : "taeheoki@nate.com",
    "username" : "taeheoki",
    "role" : "USER"
  },
  "title" : "taeheoki의 일정",
  "startTime" : "2023-05-15T19:39:13.64516",
  "endTime" : "2023-05-20T19:39:13.645163",
  "type" : true,
  "updateStatus" : null
} ]
```

```
}
```

## Curl

```
$ curl 'http://localhost:8080/annualDuty/?year=2023&month=5' -i -X GET \
-H 'Authorization: Bearer Bearer
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJqd3RzdHVkeSIsInJvbGUiOiJBRE1JTlIsImkIjozLCJleHAiOiE2ODQyMzM1
NTN9.NWmn120UMdz_49SEoyvvF2tz-Tm8Di0aMlHK3F6y25gthzmS7Yvxuq1fKX0VR912m2211VH-vs9oAwXGG19YnA'
```

BASH

## 관리자 API

### 유저 권한 변경 - 성공

#### Request Example

```
POST /s/admin/update/role HTTP/1.1
Content-Type: application/json;charset=UTF-8
Content-Length: 51
Host: localhost:8080
```

```
{
  "email" : "ssar@nate.com",
  "role" : "ADMIN"
}
```

HTTP

#### Response Example

```
HTTP/1.1 200 OK
Vary: Origin
Vary: Access-Control-Request-Method
Vary: Access-Control-Request-Headers
Content-Type: application/json;charset=UTF-8
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
Content-Length: 149
```

```
{
  "status" : 200,
  "msg" : "성공",
  "data" : {
    "id" : 1,
    "email" : "ssar@nate.com",
    "username" : "ssar",
    "role" : "ADMIN"
  }
}
```

HTTP

## Curl

```
$ curl 'http://localhost:8080/s/admin/update/role' -i -X POST \  
  -H 'Content-Type: application/json;charset=UTF-8' \  
  -d '{  
    "email" : "ssar@nate.com",  
    "role" : "ADMIN"  
  }'
```

BASH

## 일정 등록 승인 - 성공

### Request Example

```
POST /s/admin/save/accept/26 HTTP/1.1  
Host: localhost:8080
```

HTTP

### Response Example

```
HTTP/1.1 200 OK  
Vary: Origin  
Vary: Access-Control-Request-Method  
Vary: Access-Control-Request-Headers  
Content-Type: application/json;charset=UTF-8  
X-Content-Type-Options: nosniff  
X-XSS-Protection: 1; mode=block  
Cache-Control: no-cache, no-store, max-age=0, must-revalidate  
Pragma: no-cache  
Expires: 0  
Content-Length: 396
```

HTTP

```
{  
  "status" : 200,  
  "msg" : "성공",  
  "data" : {  
    "id" : 26,  
    "status" : "1",  
    "user" : {  
      "id" : 3,  
      "email" : "taeheoki@nate.com",  
      "username" : "taeheoki",  
      "role" : "USER"  
    },  
    "title" : "taeheoki의 일정",  
    "startTime" : "2023-05-15T19:39:11.483487",  
    "endTime" : "2023-05-20T19:39:11.483491",  
    "type" : true,  
    "updateStatus" : null  
  }  
}
```

### Curl

```
$ curl 'http://localhost:8080/s/admin/save/accept/26' -i -X POST
```

BASH

## 일정 등록 승인 - 인증 실패

### Request Example

```
POST /s/admin/save/accept/4 HTTP/1.1
Host: localhost:8080
```

HTTP

## Response Example

```
HTTP/1.1 401 Unauthorized
Vary: Origin
Vary: Access-Control-Request-Method
Vary: Access-Control-Request-Headers
Content-Type: application/json; charset=utf-8
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
Content-Length: 89
```

HTTP

```
{
  "status" : 401,
  "msg" : "unAuthorized",
  "data" : "인증되지 않았습니다"
}
```

## Curl

```
$ curl 'http://localhost:8080/s/admin/save/accept/4' -i -X POST
```

BASH

## 일정 등록 승인 - 유효한 토큰은 있으나 삭제된 유저일 경우

### Request Example

```
POST /s/admin/save/accept/2 HTTP/1.1
Host: localhost:8080
```

HTTP

### Response Example

```
HTTP/1.1 400 Bad Request
Vary: Origin
Vary: Access-Control-Request-Method
Vary: Access-Control-Request-Headers
Content-Type: application/json; charset=UTF-8
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
Content-Length: 133
```

HTTP

```
{
  "status" : 400,
  "msg" : "badRequest",
  "data" : {
    "key" : "id",
    "value" : "등록되지 않은 유저입니다."
  }
}
```

## Curl

```
$ curl 'http://localhost:8080/s/admin/save/accept/2' -i -X POST
```

BASH

## 일정 등록 거절 - 성공

### Request Example

```
POST /s/admin/save/reject/39 HTTP/1.1
Host: localhost:8080
```

HTTP

### Response Example

```
HTTP/1.1 200 OK
Vary: Origin
Vary: Access-Control-Request-Method
Vary: Access-Control-Request-Headers
Content-Type: application/json;charset=UTF-8
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
Content-Length: 57
```

HTTP

```
{
  "status" : 200,
  "msg" : "성공",
  "data" : null
}
```

## Curl

```
$ curl 'http://localhost:8080/s/admin/save/reject/39' -i -X POST
```

BASH

## 일정 등록 거절 - 인증 실패

### Request Example

```
POST /s/admin/save/reject/6 HTTP/1.1
Host: localhost:8080
```

HTTP

### Response Example

```
HTTP/1.1 401 Unauthorized
Vary: Origin
Vary: Access-Control-Request-Method
Vary: Access-Control-Request-Headers
Content-Type: application/json; charset=utf-8
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
Content-Length: 89
```

HTTP

```
{
  "status" : 401,
  "msg" : "unAuthorized",
  "data" : "인증되지 않았습니다"
}
```

## Curl

```
$ curl 'http://localhost:8080/s/admin/save/reject/6' -i -X POST
```

BASH

## 일정 등록 거절 - 유효한 토큰은 있으나 삭제된 유저일 경우

### Request Example

```
POST /s/admin/save/reject/5 HTTP/1.1
Host: localhost:8080
```

HTTP

### Response Example

```
HTTP/1.1 400 Bad Request
Vary: Origin
Vary: Access-Control-Request-Method
Vary: Access-Control-Request-Headers
Content-Type: application/json; charset=UTF-8
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
Content-Length: 133
```

HTTP

```
{
  "status" : 400,
  "msg" : "badRequest",
  "data" : {
    "key" : "id",
    "value" : "등록되지 않은 유저입니다."
  }
}
```

## Curl

```
$ curl 'http://localhost:8080/s/admin/save/reject/5' -i -X POST
```

BASH

## 일정 삭제 승인 - 성공

## Request Example

```
POST /s/admin/delete/accept/22 HTTP/1.1
Host: localhost:8080
```

HTTP

## Response Example

```
HTTP/1.1 200 OK
Vary: Origin
Vary: Access-Control-Request-Method
Vary: Access-Control-Request-Headers
Content-Type: application/json; charset=UTF-8
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
Content-Length: 57
```

HTTP

```
{
  "status" : 200,
  "msg" : "성공",
  "data" : null
}
```

## Curl

```
$ curl 'http://localhost:8080/s/admin/delete/accept/22' -i -X POST
```

BASH

## 일정 삭제 승인 - 인증 실패

### Request Example

```
POST /s/admin/delete/accept/19 HTTP/1.1
Host: localhost:8080
```

HTTP

### Response Example

```
HTTP/1.1 401 Unauthorized
Vary: Origin
Vary: Access-Control-Request-Method
Vary: Access-Control-Request-Headers
Content-Type: application/json; charset=utf-8
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
Content-Length: 89
```

HTTP

```
{
  "status" : 401,
  "msg" : "unAuthorized",
  "data" : "인증되지 않았습니다"
}
```

## Curl



```
$ curl 'http://localhost:8080/s/admin/delete/accept/19' -i -X POST
```

BASH

## 일정 삭제 승인 - 유효한 토큰은 있으나 삭제된 유저일 경우

### Request Example

```
POST /s/admin/delete/accept/7 HTTP/1.1
Host: localhost:8080
```

HTTP

### Response Example

```
HTTP/1.1 400 Bad Request
Vary: Origin
Vary: Access-Control-Request-Method
Vary: Access-Control-Request-Headers
Content-Type: application/json;charset=UTF-8
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
Content-Length: 133
```

HTTP

```
{
  "status" : 400,
  "msg" : "badRequest",
  "data" : {
    "key" : "id",
    "value" : "등록되지 않은 유저입니다."
  }
}
```

### Curl

```
$ curl 'http://localhost:8080/s/admin/delete/accept/7' -i -X POST
```

BASH

## 일정 삭제 거절 - 성공

### Request Example

```
POST /s/admin/delete/reject/21 HTTP/1.1
Host: localhost:8080
```

HTTP

### Response Example

```
HTTP/1.1 200 OK
Vary: Origin
Vary: Access-Control-Request-Method
Vary: Access-Control-Request-Headers
Content-Type: application/json;charset=UTF-8
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
Content-Length: 57
```

HTTP

```
{
  "status" : 200,
  "msg" : "성공",
  "data" : null
}
```

## Curl

```
$ curl 'http://localhost:8080/s/admin/delete/reject/21' -i -X POST
```

BASH

## 일정 삭제 거절 - 인증 실패

### Request Example

```
POST /s/admin/delete/reject/3 HTTP/1.1
Host: localhost:8080
```

HTTP

### Response Example

```
HTTP/1.1 401 Unauthorized
Vary: Origin
Vary: Access-Control-Request-Method
Vary: Access-Control-Request-Headers
Content-Type: application/json; charset=utf-8
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
Content-Length: 89
```

HTTP

```
{
  "status" : 401,
  "msg" : "unAuthorized",
  "data" : "인증되지 않았습니다"
}
```

## Curl

```
$ curl 'http://localhost:8080/s/admin/delete/reject/3' -i -X POST
```

BASH

## 일정 삭제 거절 - 유효한 토큰은 있으나 삭제된 유저일 경우

### Request Example

**POST** /s/admin/delete/reject/1 HTTP/1.1  
Host: localhost:8080

HTTP

## Response Example

HTTP/1.1 400 Bad Request  
Vary: Origin  
Vary: Access-Control-Request-Method  
Vary: Access-Control-Request-Headers  
Content-Type: application/json; charset=UTF-8  
X-Content-Type-Options: nosniff  
X-XSS-Protection: 1; mode=block  
Cache-Control: no-cache, no-store, max-age=0, must-revalidate  
Pragma: no-cache  
Expires: 0  
Content-Length: 133

HTTP

```
{
  "status" : 400,
  "msg" : "badRequest",
  "data" : {
    "key" : "id",
    "value" : "등록되지 않은 유저입니다."
  }
}
```

## Curl

\$ curl 'http://localhost:8080/s/admin/delete/reject/1' -i -X POST

BASH

## 일정 업데이트 승인 - 성공

### Request Example

**POST** /s/admin/update/accept/2 HTTP/1.1  
Host: localhost:8080

HTTP

### Response Example

```
HTTP/1.1 200 OK
Vary: Origin
Vary: Access-Control-Request-Method
Vary: Access-Control-Request-Headers
Content-Type: application/json;charset=UTF-8
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
Content-Length: 386
```

HTTP

```
{
  "status" : 200,
  "msg" : "성공",
  "data" : {
    "id" : 20,
    "status" : "1",
    "user" : {
      "id" : 3,
      "email" : "taeheoki@nate.com",
      "username" : "taeheoki",
      "role" : "USER"
    },
    "title" : "taeheoki의 일정 수정",
    "startTime" : "2023-05-13T10:30:01",
    "endTime" : "2023-05-20T10:30:01",
    "type" : true,
    "updateStatus" : 0
  }
}
```

## Curl

```
$ curl 'http://localhost:8080/s/admin/update/accept/2' -i -X POST
```

BASH

## 일정 업데이트 승인 - 인증 실패

### Request Example

```
POST /s/admin/update/accept/5 HTTP/1.1
Host: localhost:8080
```

HTTP

### Response Example

```
HTTP/1.1 401 Unauthorized
Vary: Origin
Vary: Access-Control-Request-Method
Vary: Access-Control-Request-Headers
Content-Type: application/json; charset=utf-8
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
Content-Length: 89
```

HTTP

```
{
  "status" : 401,
  "msg" : "unAuthorized",
  "data" : "인증되지 않았습니다"
}
```

## Curl

```
$ curl 'http://localhost:8080/s/admin/update/accept/5' -i -X POST
```

BASH

## 일정 업데이트 승인 - 유효한 토큰은 있으나 삭제된 유저일 경우

### Request Example

```
POST /s/admin/update/accept/4 HTTP/1.1
Host: localhost:8080
```

HTTP

### Response Example

```
HTTP/1.1 400 Bad Request
Vary: Origin
Vary: Access-Control-Request-Method
Vary: Access-Control-Request-Headers
Content-Type: application/json; charset=UTF-8
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
Content-Length: 133
```

HTTP

```
{
  "status" : 400,
  "msg" : "badRequest",
  "data" : {
    "key" : "id",
    "value" : "등록되지 않은 유저입니다."
  }
}
```

## Curl

```
$ curl 'http://localhost:8080/s/admin/update/accept/4' -i -X POST
```

BASH

## 일정 업데이트 승인 - 존재하지 않는 수정 요청 실패

## Request Example

```
POST /s/admin/update/accept/1 HTTP/1.1
Host: localhost:8080
```

HTTP

## Response Example

```
HTTP/1.1 400 Bad Request
Vary: Origin
Vary: Access-Control-Request-Method
Vary: Access-Control-Request-Headers
Content-Type: application/json;charset=UTF-8
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
Content-Length: 140
```

HTTP

```
{
  "status" : 400,
  "msg" : "badRequest",
  "data" : {
    "key" : "id",
    "value" : "수정사항이 존재하지 않습니다. "
  }
}
```

## Curl

```
$ curl 'http://localhost:8080/s/admin/update/accept/1' -i -X POST
```

BASH

## 일정 수정 거절 - 성공

### Request Example

```
POST /s/admin/update/reject/16 HTTP/1.1
Host: localhost:8080
```

HTTP

### Response Example

```
HTTP/1.1 200 OK
Vary: Origin
Vary: Access-Control-Request-Method
Vary: Access-Control-Request-Headers
Content-Type: application/json;charset=UTF-8
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
Content-Length: 57
```

HTTP

```
{
  "status" : 200,
  "msg" : "성공",
  "data" : null
}
```

## Curl

```
$ curl 'http://localhost:8080/s/admin/update/reject/16' -i -X POST
```

BASH

## 일정 수정 거절 - 인증 실패

### Request Example

```
POST /s/admin/update/reject/1 HTTP/1.1
Host: localhost:8080
```

HTTP

### Response Example

```
HTTP/1.1 401 Unauthorized
Vary: Origin
Vary: Access-Control-Request-Method
Vary: Access-Control-Request-Headers
Content-Type: application/json; charset=utf-8
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
Content-Length: 89
```

HTTP

```
{
  "status" : 401,
  "msg" : "unAuthorized",
  "data" : "인증되지 않았습니다"
}
```

## Curl

```
$ curl 'http://localhost:8080/s/admin/update/reject/1' -i -X POST
```

BASH

## 일정 삭제 거절 - 유효한 토큰은 있으나 삭제된 유저일 경우

### Request Example

```
POST /s/admin/delete/reject/3 HTTP/1.1
Host: localhost:8080
```

HTTP

### Response Example

```
HTTP/1.1 400 Bad Request
Vary: Origin
Vary: Access-Control-Request-Method
Vary: Access-Control-Request-Headers
Content-Type: application/json;charset=UTF-8
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
Content-Length: 133
```

HTTP

```
{
  "status" : 400,
  "msg" : "badRequest",
  "data" : {
    "key" : "id",
    "value" : "등록되지 않은 유저입니다."
  }
}
```

## Curl

```
$ curl 'http://localhost:8080/s/admin/delete/reject/3' -i -X POST
```

BASH

## 일정 업데이트 승인 - 존재하지 않는 수정 요청 실패

### Request Example

```
POST /s/admin/update/reject/1 HTTP/1.1
Host: localhost:8080
```

HTTP

### Response Example

```
HTTP/1.1 400 Bad Request
Vary: Origin
Vary: Access-Control-Request-Method
Vary: Access-Control-Request-Headers
Content-Type: application/json;charset=UTF-8
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
Content-Length: 140
```

HTTP

```
{
  "status" : 400,
  "msg" : "badRequest",
  "data" : {
    "key" : "id",
    "value" : "수정사항이 존재하지 않습니다. "
  }
}
```

## Curl

```
$ curl 'http://localhost:8080/s/admin/update/reject/1' -i -X POST
```

BASH



## 등록 요청 데이터조회 - 성공

### Request Example

```
GET /s/admin/save?page=0 HTTP/1.1
Host: localhost:8080
```

HTTP

### Response Example

```
HTTP/1.1 200 OK
Vary: Origin
Vary: Access-Control-Request-Method
Vary: Access-Control-Request-Headers
Content-Type: application/json;charset=UTF-8
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
Content-Length: 3467
```

HTTP

```
{
  "status" : 200,
  "msg" : "성공",
  "data" : {
    "content" : [ {
      "id" : 37,
      "status" : "0",
      "user" : {
        "id" : 1,
        "email" : "ssar@nate.com",
        "username" : "ssar",
        "role" : "USER"
      },
      "title" : "ssar의 일정",
      "startTime" : "2023-05-15T19:39:11.937837",
      "endTime" : "2023-05-20T19:39:11.937839",
      "type" : true,
      "updateStatus" : null
    }, {
      "id" : 36,
      "status" : "0",
      "user" : {
        "id" : 1,
        "email" : "ssar@nate.com",
        "username" : "ssar",
        "role" : "USER"
      },
      "title" : "ssar의 일정",
      "startTime" : "2023-05-15T19:39:11.937468",
      "endTime" : "2023-05-20T19:39:11.937472",
      "type" : true,
      "updateStatus" : null
    }, {
      "id" : 35,
      "status" : "0",
      "user" : {
        "id" : 1,
        "email" : "ssar@nate.com",
        "username" : "ssar",
        "role" : "USER"
      },
      "title" : "ssar의 일정",
```

```
"startTime" : "2023-05-15T19:39:11.936892",
"endTime" : "2023-05-20T19:39:11.936896",
"type" : true,
"updateStatus" : null
}, {
  "id" : 34,
  "status" : "0",
  "user" : {
    "id" : 1,
    "email" : "ssar@nate.com",
    "username" : "ssar",
    "role" : "USER"
  },
  "title" : "ssar의 일정",
  "startTime" : "2023-05-15T19:39:11.936447",
  "endTime" : "2023-05-20T19:39:11.936451",
  "type" : true,
  "updateStatus" : null
}, {
  "id" : 33,
  "status" : "0",
  "user" : {
    "id" : 1,
    "email" : "ssar@nate.com",
    "username" : "ssar",
    "role" : "USER"
  },
  "title" : "ssar의 일정",
  "startTime" : "2023-05-15T19:39:11.935922",
  "endTime" : "2023-05-20T19:39:11.935926",
  "type" : true,
  "updateStatus" : null
}, {
  "id" : 32,
  "status" : "0",
  "user" : {
    "id" : 1,
    "email" : "ssar@nate.com",
    "username" : "ssar",
    "role" : "USER"
  },
  "title" : "ssar의 일정",
  "startTime" : "2023-05-15T19:39:11.935463",
  "endTime" : "2023-05-20T19:39:11.935466",
  "type" : true,
  "updateStatus" : null
}, {
  "id" : 31,
  "status" : "0",
  "user" : {
    "id" : 1,
    "email" : "ssar@nate.com",
    "username" : "ssar",
    "role" : "USER"
  },
  "title" : "ssar의 일정",
  "startTime" : "2023-05-15T19:39:11.93485",
  "endTime" : "2023-05-20T19:39:11.934856",
  "type" : true,
  "updateStatus" : null
}, {
  "id" : 30,
  "status" : "0",
  "user" : {
    "id" : 1,
```

```
    "email" : "ssar@nate.com",
    "username" : "ssar",
    "role" : "USER"
  },
  "title" : "ssar의 일정",
  "startTime" : "2023-05-15T19:39:11.934334",
  "endTime" : "2023-05-20T19:39:11.934338",
  "type" : true,
  "updateStatus" : null
} ],
"pageable" : {
  "sort" : {
    "empty" : true,
    "sorted" : false,
    "unsorted" : true
  },
  "offset" : 0,
  "pageNumber" : 0,
  "pageSize" : 8,
  "paged" : true,
  "unpaged" : false
},
"last" : false,
"totalPages" : 2,
"totalElements" : 10,
"first" : true,
"size" : 8,
"number" : 0,
"sort" : {
  "empty" : true,
  "sorted" : false,
  "unsorted" : true
},
"numberOfElements" : 8,
"empty" : false
}
}
```

## Curl

```
$ curl 'http://localhost:8080/s/admin/save?page=0' -i -X GET
```

BASH

## 수정 요청 데이터 조회 - 성공

### Request Example

```
GET /s/admin/update HTTP/1.1
Host: localhost:8080
```

HTTP

### Response Example

```
HTTP/1.1 200 OK
Vary: Origin
Vary: Access-Control-Request-Method
Vary: Access-Control-Request-Headers
Content-Type: application/json;charset=UTF-8
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
```

HTTP

Content-Length: 5376

```
{
  "status" : 200,
  "msg" : "성공",
  "data" : {
    "content" : [ {
      "id" : 6,
      "annualDuty" : {
        "id" : 27,
        "status" : "1",
        "user" : {
          "id" : 3,
          "email" : "taeheoki@nate.com",
          "username" : "taeheoki",
          "role" : "USER"
        },
        "title" : "taeheoki의 일정",
        "startTime" : "2023-05-15T19:39:11.752692",
        "endTime" : "2023-05-20T19:39:11.752698",
        "type" : true,
        "updateStatus" : null
      },
      "title" : "taeheoki의 일정 수정",
      "startTime" : "2023-05-13T10:30:01",
      "endTime" : "2023-05-20T10:30:01",
      "status" : false
    }, {
      "id" : 7,
      "annualDuty" : {
        "id" : 27,
        "status" : "1",
        "user" : {
          "id" : 3,
          "email" : "taeheoki@nate.com",
          "username" : "taeheoki",
          "role" : "USER"
        },
        "title" : "taeheoki의 일정",
        "startTime" : "2023-05-15T19:39:11.752692",
        "endTime" : "2023-05-20T19:39:11.752698",
        "type" : true,
        "updateStatus" : null
      },
      "title" : "taeheoki의 일정 수정",
      "startTime" : "2023-05-13T10:30:01",
      "endTime" : "2023-05-20T10:30:01",
      "status" : false
    }, {
      "id" : 8,
      "annualDuty" : {
        "id" : 27,
        "status" : "1",
        "user" : {
          "id" : 3,
          "email" : "taeheoki@nate.com",
          "username" : "taeheoki",
          "role" : "USER"
        },
        "title" : "taeheoki의 일정",
        "startTime" : "2023-05-15T19:39:11.752692",
        "endTime" : "2023-05-20T19:39:11.752698",
        "type" : true,
        "updateStatus" : null
      },
    },
  ],
}
```

```
"title" : "taeheoki의 일정 수정",
"startTime" : "2023-05-13T10:30:01",
"endTime" : "2023-05-20T10:30:01",
"status" : false
}, {
  "id" : 9,
  "annualDuty" : {
    "id" : 27,
    "status" : "1",
    "user" : {
      "id" : 3,
      "email" : "taeheoki@nate.com",
      "username" : "taeheoki",
      "role" : "USER"
    },
    "title" : "taeheoki의 일정",
    "startTime" : "2023-05-15T19:39:11.752692",
    "endTime" : "2023-05-20T19:39:11.752698",
    "type" : true,
    "updateStatus" : null
  },
  "title" : "taeheoki의 일정 수정",
  "startTime" : "2023-05-13T10:30:01",
  "endTime" : "2023-05-20T10:30:01",
  "status" : false
}, {
  "id" : 10,
  "annualDuty" : {
    "id" : 27,
    "status" : "1",
    "user" : {
      "id" : 3,
      "email" : "taeheoki@nate.com",
      "username" : "taeheoki",
      "role" : "USER"
    },
    "title" : "taeheoki의 일정",
    "startTime" : "2023-05-15T19:39:11.752692",
    "endTime" : "2023-05-20T19:39:11.752698",
    "type" : true,
    "updateStatus" : null
  },
  "title" : "taeheoki의 일정 수정",
  "startTime" : "2023-05-13T10:30:01",
  "endTime" : "2023-05-20T10:30:01",
  "status" : false
}, {
  "id" : 11,
  "annualDuty" : {
    "id" : 27,
    "status" : "1",
    "user" : {
      "id" : 3,
      "email" : "taeheoki@nate.com",
      "username" : "taeheoki",
      "role" : "USER"
    },
    "title" : "taeheoki의 일정",
    "startTime" : "2023-05-15T19:39:11.752692",
    "endTime" : "2023-05-20T19:39:11.752698",
    "type" : true,
    "updateStatus" : null
  },
  "title" : "taeheoki의 일정 수정",
  "startTime" : "2023-05-13T10:30:01",
```

```
"endTime" : "2023-05-20T10:30:01",
"status" : false
}, {
  "id" : 12,
  "annualDuty" : {
    "id" : 27,
    "status" : "1",
    "user" : {
      "id" : 3,
      "email" : "taeheoki@nate.com",
      "username" : "taeheoki",
      "role" : "USER"
    },
    "title" : "taeheoki의 일정",
    "startTime" : "2023-05-15T19:39:11.752692",
    "endTime" : "2023-05-20T19:39:11.752698",
    "type" : true,
    "updateStatus" : null
  },
  "title" : "taeheoki의 일정 수정",
  "startTime" : "2023-05-13T10:30:01",
  "endTime" : "2023-05-20T10:30:01",
  "status" : false
}, {
  "id" : 13,
  "annualDuty" : {
    "id" : 27,
    "status" : "1",
    "user" : {
      "id" : 3,
      "email" : "taeheoki@nate.com",
      "username" : "taeheoki",
      "role" : "USER"
    },
    "title" : "taeheoki의 일정",
    "startTime" : "2023-05-15T19:39:11.752692",
    "endTime" : "2023-05-20T19:39:11.752698",
    "type" : true,
    "updateStatus" : null
  },
  "title" : "taeheoki의 일정 수정",
  "startTime" : "2023-05-13T10:30:01",
  "endTime" : "2023-05-20T10:30:01",
  "status" : false
} ],
"pageable" : {
  "sort" : {
    "empty" : true,
    "sorted" : false,
    "unsorted" : true
  },
  "offset" : 0,
  "pageNumber" : 0,
  "pageSize" : 8,
  "paged" : true,
  "unpaged" : false
},
"last" : false,
"totalPages" : 2,
"totalElements" : 10,
"first" : true,
"size" : 8,
"number" : 0,
"sort" : {
  "empty" : true,
```

```
    "sorted" : false,
    "unsorted" : true
  },
  "numberOfElements" : 8,
  "empty" : false
}
```

## Curl

```
$ curl 'http://localhost:8080/s/admin/update' -i -X GET
```

BASH

## 삭제 요청 데이터 조회 - 성공

### Request Example

```
GET /s/admin/delete?page=0 HTTP/1.1
Host: localhost:8080
```

HTTP

### Response Example

```
HTTP/1.1 200 OK
Vary: Origin
Vary: Access-Control-Request-Method
Vary: Access-Control-Request-Headers
Content-Type: application/json;charset=UTF-8
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
Content-Length: 3440
```

HTTP

```
{
  "status" : 200,
  "msg" : "성공",
  "data" : {
    "content" : [ {
      "id" : 9,
      "status" : "1",
      "user" : {
        "id" : 1,
        "email" : "ssar@nate.com",
        "username" : "ssar",
        "role" : "USER"
      },
      "title" : "ssar의 일정",
      "startTime" : "2023-05-15T19:39:09.306475",
      "endTime" : "2023-05-20T19:39:09.306481",
      "type" : true,
      "updateStatus" : 2
    }, {
      "id" : 10,
      "status" : "1",
      "user" : {
        "id" : 1,
        "email" : "ssar@nate.com",
        "username" : "ssar",
        "role" : "USER"
      },
      "title" : "ssar의 일정",
```

```
"startTime" : "2023-05-15T19:39:09.307207",
"endTime" : "2023-05-20T19:39:09.307211",
"type" : true,
"updateStatus" : 2
}, {
  "id" : 11,
  "status" : "1",
  "user" : {
    "id" : 1,
    "email" : "ssar@nate.com",
    "username" : "ssar",
    "role" : "USER"
  },
  "title" : "ssar의 일정",
  "startTime" : "2023-05-15T19:39:09.30774",
  "endTime" : "2023-05-20T19:39:09.307744",
  "type" : true,
  "updateStatus" : 2
}, {
  "id" : 12,
  "status" : "1",
  "user" : {
    "id" : 1,
    "email" : "ssar@nate.com",
    "username" : "ssar",
    "role" : "USER"
  },
  "title" : "ssar의 일정",
  "startTime" : "2023-05-15T19:39:09.308245",
  "endTime" : "2023-05-20T19:39:09.308249",
  "type" : true,
  "updateStatus" : 2
}, {
  "id" : 13,
  "status" : "1",
  "user" : {
    "id" : 1,
    "email" : "ssar@nate.com",
    "username" : "ssar",
    "role" : "USER"
  },
  "title" : "ssar의 일정",
  "startTime" : "2023-05-15T19:39:09.309491",
  "endTime" : "2023-05-20T19:39:09.309498",
  "type" : true,
  "updateStatus" : 2
}, {
  "id" : 14,
  "status" : "1",
  "user" : {
    "id" : 1,
    "email" : "ssar@nate.com",
    "username" : "ssar",
    "role" : "USER"
  },
  "title" : "ssar의 일정",
  "startTime" : "2023-05-15T19:39:09.31021",
  "endTime" : "2023-05-20T19:39:09.310215",
  "type" : true,
  "updateStatus" : 2
}, {
  "id" : 15,
  "status" : "1",
  "user" : {
    "id" : 1,
```



```

    "email" : "ssar@nate.com",
    "username" : "ssar",
    "role" : "USER"
  },
  "title" : "ssar의 일정",
  "startTime" : "2023-05-15T19:39:09.31088",
  "endTime" : "2023-05-20T19:39:09.310885",
  "type" : true,
  "updateStatus" : 2
}, {
  "id" : 16,
  "status" : "1",
  "user" : {
    "id" : 1,
    "email" : "ssar@nate.com",
    "username" : "ssar",
    "role" : "USER"
  },
  "title" : "ssar의 일정",
  "startTime" : "2023-05-15T19:39:09.311569",
  "endTime" : "2023-05-20T19:39:09.311574",
  "type" : true,
  "updateStatus" : 2
} ],
"pageable" : {
  "sort" : {
    "empty" : true,
    "sorted" : false,
    "unsorted" : true
  },
  "offset" : 0,
  "pageNumber" : 0,
  "pageSize" : 8,
  "paged" : true,
  "unpaged" : false
},
"last" : false,
"totalPages" : 2,
"totalElements" : 10,
"first" : true,
"size" : 8,
"number" : 0,
"sort" : {
  "empty" : true,
  "sorted" : false,
  "unsorted" : true
},
"numberOfElements" : 8,
"empty" : false
}
}

```

## Curl

```
$ curl 'http://localhost:8080/s/admin/delete?page=0' -i -X GET
```

BASH

## 전체 유저 조회 - 성공

### Request Example

**GET** /s/admin/users HTTP/1.1  
Host: localhost:8080

HTTP

## Response Example

HTTP/1.1 200 OK  
Vary: Origin  
Vary: Access-Control-Request-Method  
Vary: Access-Control-Request-Headers  
Content-Type: application/json;charset=UTF-8  
X-Content-Type-Options: nosniff  
X-XSS-Protection: 1; mode=block  
Cache-Control: no-cache, no-store, max-age=0, must-revalidate  
Pragma: no-cache  
Expires: 0  
Content-Length: 1451

HTTP

```
{
  "status" : 200,
  "msg" : "성공",
  "data" : {
    "content" : [ {
      "id" : 1,
      "email" : "ssar@nate.com",
      "username" : "ssar",
      "role" : "USER"
    }, {
      "id" : 2,
      "email" : "admin@nate.com",
      "username" : "admin",
      "role" : "ADMIN"
    }, {
      "id" : 3,
      "email" : "user0@nate.com",
      "username" : "user0",
      "role" : "USER"
    }, {
      "id" : 4,
      "email" : "user1@nate.com",
      "username" : "user1",
      "role" : "USER"
    }, {
      "id" : 5,
      "email" : "user2@nate.com",
      "username" : "user2",
      "role" : "USER"
    }, {
      "id" : 6,
      "email" : "user3@nate.com",
      "username" : "user3",
      "role" : "USER"
    }, {
      "id" : 7,
      "email" : "user4@nate.com",
      "username" : "user4",
      "role" : "USER"
    }, {
      "id" : 8,
      "email" : "user5@nate.com",
      "username" : "user5",
      "role" : "USER"
    } ],
    "pageable" : {
```

```
{
  "sort" : {
    "empty" : true,
    "sorted" : false,
    "unsorted" : true
  },
  "offset" : 0,
  "pageNumber" : 0,
  "pageSize" : 8,
  "paged" : true,
  "unpaged" : false
},
"last" : false,
"totalPages" : 2,
"totalElements" : 12,
"first" : true,
"size" : 8,
"number" : 0,
"sort" : {
  "empty" : true,
  "sorted" : false,
  "unsorted" : true
},
"numberOfElements" : 8,
"empty" : false
}
```

## Curl

```
$ curl 'http://localhost:8080/s/admin/users' -i -X GET
```

BASH

Version 0.0.1-SNAPSHOT

Last updated 2023-05-12 15:14:55 +0900