BOARD OF INTERMEDIATE AND SECONDARY EDUCATION, LAHORE

SECONDARY SCHOOL (10TH CLASS) EXAMINATION, 2022

COMPUTER SCIENCE

Past Paper 2022

Retyped faithfully from the original board paper — same questions, no changes.

GROUP – I

Computer Science (Tenth, 2022 Lahore Board) (Group - I) (Objective Type)

Time Allowed: 15 Min. | **Maximum Marks:** 10

Note: Four possible answers A, B, C and D to each question are given. The choice which you think is correct, fill that circle in front of that question with Marker or Pen ink in the answer book. Cutting or filling two or more circles will result in zero mark in that question.

Q1. How many types of control statements are available in C-language:

(A) 1 (B) 2

(C) 3 (D) 4

Q2. The statements enclosed inside -------- form the body of the function:

(A) { } (B) ( )

(C) [ ] (D) < >

Q3. Inputs of a function are called:

(A) Parameters (B) Return value

(C) Function signature (D) Identifier

Q4. The operator "%" is used to calculate----------:

(A) Percentage (B) Remainder

(C) Factorial (D) Square

Q5. For initializing a variable, we use ---------- operator:

(A) → (B) *

(C) @ (D) ?

Q6. Which of the following format specifier is used for character data type:

(A) % C
(B) % d
(C) % f
(D) % i

Q7. If there are three return statements in the function body -------- of them will be executed:

(A) Four
(B) Three
(C) Two
(D) One

Q8. Each run of a loop is called:

(A) Cycle
(B) Iteration
(C) Duration
(D) Test

Q9. What is the output of the following code: int c [2] = {25, 30} ; printf ("%d", C [1]) ;

(A) 30
(B) 25
(C) 24
(D) 23

Q10. In if statement, the condition is written these symbols:

(A) <<<<
(B) [ ]
(C) {.}
(D) ( )

Computer Science (Tenth, 2022 Lahore Board) (Group - I) (Essay Type)

Time Allowed: 1.45 hrs. | **Maximum Marks:** 40

QPART - I.

QQ.2. (Marks 8) Write short answers to any FOUR (4) questions:

i Who is programmer?

ii What is integrated development environment (IDE)?

iii Describe the purpose of a compiler?

iv Find the result of the given expression 7+4* (9+2)

v Define reserve words.

vi What is the difference between = = operator and = operator?

QQ.3. (Marks 8) Write short answers to any FOUR (4) questions:

i What is condition?

ii Define selection statement?

iii Write syntax of "if-else" statement.

iv What is sequential control?

v Write the syntax of array declaration.

vi What is the output of the following code: int j, a [3] = {1, 2, 3}; for (j = 0 ; j < 3 ; j++) printf ("%d/n", a [j])

QQ.4. (Marks 8) Write short answers to any FOUR (4) questions:

i What is meant by built-in functions?

ii Write the use of "for" loop.

iii What is the output of the following code: int n, for (n = 5; n > = 1; n ++) printf ("%d", n)

iv What do you know about the "return" keyword?

v Find the errors in the following code: int max (int a ; int b) { if (a > b) ; return a ; return b }

vi Write the procedure to call a function.

QPART-II. Note: Attempt any TWO questions.

QQ.5. (Marks 2,2,2,2) Define the program. Write a detailed note on the structure of C-program.

QQ.6. (Marks 2,3,3) What is escape sequence? Explain any two escape sequence with example.

QQ.7. (Marks 4,4) Write a program to print sum of first ten natural numbers using "FOR" loop.

GROUP – II

Computer Science (Tenth, 2022 Lahore Board) (Group - II) (Objective Type)

Time Allowed: 15 Min.	**Maximum Marks:** 10

> Note: Four possible answers A, B, C and D to each question are given. The choice which you think is correct, fill that circle in front of that question with Marker or Pen ink in the answer book. Cutting or filling two or more circles will result in zero mark in that question.

Q1. Include statements are written in ------- section:

(A) Header (B) Main

(C) Comments (D) Print

Q2. Scanf is a ---------- in C-programming language:

(A) Operator
(B) Escape sequence
(C) Function
(D) Statement terminator

Q3. Which operator has highest precedence among the following:

(A) /
(B) *
(C) >
(D) !

Q4. Conditional logic helps in ----------:

(A) Decisions
(B) Iterations
(C) Traversing
(D) Relation

Q5. Which of the following option is used for making two way decisions:

(A) for
(B) if-else
(C) while
(D) control

Q6. What is the output of the following code: int b [3] = {15, 20, 16}; printf ("%d", b [2]);

(A) 16
(B) 17
(C) 18
(D) 19

Q7. Using loops inside loops is called --------- loops:

(A) for
(B) while
(C) do while
(D) nested

Q8. Define the inputs and output of a function:

(A) Function signature
(B) Return value
(C) Parameters
(D) Identifier

Q9. The functions which are variable in C-standard library are called:

(A) User defined
(B) Built-in
(C) Recursive
(D) Repetitive

Q10. ------ is a block of statements which performs a particular task:

(A) Computer
(B) Program
(C) Function
(D) Parameters

Computer Science (Tenth, 2022 Lahore Board) (Group - II) (Essay Type)

Time Allowed: 1.45 hrs.	**Maximum Marks:** 40

QPART - I.

QQ.2. (Marks 8) Write short answers to any FOUR (4) questions:

i What are reserved words?

ii What is meant by computer programming?

iii Write the purpose of comments in "C" language.

iv Write the name of any two types of operators which use in "C".

v Write the purpose of escape sequence.

vi Write the use of getch ( ) function.

QQ.3. (Marks 8) Write short answers to any FOUR (4) questions:

i List types of control statement.

ii Define if statement.

iii Write structure of if-else statement.

iv Write output of the following code : int x = 5, y = 8 ; if (x > y) print ("%d", x) else print ("%d", y) ;

v What is array?

vi Differentiate between array declaration and array initialization.

QQ.4. (Marks 8) Write short answers to any FOUR (4) questions:

i What is meant by loop structure?

ii Which approach divides a problem into smaller problem and why?

iii Write output of the following code: int i ; for (i = 1; i < = 5; i ++) printf ("%d", i)

iv Define functions.

v How the function is called?

vi What is meant by arguments?

QPART-II. Note: Attempt any TWO questions.

QQ.5. (Marks 2,2,2,2) What is meant by variables? Explain different "data types" in C-language.

QQ.6. (Marks 4,4) Explain the use of printf ( ) and scanf ( ) functions with examples in C-language.

QQ.7. (Marks 4,4) Write a program to print the fractional of any number using "for" loop. (printed as "fractional" in the source scan)