BOARD OF INTERMEDIATE AND SECONDARY EDUCATION, LAHORE

SECONDARY SCHOOL (10TH CLASS) EXAMINATION, 2023

COMPUTER SCIENCE

Past Paper 2023

Retyped faithfully from the original board paper — same questions, no changes.

GROUP – I

Computer Science (Tenth, 2023, Lahore Board) (Objective Type) (Group - I)

Time Allowed: 15 Min. | **Maximum Marks:** 10

Note: Four possible answers A, B, C and D to each question are given. The choice which you think is correct, fill that circle in front of that question with Marker or Pen ink in the answer book. Cutting or filling two or more circles will result in zero mark in that question.

Q1. The operator % is used to calculate----------:

(A) Percentage
(B) Remainder
(C) Factorial
(D) Square

Q2. -------- part of For Loop is executed first:

(A) Condition
(B) Body
(C) Initialization
(D) Increment/decrement

Q3. Readability help to --------- the code :

(A) Understand
(B) Modify
(C) Debug
(D) All of these

Q4. A float uses --------- bytes of memory:

(A) 3
(B) 4
(C) 5
(D) 6

Q5. --------- are the values that do not change during the whole execution of program:

(A) Variable
(B) Constant
(C) String
(D) Comments

Q6. Which of the following is not a type of operator:

(A) Arithmetic operator
(B) Relational operator
(C) Check operator
(D) Logical operator

Q7. ---------- means to transfer the control to another function:

(A) Calling
(B) Defining
(C) Rewriting
(D) Including

Q8. Using loop inside loop is called ---------- loop:

(A) FOR
(B) WHILE
(C) DO WHILE
(D) NESTED

Q9. A set of multiple statements enclosed in braces is called a:

(A) Box
(B) List
(C) Block
(D) Job

Q10. An if statement inside another if statement is called ---------- structure:

(A) Nested
(B) Boxed
(C) Repeated
(D) Decomposed

Computer Science (Tenth, 2023, Lahore Board) (Essay Type) (Group - I)

Time Allowed: 1.45 hrs. | **Maximum Marks:** 40

QPART - I.

QQ.2. (Marks 8) Write short answers to any FOUR (4) questions:

(i) What is difference between Char and Int?

(ii) What is meant by IDE?

(iii) What is meant by syntax?

(iv) Find errors in following code: int a / Scanf (" % d ", a) ;

(v) Write the out put of the following code: int a = 4,b ; / float c = 2.3 , / b = c * a ; / printf (" % d", b) ;

(vi) What is the difference between = = operator and = operator?

QQ.3. (Marks 8) Write short answers to any FOUR (4) questions:

(i) Write down the structure of "if else" statement.

(ii) What are selection statements?

(iii) Define control statement.

(iv) Identify errors in the following code : if (age > 70); / printf ("Senior Citizen");

(v) What is meant by array declaration?

(vi) How is an array element accessed?

QQ.4. (Marks 8) Write short answers to any FOUR (4) questions:

(i) What is meant by loop structure?

(ii) What is the output of following code : for (int i = 1 ; i <= 10 ; i ++) / print f (" % d \ n ", i);

(iii) Which approach divides a problem into smaller problems and why?

(iv) Indicate errors in following code : int max (int a, int b) / { / if (a > b) ; / return a ; / return b ; / }

(v) Define function.

(vi) Write name of types of functions.

QPART - II. Note: Attempt any TWO questions.

QQ.5. (Marks 8) Why do we use comments in programming and also define its types.

QQ.6. (Marks 8) What is escape character? Describe an escape sequence used for new line with example.

QQ.7. (Marks 8) Write a program using FOR loop that print first five even numbers.

GROUP – II

Computer Science (Tenth, 2023, Lahore Board) (Objective Type) (Group - II)

Time Allowed: 15 Min.	**Maximum Marks:** 10

Note: Four possible answers A, B, C and D to each question are given. The choice which you think is correct, fill that circle in front of that question with Marker or Pen ink in the answer book. Cutting or filling two or more circles will result in zero mark in that question.

Q1. C-programming language also provide ---------- structure to deal with conditions :

(A) Tree
(B) Function
(C) Loop
(D) Switch case

Q2. ---------- means to transfer the control to another function:

(A) Calling
(B) Defining
(C) Rewriting
(D) Including

Q3. Format specifier % C shows the data type :

(A) int
(B) float
(C) char
(D) void

Q4. Which one of the following is the size of int arr [5]:

(A) 4
(B) 2
(C) 6
(D) 5

Q5. Which of the following keyword used for store integer data type:

(A) float
(B) char
(C) int
(D) void

Q6. A set of multiple instructions enclosed in braces is called a ----------:

(A) List
(B) Block
(C) Box
(D) Job

Q7. Single line comments start with :

(A) /*
(B) // *
(C) //.
(D) \

Q8. How many values return by a function :

(A) Zero
(B) One
(C) Two
(D) Three

Q9. An array is a ---------- structure :

(A) Data
(B) Control
(C) Loop
(D) Conditional

Q10. Which operator has highest precedence among the following :

(A) ( )
(B) =
(C) ||
(D) ==

Computer Science (Tenth, 2023, Lahore Board) (Essay Type) (Group - II)

Time Allowed: 1.45 hrs.	**Maximum Marks:** 40

QPART - I.

QQ.2. (Marks 8) Write short answers to any FOUR (4) questions:

(i) Define text editor.

(ii) What is the purpose of single line comments?

(iii) What is variable declaration?

(iv) Define getch ( ) function.

(v) Define arithmetic operators.

(vi) Trace the error of the following code : printf (I live in Lahore);

QQ.3. (Marks 8) Write short answers to any FOUR (4) questions:

(i) What is conditional logic?

(ii) Draw flow chart for if-else statement.

(iii) Identify the error in the following code : int x = 5 ; / if (x >3) ; / printf ("Good ") ;

(iv) Write output of the following code : int x = 10 , / int y = 5 ; / if (x < y) / printf (" Correct ") ; / printf (" Incorrect ") ;

(v) What is meant by array declaraton?

(vi) Declare an array of type float that can store 5 values.

QQ.4. (Marks 8) Write short answers to any FOUR (4) questions:

(i) Describe the structure of for loop.

(ii) Define nested loop.

(iii) Enlist the parts of function definition.

(iv) Describe the advantages of using functions.

(v) What are built in functions?

(vi) How many values can a function return?

QPART - II. Note: Attempt any TWO questions.

QQ.5. (Marks 8) Explain the data type in C-language.

QQ.6. (Marks 8) Define operator. Explain different types of logical operators.

QQ.7. (Marks 8) Write a program in C-language to print 1 to 100 numbers on screen using FOR loop.