BOARD OF INTERMEDIATE AND SECONDARY EDUCATION, KOHAT

INTERMEDIATE (12TH CLASS) EXAMINATION, 2021

COMPUTER SCIENCE

Past Paper 2021 • Paper Code: KT-XII-21-I

Retyped faithfully from the original board paper — same questions, no changes.

Section "A"

Time Allowed: 20 Minutes | **Maximum Marks:** 15

Note: Q.1 Write the correct option i.e. A, B, C or D in the empty box provided opposite to each part. No marks will be awarded for cutting, erasing or over writing.

Qi. The most recently launched operating system of Microsoft is.....

(A) Window 98
(B) Window 10
(C) Window 8
(D) None of these

Qii. Inheritance is used to .....

(A) increase the size of a program
(B) make the program simpler
(C) provide the faculty of code reusability
(D) provide the faculty of data hiding

Qiii. The name of destructor is always preceded by the symbol.....

(A) +
(B) %
(C) -
(D) ~

Qiv. If int var1=2 then what will be the output of cout<<("var1=",++var1);.....

(A) 2
(B) 3
(C) 1
(D) 4

Qv. (false && true) || false.....

(A) true
(B) false
(C) both A and B
(D) None of these

Qvi. You can exit a switch statement using a(n).....statement.

(A) break
(B) exit
(C) continue
(D) default

Qvii. Char A[10] defines one dimensional array of type.....

(A) Integer (B) Float

(C) Character (D) None of these

Qviii. Header file for put() is.....

(A) string.h (B) conio.h

(C) stdio.h (D) None of these

Qix. The location number of an item in an array is called.....

(A) Data (B) Value

(C) Index (D) Constant

Qx. In C++ language character are normally stored in.....

(A) 2 bytes (B) 3 bytes

(C) 4 bytes (D) 1 bytes

Qxi. Each C++ program has.....functioned from where the execution of the program starts.

(A) main() (B) user defined

(C) math() (D) getche()

Qxii. The .....determines whether the project should go forward.

(A) Feasibility (B) Problem Identification

(C) System Evaluation (D) Program Specification

Qxiii. .....is not an operating system.

(A) Linux (B) MS Word

(C) UNIX (D) Windows XP

Qxiv. In C++ language, a hexadecimal number is represented by writing.....symbol.

(A) 0 X (B) 0 Y

(C) 0 A (D) 0 Z

Qxv. ..... is a subset of C++ language.

(A) C Language (B) Jawa language

(C) B Language (D) C# Language

Section "B"

Time Allowed: 2 Hours 40 Minutes | **Maximum Marks:** 36

QQ.2. Attempt any NINE parts. All parts carry equal marks.

i. Draw and label diagram of three state process models.

ii. Differentiate thread and process.

iii. Who are stakeholders of SDLC?

iv. Differentiate decrement and increment operator.

v. Evaluate the expression E=7+9 *5%3.

vi. Differentiate unary and binary operator.

vii. Write C++ program to find out minimum number out of five numbers.

viii. Write uses of decision statements.

ix. Draw the flowchart of switch-statement.

x. Write a C++ program having function name perimeter and to find the perimeter of a square.

xi. What is array? How one dimensional array is initialized?

xii. Differentiate formal and actual parameter.

Section "C"

Maximum Marks: 24

> Note: Note: Attempt any THREE questions. All questions carry equal marks.

QQ.3. Define operating system. Describe its function in detail.

QQ.4. Write a C++ program with a function "mean" to read five integers from the keyboard and find the arithmetic mean.

QQ.5. Write program in C++ using any loop that display sum of odd number from 50 to 100.

QQ.6. Write note on the following:

a. Constructor

b. Class