BOARD OF INTERMEDIATE AND SECONDARY EDUCATION, SARGODHA

SECONDARY SCHOOL (10TH CLASS) EXAMINATION, 2022

MATHEMATICS

Past Paper 2022 • Paper Code: 7197 / 7196

Retyped faithfully from the original board paper — same questions, no changes.

GROUP – I

Q. Paper : I (Objective Type)

سوالیہ پرچہ: I (معروضی طرز)

QQ. 1. 1022 — (جماعت دہم) (Session 2018-20 to 2020-22) — ریاضی سائنس (معروضی) / Mathematics Science (Objective) — گروپ پہلا / Group - I

Q. وقت: 20 منٹ / Time Allowed: 20 minutes — PAPER CODE 7197 — 15 :کل نمبر / Maximum Marks: 15

Q1. $\sec^2\theta = ?$

(A) (B)

(C) (D)

Q2. The distance of any point of circle to its centre is called.

(A) (B)

(C) (D)

Q3. A circle has only one _____

(A) (B)

(C) (D)

Q4. A pair of chords of a circle subtending two congruent central angles is _____

(A) (B)

(C) (D)

Q5. How many common tangents can be drawn for disjoint circles.

(A) (B)

(C) (D)

Q6. Two linear factors of $x^2 - 15x + 56$ are

(A) (B)

(C) (D)

Q7. The most frequent occuring observation in a data set is called.

(A) (B)

(C) (D)

Q8. Two square roots of unity are.

(A) (B)

(C) (D)

Q9. Sum of cube roots of unity is

(A) (B)

(C) (D)

Q10. If $y^2 \propto 1/x^3$, then:

(A) (B)

(C) (D)

Q11. If a:b = x:y, Then invertendo property is:

(A) (B)

(C) (D)

Q12. Partial fractions of $(x^2+1)/((x+1)(x-1))$ are of the form

(A) (B)

(C) (D)

Q13. Point (-1, 4) lies in the quadrant.

(A) (B)

(C) (D)

Q14. The set having only one element is called.

(A) (B)

(C) (D)

Q15. The measure which determines the middle most observation in a data set is called.

(A) (B)

(C) (D)

Board typos kept verbatim: 'sec²θ = ?', 'The distance of any point of circle to its centre is called.', 'A circle has only one _____', 'A pair of chords of a circle subtending two congruent central angles is _____', 'incongruent', 'Over lapping', 'Parallel', 'How many common tangents can be drawn for disjoint circles.', 'Two linear factors of $x^2 - 15x + 56$ are', 'The most frequent occuring observation in a data set is called.', 'Two square roots of unity are.', 'Sum of cube roots of unity is', 'If $y^2 \propto 1/x^3$, then:', 'If a:b = x:y, Then invertendo property is:', 'Partial fractions of $(x^2+1)/((x+1)(x-1))$ are of the form', 'Point (-1, 4) lies in the quadrant.', 'The set having only one element is called.', 'The measure which determines the middle most observation in a data set is called.', 'Congruent', 'Harmonic mean', 'Singleton set'.

GROUP – II

Q. Paper : I (Objective Type)

سوالیہ پرچہ: I (معروضی طرز)

QQ. 1. 1022 — (**جماعت دہم**) (Session 2018-20 to 2020-22) — **ریاضی سائنس** (**معروضی**) / Mathematics Science (Objective) — **گروپ دوسرا** / Group - II

Q. **وقت**: 20 **منٹ** / Time Allowed: 20 minutes — PAPER CODE 7196 — **کل نمبر**: 15 / Maximum Marks: 15

Q1. sec θ cot θ = _____

(A) (B)

(C) (D)

Q2. The distance of any point of the circle to its centre is called.

(A) (B)

(C) (D)

Q3. A tangent line interects the circle at

(A) (B)

(C) (D)

Q4. A pair of chords of a circle subtending two congruent central angle is

(A) (B)

(C) (D)

Q5. Angle inscribed in a semi-circle is

(A) (B)

(C) (D)

Q6. An equation of the form $2x^4-3x^3+7x^2-3x+2=0$ is called a/an

(A) (B)

(C) (D)

Q7. Product of cube root of unity is.

(A) (B)

(C) (D)

Q8. Roots of equation $4x^2-4x+1=0$ are

(A) (B)

(C) (D)

Q9. In a proportion a:b :: c:d, b and c are called.

(A) (B)

(C) (D)

Q10. The fourth proportional w of x:y :: v:w is

(A) (B)

(C) (D)

Q11. A fraction in which the degree of the numerator is greater or equal to the degree of denominator is called.

(A) (B)

(C) (D)

Q12. The number of elcments in power set of {1,2,3} is

(A) (B)

(C) (D)

Q13. If A and B are disjoint sets, then $A \cup B$ is equal to

(A) (B)

(C) (D)

Q14. A data in the form of frequency distribution is called.

(A) (B)

(C) (D)

Q15. Sum of the deviations of the variable 'X' from its mean is always.

(A) (B)

(C) (D)

Board typos kept verbatim: 'sec θ cot θ = _____', 'The distance of any point of the circle to its centre is called.', 'A tangent line interects the circle at', 'interects', 'A pair of chords of a circle subtending two congruent central angle is', 'Angle inscribed in a semi-circle is', 'An equation of the form $2x^4-3x^3+7x^2-3x+2=0$ is called a/an', 'Product of cube root of unity is.', 'Roots of equation $4x^2-4x+1=0$ are', 'In a proportion a:b :: c:d, b and c are called.', 'The fourth proportional w of x:y :: v:w is', 'A fraction in which the degree of the numerator is greater or equal to the degree of denominator is called.', 'The number of elcments in power set of {1,2,3} is', 'If A and B are disjoint sets, then $A \cup B$ is equal to', 'A data in the form of frequency distribution is called.', "Sum of the deviations of the variable 'X' from its mean is always.", 'Congruent', 'Incongruent', 'Overlapping', 'Reciprocal Equation', 'Algebraic relation', 'disjoint'.