MCQs Tayyari presents

BISE Lahore

12th Class • Computer Science

Past Paper 2021

Group I & II • Objective + Subjective

Retyped faithfully from the original board paper — same questions, no changes.

mcqstayyari.online

Objective Type

Time Allowed: 20 Min | Maximum Marks: 15

Note: Four possible answers A, B, C and D to each question are given. The choice which you think is correct, fill that circle in front of that question with Marker or Pen ink in the answer -book. Cutting or filling two or more circles will result in zero mark in that question.

Note: Objective Type

Note: (Group - I)

Note: (Ms-Access)

Q1. The manipulated and processed data is called:

(A) Object
(B) Information
(C) Knowledge
(D) Data

Q2. Insert command is used to insert:

(A) A new table
(B) A new record
(C) Dependencies
(D) A new query

Q3. Customers, cars and parts are examples of:

(A) Entities
(B) Attributes
(C) Cardinals
(D) Relationships

Q4. Different attributes in two different tables having same name are referred to as:

(A) Synonym
(B) Homonym
(C) Acronym
(D) Mutually exclusive

Q5. A database consists of various components called the:

(A) Tool
(B) Properties
(C) Entities
(D) Object

Q6. In the relational model--is the basic structure in which data is stored:

(A) Attribute
(B) Record
(C) Table
(D) Form

Note: (C-Language)

Q7. Preprocessor directives are commands for:

(A) Microprocessor
(B) Language processor
(C) Cpreprocessor [sic, print for 'C preprocessor']
(D) Loader

Q8. Void occupy how many bytes in memory:

(A) Zero
(B) One
(C) Two
(D) Four

Q9. Which of the following operators has lowest precedence:

(A) !
(B) +
(C) [illegible in source scan]
(D) = =

Q10. The symbol ' = ' represents:

(A) Comparison operator
(B) Assignment operator
(C) Equal to operator
(D) Termina' [sic, print for 'Terminal'] operator

Q11. getch ( ) is a part of:

(A) stdio.h
(B) conio.h
(C) math.h
(D) string.h

Q12. Escape sequence \\ is used to print:

(A) New line
(B) Backslash
(C) Space
(D) Tab

Q13. An if statement inside another if statement:

(A) if statement
(B) inside if
(C) Nested if statement
(D) Mid if

Q14. A loop inside the body of another loop:

(A) while loop
(B) for loop
(C) Nested loop
(D) Infinite loop

Q15. Formal arguments are also called:

(A) Actual arguments
(B) Dummy arguments
(C) Original arguments
(D) Referenced arguments

Subjective Type

Time Allowed: 2.10 Hrs. [sic, print 'Min'] | Maximum Marks: 60

Note: Subjective Type

Note: (Group - I)

Q2. (Marks 12) Write short answers to any SIX (6) questions.

(i) Who is user/end user?

(ii) Define secondary key.

(iii) Define the term feasibility study.

(iv) List ingredients of data modeling.

(v) What is Microsoft Access?

(vi) What is database wizard?

(vii) Define the term degree of relation.

(viii) List three methods for creating table.

(ix) Write any two uses of reports.

Note: C-Language

Q3. Write short answers to any SIX (6) questions.

(i) Sescribe [sic, print for 'Describe'] linker and loader.

(ii) What is structured programming language?

(iii) Write the purpose of compiler.

(iv) Define identifier.

(v) What do you mean by keyword?

(vi) Differentiate between declaring and defining a variable.

(vii) Find the error in the following code segment: int a, b; a = - 10; if (a < 0); b = a * a printf ("Result = % f", b)

(viii) What is the output of the following code: int a, b, c; a = 10; b = 3; if (a % b = = 1) c = 0; else c = 1; printf ("%d", c);

(ix) Predict the output of the following code: int price = 10; if (price ! = 10) price = 0 else price + = 2;

Note: C - Language

Q4. (Marks 12) Write short answers to any SIX (6) questions.

(i) What is the use of "getch" function?

(ii) Why is the ampersand character (&) used in scanf function?

(iii) Write the general form of printf function.

(iv) Define nested loop.

(v) Convert the following code into while loop for (int count = 1; count < = 2; count + +) printf (" count ");

(vi) Why is sentinel value used in loops?

(vii) How many (maximum) values can a function return using return statement?

(viii) What type of variables are declared outside any function?

(ix) How is a file opened?

Note: SECTION - II

Note: (MS.ACCESS)

Note: Note: Attempt any ONE question.

Q5. (Marks 8) Write notes on any four of the following file types: (i) Master file. (ii) Transaction file. (iii) Backup file. (iv) Program file. (v) Data file. (vi) Sequential file.

Q6. (Marks 8) Define functional dependency? How partial dependencies effect [sic, print for 'affect'] a relation?

Note: SECTION - III

Note: Note: Attempt any TWO descriptive answers from "C-Language" of the following questions.

Note: (C - Language)

Q7. **(Marks 8)** **Define an error. Describe the types of errors in C programming language.**

Q8. **(Marks 8)** **Define "if-else-if" statement. Explain its working with syntax, flowchart and example.**

Q9. **(Marks 8)** **Write a program to print odd numbers from 1 to 10 using while loop.**