

Capital Chronicle ContentOps — Primary Brand Platform Strategy + Supervised Publishing Master Plan

0. Executive Decision

Capital Chronicle ContentOps should stop treating Telegram live-send repetition as the main product path.

Telegram supervised dispatch has been useful as the first proof of controlled live platform behavior: exact payload, manual gate, one request, no retry, ledger append, replay guard, redacted audit, and reconciliation. That proof should now be frozen as a proven capability, not extended indefinitely through ledger-N-to-ledger-N+1 live-send tasks.

The next strategic build direction is:

Build the multi-platform supervised content operating system around X, Telegram, and Substack as the primary Capital Chronicle brand-building triangle.

The revised platform hierarchy is:

Primary brand-building platforms:

1. X
2. Telegram
3. Substack

Secondary / professional credibility:

4. LinkedIn

Expansion wave:

5. Threads
6. Instagram
7. Facebook Page

Later / optional:

8. TikTok / YouTube, only after video workflow exists

The product is not a social scheduler, autonomous bot, trading-signal terminal, or live API console.

The product is:

A local-first, evidence-grade supervised publishing cockpit for macro content governance, editorial quality, platform payload previews, approval packets, audit trails, manual publishing records, and future supervised platform dispatch after explicit gates.

1. Strategic Platform Roles

1.1 X — Narrative Velocity and Public Distribution

X is the fastest distribution surface for Capital Chronicle's public narrative.

Use X for:

- short-form build-in-public notes;
- macro process commentary;
- grounded-news hooks;
- concise educational posts;
- threads explaining uncertainty, data sufficiency, and forecast-readiness discipline;
- fast audience feedback;
- public positioning.

X must not become:

- a signal feed;
- a market-call stream;
- a trading-alert channel;
- an engagement bot;
- an auto-reply or DM system.

X has high strategic value, but it is cost/policy sensitive. It should remain behind official-doc verification, spend/rate gates, account binding, payload approval, and supervised dispatch controls.

Initial X scope should be:

- dry-run payload previews;
- thread splitting;
- duplicate/cross-post detection;
- no-advice/no-signal validation;
- cost/rate placeholder;
- account-binding placeholder;
- manual posting support;
- later supervised publishing gate.

1.2 Telegram — Operator Loop and Controlled Community Channel

Telegram has two separate roles.

They must never be collapsed.

Role A — Telegram Remote Operator Inbox

Telegram can be used as Jim's remote operator surface.

It may carry:

- content ideas;
- revision instructions;
- approval challenge responses;
- source notes;
- status queries;
- manual metric notes.

Telegram cannot:

- approve content without exact payload hash;
- directly trigger posting;
- bypass local approval ledger;
- bypass account binding;
- bypass kill switch;
- override deterministic gates;
- act as a credential store;
- authorize changed content after approval.

Role B — Telegram Channel Dispatch Destination

Telegram can also be a controlled channel destination for supervised posts.

This destination path has already been stress-tested enough to prove the architecture direction. The correct next move is to freeze it as a proven supervised dispatch capability and stop running new live-send repetitions unless there is a specific regression test or new platform behavior to prove.

Telegram dispatch must remain:

- exact-payload-bound;
- account/channel-bound;
- manually approved;
- one request only;
- no retry;
- redacted;
- ledgered;
- replay-guarded;
- auditable.

1.3 Substack — Owned Long-Form Authority Channel

Substack should be promoted from "newsletter later" to **primary owned-audience platform**.

Capital Chronicle needs long-form authority surfaces to explain:

- macro process discipline;
- data sufficiency;
- why “no forecast” can be the correct answer;
- grounded-news context;
- failure forensics;
- research maturity;
- future artifact-backed narratives;
- product philosophy;
- no-signal positioning.

Substack should initially be implemented as:

- markdown export;
- newsletter issue blueprint;
- SEO metadata;
- title/subtitle candidates;
- source/citation section;
- limitation section;
- platform preview;
- manual publish record;
- metrics placeholder.

Do not start with Substack live API integration.

Substack’s first version should be **manual export / owned media workflow**, because this is already sufficient for brand building and avoids unnecessary API risk.

1.4 LinkedIn — Professional Credibility Layer

LinkedIn remains important, but it should not be the main growth engine.

Use LinkedIn for:

- founder/product positioning;
- institutional professionalism;
- polished macro process posts;
- investor/professional audience;
- hiring/partnership credibility;
- high-signal, low-frequency commentary.

LinkedIn should be treated as permission/review-gated.

Initial scope:

- member/profile post preview;
- organization/page distinction;

- professional tone transformer;
- no-advice/no-signal guardrails;
- dry-run preview;
- manual publishing support;
- later identity/scope proof;
- later supervised dispatch if app/product permissions are clear.

1.5 Threads — Lightweight Conversation Mirror

Threads should be supported as an expansion channel, not as a core early live target.

Use Threads for:

- short social commentary;
- calmer X-style variants;
- conversation-friendly repurposing.

Initial scope:

- dry-run payload shape;
- tone adaptation from X;
- no live posting;
- no auto cross-posting.

1.6 Instagram — Visual Education Layer

Instagram should be treated as a visual/card/carousel platform.

Use Instagram for:

- educational carousel scripts;
- quote cards;
- evidence-safe visual summaries;
- no-signal macro education;
- future screenshot-safe visual export.

Initial scope:

- carousel script contract;
- media manifest placeholder;
- alt-text contract;
- rights/status field;
- platform media constraints;
- dry-run preview.

Do not prioritize live Instagram until visual production and media hosting constraints are ready.

1.7 Facebook Page — Meta Secondary Distribution

Facebook Page should be grouped with Instagram as the Meta expansion wave.

Use Facebook Page for:

- secondary distribution;
- page-based posting;
- Meta ecosystem readiness;
- manual publish records.

Initial scope:

- dry-run text/link/media preview;
- page identity placeholder;
- business verification/app review placeholder;
- no live posting.

1.8 TikTok / YouTube — Later Video Strategy

TikTok and YouTube should not be early priorities.

They require:

- video workflow;
- script-to-video pipeline;
- media rights;
- moderation risk management;
- app review or API approval;
- separate content format strategy.

Keep them as later placeholders only.

2. Product North Star

Capital Chronicle ContentOps should become a supervised editorial and publishing operating system.

The system should let Jim:

1. Capture ideas from Telegram or local UI.
2. Classify them into content lanes.
3. Convert them into structured editorial briefs.
4. Generate or manually draft content.
5. Create platform-specific variants.
6. Preview X, Telegram, Substack, LinkedIn, Threads, Instagram, and Facebook payloads.
7. Inspect guardrails, citations, limitations, and no-signal checks.
8. Approve an exact payload hash.

9. Create an outbox entry only after approval.
10. Dispatch later only through explicit supervised platform gates.
11. Record audit, manual publish records, URLs, and metrics.

The system may support supervised one-click publishing later, but only after:

- approval ledger exists;
- payload hash locking exists;
- account binding exists;
- credential handle/redaction boundary exists;
- kill switch exists;
- dispatch outbox exists;
- idempotency exists;
- platform permission proof exists;
- one-request/no-auto-retry dispatch exists;
- redacted immutable audit exists;
- operator identity proof exists;
- expiring approval challenge exists;
- exact platform/account/payload/visibility binding exists;
- no autonomous replies, DMs, scraping, or scheduling.

3. Content Lanes

Every content object must belong to one lane.

Lane A — Pre-Alpha General / Process

Purpose:

Build audience and trust before internal alpha by explaining the discipline behind Capital Chronicle.

Allowed:

- build-in-public;
- macro education;
- data sufficiency education;
- forecast readiness education;
- failure forensics philosophy;
- product philosophy;
- source trust;
- why Capital Chronicle is not a signal service.

Forbidden:

- fake artifact-backed claims;
- fake DQR/readiness states;
- fake source IDs;

- market calls;
- performance claims;
- public-ready fixture content.

Recommended platforms:

- X;
- Substack;
- LinkedIn;
- Telegram channel.

Lane B — Grounded News / Research Context

Purpose:

Use real-world news and public sources as hooks for educational content.

Core rule:

News is a hook, not a signal.

Allowed:

- source-cited explainers;
- official-source checking;
- data sufficiency analysis;
- forecast-readiness education;
- uncertainty explanation;
- safe content angles;
- non-advisory platform variants.

Forbidden:

- buy/sell/hold;
- long/short;
- price targets;
- “our model predicts”;
- “our signal says”;
- “watch this level”;
- implied forecast authority;
- unsupported numeric market claims.

Recommended platforms:

- X for timely commentary;
- Substack for full explanation;
- Telegram for community update;
- LinkedIn for polished professional version.

Lane C — Future Artifact-Backed Capital Chronicle Content

Purpose:

Turn real approved internal-alpha artifacts into content packets later.

Blocked until all exist:

- internal-alpha artifact spec;
- approved export location;
- artifact IDs;
- lineage;
- freshness;
- limitations;
- DQR/data sufficiency/forecast readiness states;
- missing/degraded/proxy labels;
- content type mapping;
- no-advice/no-signal metadata;
- operator approval path.

Recommended platforms later:

- Substack first for full context;
- X thread for condensed public narrative;
- Telegram channel for community note;
- LinkedIn for professional summary.

4. Canonical Content Object Model

A future multi-platform content packet should use this structure:

```
content_packet:
  content_id: string
  lane: pre_alpha_general_process | grounded_news_context |
future_artifact_backed
  source_type: telegram_idea | local_ui | research_brief |
artifact_intake_future
  topic_summary: string
  source_status: not_required | source_needed | source_provided | blocked
  claim_risk: low | medium | high | blocked
  no_financial_advice: true
  no_signal_language: true
  public_postable: false
  human_review_required: true
  draft_variants:
    - variant_id
```

```
platform_payload_previews:
  - payload_id
approval_state:
not_approved | challenge_sent | approved | revoked | expired | invalidated
evidence_refs: array
caveats: array
```

5. Platform Payload Classes

The system should support these payload classes.

```
x_short_post
x_thread
telegram_channel_update
telegram_operator_review_message
substack_newsletter_issue
substack_longform_post
linkedin_professional_post
threads_short_post
instagram_carousel_script
facebook_page_post
```

Each payload preview must include:

```
platform_payload_preview:
  payload_id: string
  platform: x | telegram | substack | linkedin | threads | instagram |
facebook_page
  payload_class: string
  destination_binding_id: string
  credential_handle_id: string
  body: string
  title: string | null
  subtitle: string | null
  thread_parts: array | null
  media_manifest_id: string | null
  visibility_class: string
  platform_constraints_status: pass | warning | blocked
  platform_warnings: array
  payload_hash: string
  approval_required: true
  dispatch_ready: false
  public_postable: false
```

6. Substack / Newsletter Architecture

Substack should become a first-class content room.

6.1 Substack Output Types

```
substack_newsletter_issue
substack_longform_post
substack_short_note_future
```

6.2 Newsletter Issue Structure

```
substack_issue:
  issue_id: string
  title: string
  subtitle: string
  hook: string
  thesis_or_question: string
  body_sections:
    - section_id
    - heading
    - body
  source_notes: array
  limitations: array
  no_signal_disclaimer: string
  evidence_refs: array
  seo_metadata:
    title_tag: string
    description: string
    keywords: array
  cross_platform_derivatives:
    x_thread_id: string
    telegram_update_id: string
    linkedin_summary_id: string
  manual_export:
    markdown_body: string
    export_status: ready_for_manual_review | blocked
```

6.3 Substack Rules

Substack content must never:

- claim Capital Chronicle alpha output before real artifacts;
- make buy/sell/hold recommendations;
- make price targets;

- imply signal service;
- omit limitations;
- invent sources;
- invent market numbers.

Substack should be the best place to explain uncertainty and evidence maturity.

7. Revised Build Roadmap

Phase 0 — Finish Current Incomplete Telegram Batch

If a local live Telegram thirteenth send has already occurred but the task has not been finalized, complete only the local finalization:

- no second live send;
- no Telegram API call;
- no `.env` read;
- build rollup;
- build chain hardening audit;
- commit and push;
- report final evidence.

Phase 1 — Freeze Telegram Dispatch Capability

Task:

```
TASK_CONTENTOPS_TELEGRAM_SUPERVISED_DISPATCH_CAPABILITY_FREEZE_V0
```

Purpose:

Stop the Telegram ledger treadmill and record the proven capability.

Deliver:

- capability registry;
- latest accepted ledger state;
- one-request proof summary;
- no-secret proof summary;
- replay guard proof summary;
- next-live-send policy;
- regression conditions for future live send.

Outcome:

Telegram dispatch becomes:

```
proven_frozen
next_live_send_allowed=false_by_default
requires_new_operator_task=true
requires_new_exact_payload_hash=true
requires_new_manual_gate=true
```

Phase 2 — Platform Universe Registry v2

Task:

```
TASK_CONTENTOPS_PLATFORM_UNIVERSE_REGISTRY_V2_PRIMARY_BRAND_CHANNELS_V0
```

Purpose:

Codify the new platform strategy.

Deliver:

- platform registry;
- primary/secondary/expansion tiers;
- platform role definitions;
- payload class mapping;
- platform risk matrix;
- live priority matrix;
- tests proving no live API/credential/scheduler/posting behavior.

Registry:

```
primary_brand_channels:
- x
- telegram
- substack

secondary_channels:
- linkedin

expansion_channels:
- threads
- instagram
- facebook_page

later_channels:
- tiktok
- youtube
```

Phase 3 — Primary Platform Payload Preview Contracts

Task:

`TASK_CONTENTOPS_PRIMARY_PLATFORM_PAYLOAD_PREVIEW_CONTRACTS_V0`

Purpose:

Build local payload preview contracts for:

- X short post;
- X thread;
- Telegram channel update;
- Substack newsletter issue;
- Substack long-form post.

Deliver:

- platform constraints;
- content class mapping;
- deterministic payload hash;
- no-advice/no-signal checks;
- markdown export for Substack;
- dry-run only outputs;
- no credentials;
- no API calls.

Phase 4 — Remote Operator Inbox

Task:

`TASK_CONTENTOPS_TELEGRAM_REMOTE_OPERATOR_INBOX_AND_INTENT_CAPTURE_V0`

Purpose:

Build Telegram as remote inbox, not authority.

Deliver:

- inbound message packet;
- sender binding;
- chat binding;
- replay detection;
- redaction;
- message hash;
- message class detection:
- idea_message

- revision_instruction
- approval_response
- rejection_response
- hold_response
- status_query
- source_note
- manual_metric_note
- unknown

No live read unless separately approved.

Phase 5 — Intent Parser and Editorial Brief

Task:

TASK_CONTENTOPS_LLM_INTENT_AND_EDITORIAL_BRIEF_CONTRACT_V0

Purpose:

Convert inbound ideas into structured review-only editorial briefs.

Deliver:

- deterministic parser stub;
- fake LLM output validator;
- intent packet;
- content idea packet;
- editorial brief;
- ambiguity handling;
- source-needed flags;
- blocked trading/signal language tests.

No provider API.

Phase 6 — Idea to Multi-Platform Draft Dry Run

Task:

TASK_CONTENTOPS_IDEA_TO_PRIMARY_PLATFORM_VARIANTS_DRY_RUN_V0

Purpose:

Run the core product loop locally:

```
idea
-> intent
```

```
-> editorial brief
-> draft
-> X variant
-> Telegram variant
-> Substack issue
-> payload hashes
-> approval challenge candidate
```

No live post.

Phase 7 — Approval Queue + Dispatch Control Read Model

Task:

```
TASK_CONTENTOPS_APPROVAL_QUEUE_AND_DISPATCH_CONTROL_READ_MODEL_V0
```

Purpose:

Build the operator authority surface.

Must show:

- payload preview;
- payload hash;
- platform;
- destination binding;
- credential handle;
- approval challenge;
- expiration;
- revocation;
- edit invalidation;
- dispatch eligibility;
- disabled future live state.

Phase 8 — V5 / UI Integration

Task:

```
TASK_CONTENTOPS_REMOTE_OPERATOR_AND_PRIMARY_CHANNELS_COCKPIT_UI_V0
```

Purpose:

Expose the new strategy in the cockpit.

Screens affected:

- Command Center;
- Content Inventory;
- Writer Studio;
- Approval Queue;
- Platform Payload Preview;
- Publish Readiness Tower;
- Evidence Vault;
- Substack/Newsletter room.

No live controls.

Phase 9 — Platform-by-Platform Live Gates Later

Later live priority:

1. Telegram supervised channel dispatch regression only when needed.
2. X read-only identity / spend-control / supervised post gate.
3. Substack manual publish record first, API only if justified.
4. LinkedIn member/profile proof.
5. Threads / Instagram / Facebook official-doc and account proof.

8. Publish Readiness Tower Update

Publish Readiness Tower must show the following rows:

```
X
Telegram Remote Operator Inbox
Telegram Channel Dispatch Destination
Substack Manual Export / Newsletter
LinkedIn
Threads
Instagram
Facebook Page
TikTok / YouTube later
```

Each platform must show:

- platform role;
- current capability;
- dry-run renderer status;
- official docs gate;
- account binding state;
- credential handle state;
- approval ledger state;

- kill switch state;
- live adapter state;
- next blocker;
- allowed now;
- forbidden now.

No platform should display publish-ready by default.

9. Product UX Target

The mature workflow should feel like this:

1. Jim sends an idea from Telegram or enters it locally.
2. ContentOps creates an inbound message / idea packet.
3. Intent parser classifies the request.
4. Editorial brief is created.
5. Draft variants are generated or manually written.
6. X, Telegram, and Substack previews are produced.
7. Each preview has payload hash and guardrail status.
8. Jim reviews in the cockpit or receives Telegram preview.
9. Jim approves an exact payload hash.
10. Approval ledger records it.
11. Outbox prepares dispatch.
12. Dispatch remains blocked unless platform-specific live gates are cleared.
13. Manual publishing or supervised live publishing is recorded with audit.
14. Metrics are entered manually or ingested later through explicit gates.

10. Non-Negotiable Rules

The system must never become:

- financial advice engine;
- buy/sell/hold generator;
- trading signal bot;
- broker/order/execution console;
- autonomous publisher;
- social scheduler;
- reply/DM automation tool;
- scraping system;
- public-ready synthetic content generator;
- live API console;
- credential dashboard.

Always preserve:

- local-first by default;
- review-only until explicit gates;

- exact payload hash approval;
- no-signal language;
- no-financial-advice language;
- visible limitations;
- source/citation discipline;
- redacted audit;
- kill switch;
- account binding;
- one-request/no-auto-retry dispatch.

11. Acceptance Criteria for the Revised Strategy

The revised strategy is accepted when the repo can prove:

1. Platform registry contains X, Telegram, Substack as primary brand channels.
2. LinkedIn is secondary professional credibility.
3. Threads, Instagram, and Facebook Page are expansion channels.
4. Substack has markdown/newsletter export contracts.
5. X has short-post and thread preview contracts.
6. Telegram has remote inbox and channel dispatch as separate objects.
7. Platform payload previews are dry-run only.
8. No live API, credential read, scheduler, auto-post, reply, DM, or scraping behavior is added.
9. Approval remains exact-hash-based.
10. UI/read-model makes primary platform strategy visible.
11. Evidence Vault archives platform strategy and preview contracts.
12. Future live gates remain platform-by-platform and explicitly approved.

12. Immediate Next Task Recommendation

The next build task should not be another Telegram live send.

The next build task should be:

```
TASK_CONTENTOPS_PLATFORM_UNIVERSE_REGISTRY_V2_PRIMARY_BRAND_CHANNELS_V0
```

This task should:

- codify X, Telegram, and Substack as primary channels;
- add LinkedIn as secondary;
- add Threads, Instagram, and Facebook Page as expansion;
- keep TikTok/YouTube later;
- define payload classes;
- define channel roles;
- define initial preview/readiness states;
- add tests proving the registry is local-only and non-live;
- update docs so future tasks do not drift back into Telegram-only ledger repetition.

13. Summary

Capital Chronicle ContentOps should now move from “prove Telegram can send safely” to “build the multi-platform supervised editorial operating system.”

The core brand triangle is:

```
X = public velocity
Telegram = operator loop + controlled community
Substack = owned long-form authority
```

Everything else supports this triangle:

```
LinkedIn = credibility
Threads = conversation mirror
Instagram = visual education
Facebook Page = Meta distribution
TikTok/YouTube = later video layer
```

The immediate build path is local-first:

```
platform registry
-> primary payload previews
-> Substack export
-> Telegram remote inbox
-> intent parser
-> editorial brief
-> multi-platform draft variants
-> approval queue
-> dispatch control read-model
-> UI cockpit
-> future platform live gates
```

No more live-send treadmill unless a specific regression or new platform proof requires it.