

```
{
  "condition_a_automated_bypass": {
    "interface_layer": {
      "trials": 500,
      "executions": 500,
      "unauthorized_executions": 500,
      "unauthorized_rate": 1.0
    },
    "seag": {
      "trials": 500,
      "executions": 0,
      "unauthorized_executions": 0,
      "unauthorized_rate": 0.0
    }
  },
  "condition_b_network_interruption": {
    "interface_layer": {
      "trials": 500,
      "executions": 500,
      "unauthorized_executions": 161,
      "unauthorized_rate": 0.322
    },
    "seag": {
      "trials": 500,
      "executions": 339,
      "unauthorized_executions": 0,
      "unauthorized_rate": 0.0,
      "note": "executions blocked by
network failure are not unauthorized
executions -- they are correctly-blocked"
    }
  }
}
```

```
legitimate approvals (a availability cost,  
not a safety violation). See discussion."  
  }  
},  
"condition_c_concurrent_approval": {  
  "interface_layer": {  
    "trials": 500,  
    "double_execution_incidents": 500,  
    "double_execution_rate": 1.0  
  },  
  "seag": {  
    "trials": 500,  
    "double_execution_incidents": 0,  
    "double_execution_rate": 0.0  
  }  
},  
"n_trials_per_condition": 500  
}
```