



DZPHARM · POWER-USER LAYER

Command Palette

A detailed deep-dive into the Cmd-K command palette: 23 commands with single-key hotkeys, dual-source fuzzy search (medications + commands simultaneously), emergency-first ordering (SAMU 14, Anti-Poison at top), correct ARIA combobox pattern. Two bugs: hotkeys are decorative (not wired), and Enter activates the wrong command after ArrowDown (selection-state desync). Best-in-class design, 90% shipped.

23

COMMANDS

8

SINGLE-KEY HOTKEYS

2

BUGS

B+

GRADE

DEEP-DIVE OF

Feature #11 – Command Palette
From the 68-item review menu

Inventory & Emergency-First Ordering

The Command Palette exposes **23 commands** organized in 4 tiers: emergency numbers (first), navigation commands, clinical tools, and system actions. The emergency-first ordering is the platform's most thoughtful power-user design decision — SAMU 14 and Centre Anti-Poison d'Alger are always the first two suggestions, so a pharmacist in a panic who opens the palette immediately sees the life-critical numbers.




Figure 11.1 — Command-K palette opened via Ctrl+K on the dashboard. 23 commands listed. Emergency numbers (SAMU 14, Centre Antipoison) at the top. Navigation commands (Accueil, Répertoire, Prix & Chifa, Interactions) in the middle. Clinical tools (Copilote, calculators) at the bottom. Single-key hotkeys displayed on the right edge of each row.

1.1 The 4 Command Tiers

TIER	COMMANDS	PURPOSE
1 · Emergency	SAMU 14, Centre Antipoison d'Alger (021 71 30 42)	Life-critical numbers, always first
2 · Navigation	Accueil (H), Répertoire (R), Prix & Chifa (P), Interactions (I)	Primary view navigation with single-key hotkeys
3 · Clinical Tools	Copilote (C), Scanner (S), Botanique (B), Nuancier (T), plus 5 more	Clinical decision-support tools
4 · System	Verrouiller session, Imprimer, Partager	System-level actions

1.2 The 8 Single-Key Hotkeys

Each navigation and clinical-tool command has a single-key hotkey: H (Accueil), R (Répertoire), P (Prix & Chifa), I (Interactions), C (Copilote), S (Scanner), B (Botanique), T (Nuancier). The hotkey is displayed on the right edge of each command row in a `<kbd>`-style badge. This is the Raycast/Linear pattern — it signals to power users that the palette is keyboard-first. The hotkey labels are a visual affordance; whether they're wired is a separate question (Chapter 3).

1.3 Why Emergency-First Ordering Matters

In a panic, a pharmacist doesn't have time to navigate a menu. They press Ctrl+K, and the first thing they see should be the emergency numbers. DzPharm's ordering puts SAMU 14 and Anti-Poison at the top — not alphabetically, not by frequency, but by clinical priority. This is the same safety-first principle as the emergency banner at the top of the dashboard. A pharmacist who memorizes «Ctrl+K, Enter» knows they can call SAMU in 2 keystrokes.

WHAT WORKS · EMERGENCY-FIRST ORDERING

SAMU 14 and Centre Antipoison d'Alger are the first two suggestions by default. In a panic, the user opens the palette and the most life-critical numbers are immediately visible. This is a thoughtful safety-first design that matches the emergency-banner pattern on the dashboard. No fix needed.

— CHAPTER 02 · DUAL-SOURCE SEARCH

Medications + Commands in Parallel

The palette's most exceptional feature is its **dual-source fuzzy search**: typing a query searches BOTH the 9,555 medication database AND the 23-command list simultaneously, merging results into a single list. Typing «inter» returns both Interferon medications AND the «Contrôle d'interactions médicamenteuses» command. This is uncommon — most command palettes search commands only, not data.




Figure 11.2 — Palette with «inter» typed. Results show BOTH Interferon medications from the 9,555-AMM database AND the «Contrôle d'interactions médicamenteuses» command — the palette searches two datasets in parallel and merges results. This is genuinely uncommon and useful.

2.1 How the Dual-Source Search Works

When the user types a query, the palette runs two filters in parallel: one against the 9,555 medication records (matching brand name and DCI), one against the 23 commands (matching command name). The results are merged into a single list, with medication results first (up to 10) and command results second (up to 5). The two sections are visually separated by a divider. This is the same dual-source pattern as the header search bar (#46) — the palette and the search bar share the same underlying search logic.

2.2 Why This Is Exceptional

Most command palettes (VS Code, Slack, Notion) search commands only — they don't search the underlying data. DzPharm's palette searches both. A pharmacist who types «doliprane» in the palette gets both the DOLIPRANE medication record AND any command containing «doliprane» in its name. This means the palette is a universal search surface — it's both the command launcher and the medication finder. This is the Linear/Raycast pattern applied to a clinical domain.

2.3 The ARIA Combobox Pattern

The palette uses the WAI-ARIA combobox pattern correctly: `role="combobox" aria-expanded="true"` on the input, `role="listbox"` on the results container, `role="option" aria-selected="true"` on the highlighted result. Screen-reader users hear «Suggestions, listbox» when the palette opens, and «[command name], selected» as they navigate. This is textbook ARIA — verified by inspecting the accessibility tree.

WHAT WORKS · DUAL-SOURCE SEARCH + ARIA

The palette searches both the 9,555 medication database AND the 23 commands simultaneously, merging results. The ARIA combobox pattern is textbook — `role=combobox`, `role=listbox`, `role=option` with `aria-selected`. Screen-reader navigation works correctly. This is best-in-class command-palette engineering.

CHAPTER 03 · THE TWO BUGS

Decorative Hotkeys & Selection Desync

Two bugs prevent the palette from being truly shippable. Bug #1: the displayed single-key hotkeys (H, R, P, I, C, S, B, T) are decorative — they appear in the UI but pressing the key doesn't activate the command; instead, the key is treated as a search query. Bug #2: after using `ArrowDown` to highlight a command, pressing `Enter` activates the WRONG command (the originally-highlighted one, not the currently-highlighted one).




Figure 11.3 — Palette with a command highlighted via `ArrowDown`. The highlight is on «Centre Antipoison d'Alger (021 71 30 42)», but pressing `Enter` would activate «SAMU 14» (the originally-highlighted first item). The selection state and the action target are out of sync.

3.1 Bug #1 — Decorative Hotkeys

Each command displays a single-key hotkey (e.g., «Contrôle d'interactions médicamenteuses I»), but pressing «I» alone does NOT activate the Interactions command. Instead, the palette treats «I» as a search query and filters the list to commands containing «I». The hotkey labels exist in the UI but are not wired to keyboard event handlers. This is the same «visual affordance without functional wiring» pattern that recurs across the AI layer (#39 suggested prompts, #38 voice dictation).

3.2 Bug #2 — Selection-State Desync

After opening the palette (default selection = SAMU 14), pressing ArrowDown once highlights «Centre Antipoison d'Alger (021 71 30 42)». Pressing Enter then closed the palette and triggered `tel:14` (SAMU) — not the Anti-Poison number. The visual highlight moved to the second item, but the Enter handler still referenced the first item (index 0). The `selectedIndex` state is not being passed to the Enter handler — it's using a stale or hardcoded reference.

BUG	SYMPTOM	ROOT CAUSE	EFFORT
#1 · Decorative hotkeys	Pressing «l» filters by «i» instead of navigating to Interactions	No keydown handler for single-key hotkeys; all keys go to the search input	S (2 hours)
#2 · Selection desync	Enter activates index 0 (SAMU) even after ArrowDown to index 1+	<code>selectedIndex</code> state not passed to Enter handler; uses hardcoded or stale reference	S (1 hour)

TWO BUGS PREVENT SHIPPABILITY

Bug #1 (decorative hotkeys) and Bug #2 (selection-state desync) together prevent the palette from being truly shippable. The hotkeys are the power-user value proposition — if they don't work, the palette is just a slower alternative to mouse navigation. The selection desync is a safety risk: a pharmacist who highlights «Anti-Poison» and presses Enter expects to call Anti-Poison, not SAMU. Both bugs are mechanical fixes (3 hours total). Ship today.

— CHAPTER 04 · THE FIX

Wire Hotkeys + Fix Selection State

Both bugs are mechanical fixes. Bug #1: add a `useEffect` that listens for single-key presses when the palette is open (skipping when the focus is in the search input). Bug #2: track `selectedIndex` in state and pass it to the Enter handler.

4.1 Bug #1 Fix — Wire Single-Key Hotkeys

```
// Wire single-key hotkeys when palette is open
useEffect(() => {{
  if (!isOpen) return;
  const handler = (e) => {{
    // Skip if user is typing in the search input
    if (e.target.tagName === "INPUT") return;
    const keyMap = {{
      "h": "/",
      "r": "/repertoire",
      "p": "/prix-chifa",
      "i": "/interactions",
      "c": "/copilote",
      "s": "/scanner",
      "b": "/?mode=botanique",
      "t": "/?palette=open",
    }};
    const path = keyMap[e.key.toLowerCase()];
    if (path) {{
      e.preventDefault();
      router.push(path);
      setIsOpen(false);
    }}
  }};
  window.addEventListener("keydown", handler);
  return () => window.removeEventListener("keydown", handler);
}}, [isOpen, router]);
```

4.2 Bug #2 Fix — Track selectedIndex in State

```
// Track selectedIndex in state
const [selectedIndex, setSelectedIndex] = useState(0);

const handleEnter = () => {{
  const selected = filteredOptions[selectedIndex];
  if (!selected) return;
  if (selected.action) selected.action();
  else if (selected.href) router.push(selected.href);
  else if (selected.tel) window.location.href = `tel:${{selected.tel}}`;
  setIsOpen(false);
}};

// Update selectedIndex on ArrowUp/ArrowDown
const handleKeyDown = (e) => {{
  if (e.key === "ArrowDown") {{
    e.preventDefault();
    setSelectedIndex((i) => Math.min(i + 1, filteredOptions.length - 1));
  }} else if (e.key === "ArrowUp") {{
    e.preventDefault();
    setSelectedIndex((i) => Math.max(i - 1, 0));
  }} else if (e.key === "Enter") {{
    e.preventDefault();
    handleEnter();
  }}
}};
```

— CHAPTER 05 • VERDICT & FIX PLAN

Final Assessment

The Command Palette is a **B+ grade feature** — 90% excellent, 10% broken. The dual-source search, emergency-first ordering, 23 commands with single-key hotkeys, and textbook ARIA pattern are best-in-class. Two mechanical bugs (decorative hotkeys + selection-state desync) prevent it from being truly shippable. Total fix effort: 3 hours. This is one of the highest-ROI fixes in the review menu.

5.1 Phased Fix Plan

PHASE	FIXES	EFFORT	OUTCOME
Phase 1 · Now (Today)	Bug #1 (wire hotkeys) + Bug #2 (fix selection state)	~3 hours	Grade lifts to A. Power-user feature fully shippable.
Phase 2 · Next (This week)	Verify with keyboard-only testing	~1 hour	Grade stays at A. Verified compliance.
Phase 3 · Later	Add recently-used commands at top	~2 hours	Nice-to-have. Personalized ordering.

5.2 Cross-Feature Dependencies

- ✓ Feature #46 (Search Autocomplete) — the header search bar shares the same dual-source search logic
- ✓ Feature #45 (Plus Menu) — provides the mouse path to the same destinations; healthy redundancy
- ✓ Feature #1 (Routing) — palette commands use setState navigation; will become real routes when #1 ships
- ⚠ Feature #62 (Icon-Only Button Labels) — the Cmd-K shortcut is hinted on the search button via «⌘K» badge

5.3 Final Assessment

23 COMMANDS	8 SINGLE-KEY HOTKEYS	2 BUGS
B+ GRADE	~3h PHASE 1 EFFORT	~1h PHASE 2 EFFORT

FINAL VERDICT · B+ GRADE, 3 HOURS FROM A

The Command Palette is **90% excellent and 10% broken**. The dual-source fuzzy search (medications + commands in parallel), the emergency-first ordering (SAMU 14 and Anti-Poison always at top), the 23 commands with 8 single-key hotkeys, and the textbook ARIA combobox pattern are all best-in-class — this is Linear/Raycast-level command-palette engineering. But two mechanical bugs prevent it from being truly shippable: the hotkeys are decorative (not wired to keyboard handlers), and the selection state desyncs (Enter activates the wrong command after ArrowDown). The selection desync is a safety risk: a pharmacist who highlights «Anti-Poison» and presses Enter expects to call Anti-Poison, not SAMU. Both bugs are mechanical fixes (3 hours total). Ship today — this is one of the highest-ROI fixes in the entire review menu.

Immediate Next Steps

1. Wire single-key hotkeys via `useEffect` + keydown handler — 2 hours.
2. Track `selectedIndex` in state, pass to Enter handler — 1 hour.
3. Verify: open palette, press «I» → should navigate to Interactions — 15 minutes.
4. Verify: open palette, ArrowDown to Anti-Poison, Enter → should call Anti-Poison — 15 minutes.
5. Defer Phase 3 (recently-used commands) until core bugs are fixed.

11

23 commands, dual-source search, emergency-first ordering, textbook ARIA. 2 bugs (decorative hotkeys + selection desync). 3 hours of fixes lifts to A.

5

CHAPTERS

3

SCREENSHOTS

23

COMMANDS

B+

GRADE
