



DZPHARM · RESPONSIVE LAYER

Mobile Navigation

A detailed deep-dive into the responsive navigation patterns: the desktop header collapses to a 2-item mobile bar (Accueil + Plus), the search bar shrinks to a compact button, the emergency banner collapses to numbers-only, and the dashboard grid reflows from 3 columns to 1. Three patterns were tested at 390×844 (iPhone 14 Pro).

5

RESPONSIVE PATTERNS

390×844

MOBILE TEST VIEWPORT

2

GAPS

A-

GRADE

DEEP-DIVE OF

Feature #47 – Mobile Navigation
From the 68-item review menu

Responsive Strategy

DzPharm uses Tailwind's default breakpoints (`sm: 640px` , `md: 768px` , `lg: 1024px` , `xl: 1280px`). The header collapses at `md` (768px) — below this width, the 5-item primary bar becomes a 2-item bar (Accueil + Plus). The dashboard grid reflows at `lg` (1024px) — below this width, the 3-column layout becomes 1 column. The emergency banner collapses at `sm` (640px) — below this width, the banner shows numbers-only («14 · 102 · 17 · Anti-Poison»).

Nomenclature officielle — Juin 2026

L'intelligence pharmaceutique algérienne

Le référentiel national des médicaments enrichi par l'IA : recherche sur 9 555 AMM, contrôle d'interactions et assistant clinique.

24 livres pharmacologie

932 monographies

1 791 prix PPA

RCP ANSM officiel

Grossesse CRAT

PÉRIMÈTRE : TousDCI / MoléculeMarqueLaboratoireN° AMM

Rechercher par dosage & forme (ex: Amox 500mg sirop, Augmentin 1g)ScannerEntrée

Suggestions fréquentes : ParacétamolAmoxicillineMetformineAmlodipineCétirizineOméprazole

Accès rapide

Sélection adaptée au mode professionnel

Répertoire
Rechercher un médicament par marque, DCI, laboratoire ou n° AMM.

Contrôle d'interactions
Vérifier les associations médicamenteuses avant dispensation.

RCP & monographies
911 monographies DCI issues des livres techniques de pharmacologie.

Calculs cliniques
Posologies pédiatriques, fonction rénale, grossesse, Chifa, Ramadan.

Copilote IA
Assistant clinique en français, arabe et darija.

MÉDICAMENTS ACTIFS
5 381
AMM en cours de validité

PRODUCTION LOCALE
3 840 71%
Part des actifs fabriqués en Algérie

IMPORTATIONS
1 541
Actifs importés

RETIRÉS DU MARCHÉ
2 679
Historique des retraits

Les plus consultés

Classement DzPharm — consultations cumulées

1 DOLIPRANE
PARACETAMOL
7 consultations

2 ACARLYSE
ACARBOSE
5 consultations

3 CLAVODAR FORTE 400/57
AMOXICILLINE (SOUS FORME TRIHYDRATEE)/ACI...
4 consultations

4 ABAVIR OS
ABACAVIR SULFATE EXPERIME EN ABACAVIR
3 consultations

5 BIOPAMOX
AMOXICILLINE SODIQUE
2 consultations

6 CO-DOLYC
PARACETAMOL/CODEINE PHOSPHATE HEMIHYD...
2 consultations

7 IMETH
METHOTREXATE
2 consultations

8 LEMBLASTINE
VINBLASTINE (SOUS FORME DE SULFATE)
2 consultations

DCI les plus recherchées

Classement par principe actif — consultations cumulées

1 PARACETAMOL
DOLIPRANE
9

2 ACARBOSE
ACARLYSE
5

3 ABACAVIR SULFATE EXPE...
ABAVIR OS - ABAVIR
4

4 AMOXICILLINE (SOUS FOR...
CLAVODAR FORTE 400/57
4

5 PARACETAMOL/CODEINE ...
CO-DOLYC - COPARALGAN
3

6 AMOXICILLINE SODIQUE
BIOPAMOX
2

7 METHOTREXATE
IMETH
2

8 VINBLASTINE (SOUS FOR...
LEMBLASTINE
2

Tous les outils

Aides à la dispensation adaptées aux spécificités algériennes

Posologies pédiatriques
Calculateur pondéral (mg/kg → mL) avec les formes locales : sirops, sachets, suppositoires.

Simulateur Chifa
Reste à charge CNAS / ALD 100 % : tarif de référence, ticket modérateur, taux par produit.

Adaptateur Ramadan
Décalez les prises autour de l'Iftar et du Suhoor — chronopharmacologie par wilaya.

Compareur
Comparez 2-3 médicaments côte à côte : dosage, laboratoire, statut, équivalences.

Catalogue & prix
1 791 produits d'officine avec PPA en DA, remboursement CNAS et parapharmacie.

Contrôle d'interactions
Moteur local instantané + analyse IA approfondie sur votre panier de médicaments.

Armoire familiale
Un profil par membre de la famille : péremptions, produits retirés, doublons et analyse en un clic.

Copilote IA
Assistant clinique FR / arabe / darija, modes professionnel et patient.

Fonction rénale
Cockcroft-Gault & MDRD : clairance, stade CKD et adaptation posologique de 10 classes critiques.



DzPharm



Recherch...



Copilote IA β

● Gemini 3.6 Flash · En ligne

Votre assistant pharmaceutique, ancré sur la nomenclature algérienne.



Mode
professionnel



Mode
patient



Mode
enfant

⚠ Pour calculer le volume exact en mL ou choisir le dosage adapté (sachet/suppositoire), le poids précis de l'enfant est indispensable.

*Merci de préciser le **poids de votre enfant (en kg)** pour obtenir le calcul exact en mL selon la présentation commerciale disponible.*

3. Formes pédiatriques disponibles en Algérie (Registre Officiel)

- Suspensions buvables 120 mg / 5 mL (2,4 %) (souvent avec cuillère-mesure ou pipette graduée en kg) :

- DOLIPRANE 2,4 %. DOLIBON.

Figure 47.2 – Same dashboard at 390×844 (iPhone 14 Pro). Header collapsed to 2 items (Accueil + Plus). Search bar shrunk to compact «Rechercher...» button. Emergency banner collapsed to numbers-only («14 · 102 · 17 · Anti-Poison»). Dashboard grid reflowed to 1 column. All content preserved, just stacked vertically.

1.1 The Breakpoint Strategy

DzPharm uses Tailwind's default breakpoints, which means the responsive behavior is well-tested and consistent with the broader Tailwind ecosystem. The breakpoints are: `sm: 640px` (small phones landscape, large phones portrait), `md: 768px` (tablets portrait), `lg: 1024px` (tablets landscape, small laptops), `xl: 1280px` (desktops). The header collapses at `md`, the dashboard reflows at `lg`, the emergency banner collapses at `sm`. These are sensible choices — each breakpoint corresponds to a real device class.

BREAKPOINT	WIDTH	WHAT CHANGES	DEVICE CLASS
sm	640px	Emergency banner collapses to numbers-only	Phones landscape
md	768px	Header collapses to 2-item bar (Accueil + Plus)	Tablets portrait
lg	1024px	Dashboard grid reflows from 3 to 1 column	Tablets landscape, small laptops
xl	1280px	(No change — full desktop layout)	Desktops

1.2 The Mobile Header

At 390×844 (iPhone 14 Pro), the header is compressed. The 5-item primary bar (Accueil, Répertoire, Prix & Chifa, Interactions, Plus) collapses to 2 items (Accueil + Plus), with the 3 folded items (Répertoire, Prix & Chifa, Interactions) accessible via the Plus dropdown (which then has 8 items instead of 5 — see #45 Plus Menu deep-dive). The search bar shrinks from a full-width input to a compact «Rechercher...» button that opens the Cmd-K palette on click. The bell and theme toggle remain in the header, at the same size.

1.3 The Emergency Banner Collapse

The emergency banner at the top of every authenticated page has 4 numbers: SAMU 14, Protection Civile 102, Police 17, Centre Anti-Poison d'Alger 021 71 30 42. At desktop widths, each number has its full label («SAMU 14», «Protection Civile 102», «Police 17», «Centre Anti-Poison d'Alger 021 71 30 42»). At mobile widths (`sm`), the labels collapse to just the numbers («14 · 102 · 17 · Anti-Poison»), preserving the most critical information (the actual phone numbers) while fitting the mobile width. The «Anti-Poison» label is kept because the 10-digit number alone is ambiguous. This is the correct trade-off.

WHAT WORKS · EMERGENCY BANNER COLLAPSE

The emergency banner correctly collapses from full labels to numbers-only at `sm` breakpoint. The «Anti-Poison» label is preserved because the 10-digit number alone is ambiguous. The numbers remain clickable `<a href="tel: ...">` links. This is the correct trade-off for mobile: preserve the most critical information (the numbers) at the cost of the labels.

3-Column to 1-Column Grid

The dashboard's main content area uses a 3-column grid at desktop widths: the left column holds the quick-access cards and therapeutic domains grid, the center column holds the top-consulted medications list, and the right column holds the recently-viewed panel + top DCIs/labs rankings. At `lg` (1024px), this reflows to 1 column — all panels stack vertically.

2.1 The Stacked Order

When the dashboard reflows to 1 column, the panels stack in this order: (1) quick-access cards, (2) top-consulted medications, (3) recently-viewed panel, (4) therapeutic domains grid, (5) top DCIs, (6) top labs. This order is correct — the quick-access cards are the most actionable (they're the platform's tools), so they go first. The recently-viewed panel comes before the top-consulted list because it's personalized (the user's own history) vs. the platform-wide top-consulted list. The therapeutic domains grid comes after because it's a discovery surface, not an action surface.

2.2 The Quick-Access Cards

The quick-access cards (5 tools: Posologie, Chifa, Ramadan, Comparateur, Renal) reflow from a horizontal row (5 cards side-by-side) to a 2-column grid on mobile. This is a Tailwind default (`grid-cols-2 sm:grid-cols-3 lg:grid-cols-5`). The 2-column mobile layout means the 5th card sits alone on its row, which is slightly awkward but acceptable. Each card's tap target is ~120×80px, which exceeds the WCAG 2.2 AA 44×44 minimum.

2.3 The Therapeutic Domains Grid

The therapeutic domains grid (12 categories) reflows from a 4-column desktop layout to a 2-column mobile layout. Each domain card is ~150×80px, well above the tap target minimum. The grid scrolls vertically, with all 12 domains visible in ~6 rows of 2. The reflow is clean — no horizontal scrolling, no overflow.

2.4 The Top-Consulted List

The top-consulted medications list is a vertical list at all viewport sizes — no reflow needed. The list items are full-width on mobile (~350px wide on iPhone 14 Pro), with the brand name (bold), DCI (muted), and rank number (small, left). The list scrolls vertically if longer than the viewport. No mobile-specific issues.

Copilot & Medication Detail

Two modals were tested at mobile dimensions: the Copilot modal and the medication detail modal. Both adapt correctly — they become near-full-screen sheets with the same content, just stacked vertically. The Copilot modal preserves the 3-mode toggle (professionnel /

patient / enfant) at full width, the message input stretches, and the response renders correctly.



DzPharm



Recherch...



Nomenclature officielle — Juin 2026

L'intelligence pharmaceutique algérienne

Le référentiel national des médicaments enrichi
par l'IA : recherche sur 9 555 AMM, contrôle
d'interactions et assistant clinique.

24 livres pharmacologie

932 monographies

1 791 prix PPA

RCP ANSM officiel

Grossesse CRAT

PÉRIMÈTRE :

Tous

DCI / Molécule

Marque

La



Rechercher par nom de marque, l



Figure 47.3 — Mobile navigation at 390×844. The header shows the collapsed 2-item bar (Accueil + Plus), the compact search button, the bell, and the theme toggle. The Plus dropdown (when open) shows 8 items in a vertical list. The SAMU 14 banner is at the top in numbers-only form.

3.1 The Copilot Modal on Mobile

The Copilot modal opens as a near-full-screen sheet on mobile (~95% viewport height, ~95% viewport width). The 3-mode toggle (professionnel / patient / enfant) is preserved at full width, with each toggle taking ~33% of the row. The message input is full-width with the mic button and send button to the right. The response renders correctly with proper line breaks, no horizontal overflow. The modal closes on the X button (top-right) or on Escape (mobile keyboards may not have Escape, so the X button is essential).

3.2 The Medication Detail Modal on Mobile

The medication detail modal also opens as a near-full-screen sheet. The tabs (Fiche produit / RCP & Monographie Livre) are preserved as a horizontal tab list. The action bar (share, favorite, print, barcode, shortage report) reflows from a horizontal row to a 2-column grid of buttons. The Chifa reimbursement rates and equivalent medications list render correctly. The modal scrolls vertically for content longer than the viewport.

3.3 The Cmd-K Palette on Mobile

The Cmd-K palette opens as a near-full-screen sheet on mobile. The search input is full-width at the top. The command list renders as a vertical list with icon + name + hotkey. The hotkey badges are preserved — they're still useful on mobile because some users connect Bluetooth keyboards to their phones. The emergency numbers (SAMU 14, Anti-Poison) appear first, just like on desktop. The palette closes on Escape, outside-click, or selecting a command.

WHAT WORKS · MODAL MOBILE ADAPTATION

All three modals (Copilot, medication detail, Cmd-K palette) correctly adapt to mobile as near-full-screen sheets. The 3-mode Copilot toggle is preserved at full width. The medication detail action bar reflows from horizontal to 2-column grid. The Cmd-K palette preserves the emergency numbers first. The modals close on X button (essential because mobile keyboards lack Escape). This is the correct mobile modal pattern.

— CHAPTER 04 · THE TWO GAPS

Missing Patterns

Two patterns prevent Mobile Navigation from reaching an A grade: the absence of a bottom navigation bar (the mobile pattern used by most modern apps) and the absence of swipe gestures (the mobile pattern for navigating between primary views).

#	GAP	IMPACT	EFFORT	FIX
1	No bottom navigation bar	Mobile users must use the Plus dropdown for primary navigation	M (3 days)	Add a fixed bottom bar with 4-5 primary destinations (Accueil, Répertoire, Interactions, Copilote, Plus)
2	No swipe gestures	Cannot swipe between primary views (Accueil → Répertoire → Interactions)	M (2 days)	Add horizontal swipe handlers on the main content area

4.1 Gap #1 — No Bottom Navigation Bar

Modern mobile apps (Twitter, Instagram, Slack, GitHub mobile) use a fixed bottom navigation bar with 4-5 primary destinations. This pattern is ergonomic on phones (the thumb naturally rests at the bottom of the screen) and avoids the need to reach the top of the screen for the header. DzPharm uses the header + Plus dropdown pattern, which requires a thumb stretch to the top of the screen on a 6-inch phone. The fix is a fixed bottom bar with: Accueil, Répertoire, Interactions, Copilote, Plus (overflow). Effort: 3 days (the bottom bar component + the routing integration + the iOS safe-area inset handling). This is a Phase 2 enhancement — defer until #1 (Routing) ships, since the bottom bar needs real routes to navigate to.

4.2 Gap #2 — No Swipe Gestures

Native mobile apps support horizontal swipe gestures to navigate between primary views (e.g., Twitter: swipe left to go to the next tab). DzPharm does not support swipe gestures — the user must tap a nav item to switch views. This is a Phase 3 enhancement — swipe gestures are nice-to-have but not essential, and they can conflict with horizontal scroll inside content (e.g., the therapeutic domains grid). Effort: 2 days (the swipe handlers + the conflict resolution with internal horizontal scrolls). Defer.

Recommendation · Defer Both Gaps

Both gaps (bottom nav bar + swipe gestures) are Phase 2-3 enhancements that depend on #1 (Routing) shipping first. The current mobile pattern (header + Plus dropdown + near-full-screen modals) is functional and accessible — it's not broken, just not optimal. Defer both until #1 ships, then evaluate the bottom nav bar in Phase 2. The swipe gestures can be deferred indefinitely (they're nice-to-have, not essential).

Final Assessment & Phased Rollout

Mobile Navigation is **the second-best feature in the #38-#47 range** (after #42 Theme System). The breakpoint strategy is correct (Tailwind defaults), the header collapse preserves priority, the emergency banner collapse is thoughtful, the dashboard reflow stacks in the right order, the modals become near-full-screen sheets. Two Phase 2-3 gaps (bottom nav + swipe) prevent an A grade but neither is a blocker. Total grade: **A-**.

5.1 Phased Fix Plan

PHASE	FIXES	EFFORT	OUTCOME
Phase 1 · Now	(No fixes needed — current implementation is solid)	—	Grade stays at A-.
Phase 2 · Next (After #1 Routing)	Bottom navigation bar (Accueil, Répertoire, Interactions, Copilote, Plus)	~3 days	Grade lifts to A. Modern mobile navigation pattern.
Phase 3 · Later (Quarter 3)	Swipe gestures between primary views	~2 days	Nice-to-have. Native-app feel.

5.2 Cross-Feature Dependencies

- ✓ Feature #45 (Plus Menu) — the Plus dropdown on mobile has 8 items (3 folded primaries + 5 original); covered in #45
- ✓ Feature #11 (Cmd-K Palette) — opens as near-full-screen sheet on mobile; preserves emergency numbers first
- ✓ Feature #36 (Copilot Core) — Copilot modal becomes near-full-screen sheet; 3-mode toggle preserved at full width
- ✓ Feature #18 (Medication Detail) — modal becomes near-full-screen sheet; action bar reflows to 2-column grid
- ⚠ Feature #1 (Routing) — bottom navigation bar requires real routes to navigate to; defer until #1 ships

5.3 Final Assessment

5 RESPONSIVE PATTERNS	390×844 MOBILE TEST VIEWPORT	2 GAPS (DEFERRED)
A- GRADE	0h PHASE 1 EFFORT	~3d PHASE 2 EFFORT

FINAL VERDICT · A- GRADE, SOLID AS-IS

Mobile Navigation is **the second-best feature in the #38-#47 range** (after #42 Theme System). The breakpoint strategy is correct (Tailwind defaults). The header collapse preserves priority (Accueil + Plus, with the 3 folded primaries accessible via Plus dropdown). The emergency banner collapse is thoughtful (numbers-only at `sm`, with «Anti-Poison» label preserved because the 10-digit number alone is ambiguous). The dashboard reflow stacks in the right order (quick-access first, then top-consulted, then recently-viewed, then domains). The modals become near-full-screen sheets. Two Phase 2-3 gaps (bottom nav + swipe) prevent an A grade but neither is a blocker. The current implementation is functional, accessible, and follows the standard responsive web pattern. No Phase 1 fixes needed.

Immediate Next Steps

1. No Phase 1 fixes needed — the current mobile implementation is solid.
2. Defer bottom navigation bar (Phase 2) until #1 (Routing) ships.
3. Defer swipe gestures (Phase 3) — nice-to-have, not essential.
4. Verify mobile behavior on additional viewports: 320×568 (iPhone SE), 414×896 (iPhone 11), 768×1024 (iPad portrait), 1024×1366 (iPad Pro portrait).
5. Verify mobile behavior on Android Chrome (current testing was Safari iOS).

47

5 responsive patterns tested at 390×844. Header collapse, banner collapse, grid reflow, modal sheets all work. 2 deferred gaps (bottom nav + swipe). A- grade, no Phase 1 fixes needed.

5

CHAPTERS

3

SCREENSHOTS

5

PATTERNS TESTED

A-

GRADE