



DZPHARM · ACCESSIBILITY LAYER

Icon-Only Button Labels

A detailed deep-dive into the P1 accessibility failure: several header buttons (Botanique, Nuancier, theme toggle, and others) are icon-only with missing or generic `aria-label` attributes. Screen readers announce empty names. Fails WCAG 2.2 SC 4.1.2 (Name, Role, Value). The fix is mechanical — add descriptive `aria-label` to every icon-only button.

6

ICON-ONLY BUTTONS

4

MISSING/GENERIC LABELS

Fail

WCAG 4.1.2

C

GRADE

DEEP-DIVE OF

Feature #62 – Icon-Only Button Labels
From the 68-item review menu

Icon-Only Buttons Without Names

The DzPharm header contains **6 icon-only buttons** — buttons that display only a Lucide icon with no visible text. Of these, 2 have correct `aria-label` attributes (the bell and the search button), but 4 have missing or generic labels (Botanique, Nuancier, theme toggle, and one more). Screen-reader users navigating by button hear "bouton" (button) with no name — they have no way to know what the button does without clicking it.

Nomenclature officielle — Juin 2026

L'intelligence pharmaceutique algérienne

Le référentiel national des médicaments enrichi par l'IA : recherche sur 9 555 AMM, contrôle d'interactions et assistant clinique.

- 24 livres pharmacologie
- 932 monographies
- 1 791 prix PPA
- RCP ANSM officiel
- Grossesse CRAT

PÉRIMÈTRE : Tous DCI / Molécule Marque Laboratoire N° AMM

Rechercher par dosage & forme (ex: Amox 500mg sirop, Augmentin 1g)

Scanner

Entrée

- Suggestions fréquentes :
- Paracétamol
- Amoxicilline
- Metformine
- Amlodipine
- Cétirizine
- Oméprazole

Accès rapide

Sélection adaptée au mode professionnel

Répertoire

Rechercher un médicament par marque, DCI, laboratoire ou n° AMM.

Contrôle d'interactions

Vérifier les associations médicamenteuses avant dispensation.

RCP & monographies

911 monographies DCI issues des livres techniques de pharmacologie.

Calculs cliniques

Posologies pédiatriques, fonction rénale, grossesse, Chifa, Ramadan.

Copilote IA

Assistant clinique en français, arabe et darija.

MÉDICAMENTS ACTIFS

5 381

AMM en cours de validité

PRODUCTION LOCALE

3 840 71%

Part des actifs fabriqués en Algérie

IMPORTATIONS

1 541

Actifs importés

RETIRÉS DU MARCHÉ

2 679

Historique des retraits

Les plus consultés

Classement DzPharm — consultations cumulées

- 1

DOLIPRANE

PARACETAMOL

7 consultations
- 2

ACARLYSE

ACARBOSE

5 consultations
- 3

CLAVODAR FORTE 400/57

AMOXICILLINE (SOUS FORME TRIHYDRATEE)/ACI...

4 consultations
- 4

ABAVIR OS

ABACAVIR SULFATE EXPERIME EN ABACAVIR

3 consultations
- 5

BIOPAMOX

AMOXICILLINE SODIQUE

2 consultations
- 6

CO-DOLYC

PARACETAMOL/CODEINE PHOSPHATE HEMIHYD...

2 consultations
- 7

IMETH

METHOTREXATE

2 consultations
- 8

LEMBLASTINE

VINBLASTINE (SOUS FORME DE SULFATE)

2 consultations

DCI les plus recherchées

Classement par principe actif — consultations cumulées

- 1

PARACETAMOL

DOLIPRANE

9
- 2

ACARBOSE

ACARLYSE

5
- 3

ABACAVIR SULFATE EXPE...

ABAVIR OS - ABAVIR

4
- 4

AMOXICILLINE (SOUS FOR...

CLAVODAR FORTE 400/57

4
- 5

PARACETAMOL/CODEINE ...

CO-DOLYC - COPARALGAN

3
- 6

AMOXICILLINE SODIQUE

BIOPAMOX

2
- 7

METHOTREXATE

IMETH

2
- 8

VINBLASTINE (SOUS FOR...

LEMBLASTINE

2

Tous les outils

Aides à la dispensation adaptées aux spécificités algériennes

Posologies pédiatriques

Calculateur pondéral (mg/kg → mL) avec les formes locales : sirops, sachets, suppositoires.

Simulateur Chifa

Reste à charge CNAS / ALD 100 % : tarif de référence, ticket modérateur, taux par produit.

Adaptateur Ramadan

Décalez les prises autour de l'iftar et du Suhoor — chronopharmacologie par wilaya.

Compareur

Comparez 2-3 médicaments côte à côte : dosage, laboratoire, statut, équivalences.

Catalogue & prix

1 791 produits d'officine avec PPA en DA, remboursement CNAS et parapharmacie.

Contrôle d'interactions

Moteur local instantané + analyse IA approfondie sur votre panier de médicaments.

Armoire familiale

Un profil par membre de la famille : péremptions, produits retirés, doublons et analyse en un clic.

Copilote IA

Assistant clinique FR / arabe / darija, modes professionnel et patient.

Fonction rénale

Cockcroft-Gault & MDRD : clairance, stade CKD et adaptation posologique de 10 classes critiques.

Figure 62.1 — Dashboard header with icon-only buttons visible. From left to right after the nav: search bar (has label), bell (has label), theme toggle (missing label), Botanique (missing label), Nuancier (missing label). The buttons look identical to sighted users — the icons are clear. But screen-reader users hear only «bouton» for the unlabeled ones.

1.1 Why This Matters

For sighted users, the icons are self-explanatory: a leaf means Botanique, a palette means Nuancier, a sun/moon means theme toggle. But for screen-reader users, the icon is invisible — the screen-reader reads the button's accessible name, which comes from the `aria-label` attribute (or the button's text content, which is empty for icon-only buttons). Without an `aria-label`, the screen-reader announces "bouton" — the user has no idea what the button does. This is a P1 accessibility failure because it blocks screen-reader users from using the header navigation entirely.

1.2 The 6 Icon-Only Buttons

Button	Icon	Aria-label	Status
Search	search	«Rechercher un médicament»	CORRECT
Bell (notifications)	bell	«Notifications»	CORRECT
Theme toggle	sun/moon	«Changer de thème» (generic)	GENERIC
Botanique	leaf	(empty)	MISSING
Nuancier	palette	(empty)	MISSING
Copilote (header shortcut)	sparkles	(empty)	MISSING

The Correctly-Labeled Buttons

Two of the six icon-only buttons have correct `aria-label` attributes. The search button has `aria-label="Rechercher un médicament"`, which is descriptive and action-oriented. The bell has `aria-label="Notifications"` with a dynamic count appended when there are unread notifications («Notifications, 3 non lues»). These two are textbook implementations — the other four need to match this pattern.

URGENCES 24/7 | **SAMU 14** | **Prot. Civile 102** | **Police 17** | **Anti-Poison Alger 021 71 30 42**

DzPharm
Référentiel Officiel - 2026

Accueil | **Répertoire** | Prix & Chiffre | Interactions | Plus

Rechercher...

Répertoire Officiel
16 médicaments trouvés

Exporter CSV

PÉRIMÈTRE : **Tous** | DCI / Molécule | Marque | Laboratoire | N° AMM

Q **DOLIPRANE** X | Tous statuts | Tous domaines | Toutes formes | Toutes listes | Tous pays | Effacer

FILTRES ACTIFS : « **DOLIPRANE** » X

Marque	DCI	FORME & DOSAGE	PPA	Laboratoire	DOMAINE	STATUT
DOLIPRANE Prix PPA 201/03 B 007/00/24 - RE	PARACETAMOL	SUPPOSITOIRE 100MG · B/10	124,06 DA CNAS	PROPHARMAL DZ · ALGERIE	Antalgiques & Anti-inflammato	Actif
DOLIPRANE Prix PPA 201/03 B 041/00/24 - RE	PARACETAMOL	SUPPOSITOIRE 150MG · B/10	124,06 DA CNAS	PROPHARMAL DZ · ALGERIE	Antalgiques & Anti-inflammato	Actif
DOLIPRANE Prix PPA 201/03 B 042/00/24 - RE	PARACETAMOL	SUPPOSITOIRE 200MG · B/10	124,06 DA CNAS	PROPHARMAL DZ · ALGERIE	Antalgiques & Anti-inflammato	Actif
DOLIPRANE Prix PPA 201/03 B 043/00/24 - RE	PARACETAMOL	SUPPOSITOIRE 300MG · B/10	141,16 DA CNAS	PROPHARMAL DZ · ALGERIE	Antalgiques & Anti-inflammato	Actif
DOLIPRANE 201/03 B 046/00/25 - RE	PARACETAMOL	POUDRE POUR SOLUTION BUVABLE EN SACHET DOSE 300MG · B/12	—	PROPHARMAL DZ · ALGERIE	Antalgiques & Anti-inflammato	Actif
DOLIPRANE Prix PPA 201/03 B 081/09/24 - GE	PARACETAMOL	COMPRIME 1000MG · B/08	100,11 DA CNAS	PROPHARMAL DZ · ALGERIE	Antalgiques & Anti-inflammato	Actif

Page 1 sur 1 · 16 résultats

20 / page | 1

DzPharm — Nomenclature Nationale (Ministère de l'Industrie Pharmaceutique, DZ)

À propos & sources | 24 livres · 911 monographies DCI | Prix PPA : liste officielle (Août 2026) | Mode hors ligne (PWA)

Usage professionnel — Vérifiez les RCP | Référentiel en ligne | MAJ Juin 2026

Figure 62.2 — The command palette (Cmd-K) provides keyboard access to all header destinations, which partially compensates for the unlabeled buttons. A screen-reader user can press Cmd-K and navigate by command name rather than by the header buttons. But the header buttons themselves are still the primary mouse path and need labels.

2.1 The Search Button Label

The search button has `aria-label="Rechercher un médicament"` — descriptive, action-oriented, and in French (matching the UI language). This is the correct pattern: the label describes what the button does, not what icon it shows. A label like «loupe» (magnifying glass) would be wrong — it describes the icon, not the action. The search button label is a model for the other four.

2.2 The Bell Button Label

The bell button has `aria-label="Notifications"` at rest, and dynamically updates to «Notifications, N non lues» when there are unread items. The dynamic count is part of the accessible name, so the screen-reader announces «Notifications, 3 non lues, bouton» — the user knows both what the button does and how many unread items there are. This is the correct pattern for a button with a badge.

WHAT WORKS · SEARCH + BELL

The search button and the bell have correct, descriptive, action-oriented `aria-label` attributes. The bell's label is dynamic — it updates with the unread count. These two are textbook implementations. The other four icon-only buttons need to match this pattern.

Missing and Generic Labels

Four icon-only buttons fail WCAG 2.2 SC 4.1.2 (Name, Role, Value). Three have empty `aria-label` attributes (Botanique, Nuancier, Copilote). One has a generic label (theme toggle: «Changer de thème» doesn't indicate the current state or the direction of the toggle). Each is a 5-minute fix.

Nomenclature officielle — Juin 2026

L'intelligence pharmaceutique algérienne

Le référentiel national des médicaments enrichi par l'IA : recherche sur 9 555 AMM, contrôle d'interactions et assistant clinique.

- 24 livres pharmacologie
- 932 monographies
- 1 791 prix PPA
- RCP ANSM officiel
- Grossesse CRAT

PÉRIMÈTRE : Tous DCI / Molécule Marque Laboratoire N° AMM

Rechercher par dosage & forme (ex: Amox 500mg sirop, Augmentin 1g)

Scanner

Entrée

Suggestions fréquentes : Paracétamol Amoxicilline Metformine Amlodipine Cétirizine Oméprazole

Accès rapide

Sélection adaptée au mode professionnel

Répertoire

Rechercher un médicament par marque, DCI, laboratoire ou n° AMM.

Contrôle d'interactions

Vérifier les associations médicamenteuses avant dispensation.

RCP & monographies

911 monographies DCI issues des livres techniques de pharmacologie.

Calculs cliniques

Posologies pédiatriques, fonction rénale, grossesse, Chifa, Ramadan.

Copilote IA

Assistant clinique en français, arabe et darija.

MÉDICAMENTS ACTIFS

5 381

AMM en cours de validité

PRODUCTION LOCALE

3 840 71%

Part des actifs fabriqués en Algérie

IMPORTATIONS

1 541

Actifs importés

RETIRÉS DU MARCHÉ

2 679

Historique des retraits

Les plus consultés

Classement DzPharm — consultations cumulées

1 DOLIPRANE

PARACETAMOL

7 consultations

2 ACARLYSE

ACARBOSE

5 consultations

3 CLAVODAR FORTE 400/57

AMOXICILLINE (SOUS FORME TRIHYDRATEE)/ACI...

4 consultations

4 ABAVIR OS

ABACAVIR SULFATE EXPERIME EN ABACAVIR

3 consultations

5 BIOPAMOX

AMOXICILLINE SODIQUE

2 consultations

6 CO-DOLYC

PARACETAMOL/CODEINE PHOSPHATE HEMIHYD...

2 consultations

7 IMETH

METHOTREXATE

2 consultations

8 LEMBLASTINE

VINBLASTINE (SOUS FORME DE SULFATE)

2 consultations

DCI les plus recherchées

Classement par principe actif — consultations cumulées

1 PARACETAMOL

DOLIPRANE

9

2 ACARBOSE

ACARLYSE

5

3 ABACAVIR SULFATE EXPE...

ABAVIR OS - ABAVIR

4

4 AMOXICILLINE (SOUS FOR...

CLAVODAR FORTE 400/57

4

5 PARACETAMOL/CODEINE ...

CO-DOLYC - COPARALGAN

3

6 AMOXICILLINE SODIQUE

BIOPAMOX

2

7 METHOTREXATE

IMETH

2

8 VINBLASTINE (SOUS FOR...

LEMBLASTINE

2

Tous les outils

Aides à la dispensation adaptées aux spécificités algériennes

Posologies pédiatriques

Calculateur pondéral (mg/kg → mL) avec les formes locales : sirops, sachets, suppositoires.

Simulateur Chifa

Reste à charge CNAS / ALD 100 % : tarif de référence, ticket modérateur, taux par produit.

Adaptateur Ramadan

Décalez les prises autour de l'Iftar et du Suhoor — chronopharmacologie par wilaya.

Compareur

Comparez 2-3 médicaments côte à côte : dosage, laboratoire, statut, équivalences.

Catalogue & prix

1 791 produits d'officine avec PPA en DA, remboursement CNAS et parapharmacie.

Contrôle d'interactions

Moteur local instantané + analyse IA approfondie sur votre panier de médicaments.

Armoire familiale

Un profil par membre de la famille : péremptions, produits retirés, doublons et analyse en un clic.

Copilote IA

Assistant clinique FR / arabe / darija, modes professionnel et patient.

Fonction rénale

Cockcroft-Gault & MDRD : clairance, stade CKD et adaptation posologique de 10 classes critiques.

Figure 62.3 — The icon-only buttons in detail. The theme toggle (sun icon), Botanique (leaf icon), Nuancier (palette icon), and Copilote (sparkles icon) all lack descriptive accessible names. A screen-reader user navigating by button hears «bouton» four times with no way to distinguish them.

3.1 Failure #1 — Theme Toggle (Generic Label)

The theme toggle has `aria-label="Changer de thème"` — which is generic. It doesn't indicate the current state (dark or light) or the direction of the toggle (which theme will be applied on click). The correct label is state-aware: `aria-label={theme === 'dark' ? "Passer en mode clair" : "Passer en mode sombre"}`. This tells the screen-reader user both what the button does AND what state it's in. Effort: 10 minutes. (This is the same gap noted in #42 Theme System.)

3.2 Failure #2 — Botanique (Empty Label)

The Botanique button has no `aria-label` at all — the attribute is absent. The screen-reader announces «bouton» with no name. The correct label is `aria-label="Mode botanique"` or `aria-label="Pharmacopée botanique"` — describing the destination. Effort: 5 minutes.

3.3 Failure #3 — Nuancier (Empty Label)

The Nuancier button (the colorful circle that opens the palette switcher) has no `aria-label`. The correct label is `aria-label="Nuancier — changer de palette"`. Effort: 5 minutes.

3.4 Failure #4 — Copilote Header Shortcut (Empty Label)

The Copilote button in the header (sparkles icon) has no `aria-label`. The correct label is `aria-label="Ouvrir le Copilote IA"`. Effort: 5 minutes.

WCAG 2.2 SC 4.1.2 NAME, ROLE, VALUE — FAIL

Four icon-only buttons have missing or generic `aria-label` attributes. Screen-reader users hear «bouton» with no name — they cannot distinguish the four buttons. This fails WCAG 2.2 SC 4.1.2 (Name, Role, Value), which requires every interactive element to have a programmatically determinable name. The fix is 25 minutes total: 5 minutes per button for the three empty labels, 10 minutes for the state-aware theme toggle.

State-Aware aria-label Pattern

The fix is mechanical: add descriptive, action-oriented `aria-label` attributes to all four buttons. For the theme toggle, the label should be state-aware (different text for dark vs. light). For the other three, a single descriptive label suffices. The pattern is identical to the search button and the bell.

4.1 The Theme Toggle Fix

```
// State-aware aria-label on the theme toggle
<button
  aria-label={{theme === 'dark'
    ? "Passer en mode clair"
    : "Passer en mode sombre"}}
  aria-pressed={{theme === 'dark'}}
  onClick={{toggleTheme}}
>
  {{theme === 'dark' ? <Sun /> : <Moon />}}
</button>
```

4.2 The Other Three Fixes

```
// Botanique button
<button aria-label="Mode botanique" onClick={{openBotanique}}>
  <Leaf />
</button>

// Nuancier button
<button aria-label="Nuancier – changer de palette" onClick={{openNuancier}}>
  <Palette />
</button>

// Copilote header shortcut
<button aria-label="Ouvrir le Copilote IA" onClick={{openCopilot}}>
  <Sparkles />
</button>
```

4.3 Verification

After the fix, verify with a screen-reader (NVDA on Windows, VoiceOver on macOS) that each button announces its name correctly: «Passer en mode clair, bouton», «Mode botanique, bouton», «Nuancier — changer de palette, bouton», «Ouvrir le Copilote IA, bouton». Each button should have a distinct, descriptive name. The theme toggle should announce different names in dark vs. light mode. Effort: 30 minutes to verify all four.

— CHAPTER 05 • VERDICT & FIX PLAN

Final Assessment & Phased Rollout

Icon-Only Button Labels is a **C grade feature** — 2 of 6 buttons are correctly labeled, 4 are missing or generic. This fails WCAG 2.2 SC 4.1.2 (Name, Role, Value). The fix is 25 minutes of work — add `aria-label` to each of the four failing buttons. This is one of the smallest-effort, highest-impact accessibility fixes in the entire review menu.

5.1 Phased Fix Plan

PHASE	FIXES	EFFORT	OUTCOME
Phase 1 · Now (Today)	All 4 aria-labels (theme state-aware + 3 simple)	~25 minutes	Grade lifts to A. WCAG 4.1.2 passes.
Phase 2 · Next (This week)	Verify with NVDA + VoiceOver	~30 minutes	Grade stays at A. Verified compliance.

5.2 Cross-Feature Dependencies

- ✓ Feature #42 (Theme System) — the theme toggle's state-aware aria-label is the same fix noted in #42
- ✓ Feature #45 (Plus Menu) — the Plus dropdown items have visible text labels (not icon-only), so they pass
- ✓ Feature #56 (Iconography) — all icons are Lucide, consistent with the platform icon system
- ⚠ Feature #11 (Cmd-K Palette) — provides a keyboard alternative to the header buttons, partially compensating

5.3 Final Assessment

6 ICON-ONLY BUTTONS	4 MISSING/GENERIC	Fail WCAG 4.1.2
C GRADE	~25m PHASE 1 EFFORT	~30m PHASE 2 EFFORT

FINAL VERDICT · C GRADE, 25 MINUTES FROM A

Icon-Only Button Labels is a **C grade feature**. Two of six icon-only buttons (search, bell) have correct, descriptive, action-oriented `aria-label` attributes — textbook implementations. But four buttons (theme toggle, Botanique, Nuancier, Copilote) have missing or generic labels. Screen-reader users hear «bouton» four times with no way to distinguish them. This fails WCAG 2.2 SC 4.1.2 (Name, Role, Value). The fix is 25 minutes of work: add `aria-label` to each of the four buttons, with the theme toggle getting a state-aware label. This is one of the smallest-effort, highest-impact accessibility fixes in the entire review menu — ship today.

Immediate Next Steps

1. Add state-aware `aria-label` to the theme toggle — 10 minutes.
2. Add `aria-label="Mode botanique"` to the Botanique button — 5 minutes.
3. Add `aria-label="Nuancier – changer de palette"` to the Nuancier button — 5 minutes.
4. Add `aria-label="Ouvrir le Copilote IA"` to the Copilote header button — 5 minutes.
5. Verify with NVDA + VoiceOver that each button announces its name — 30 minutes.

62

6 icon-only buttons, 4 missing/generic labels. WCAG 4.1.2 fails. 25 minutes of aria-label fixes lifts to A.

5

CHAPTERS

3

SCREENSHOTS

4

BUTTONS TO FIX

C

GRADE
