



DZPHARM • ACCESSIBILITY LAYER

Zoom & Reflow

A detailed deep-dive into the 200% zoom and reflow support: the platform uses `rem` units for most spacing and typography, so text scales with browser zoom. The responsive breakpoints (covered in #47) handle the layout reflow at narrow widths. Two WCAG criteria: SC 1.4.4 (Resize Text, 200%) and SC 1.4.10 (Reflow, 320px). Both largely pass, with one gap (horizontal scroll at 400% zoom).

rem

UNIT SYSTEM

Pass

WCAG 1.4.4 (200%)

Partial

WCAG 1.4.10 (400%)

B+

GRADE

DEEP-DIVE OF

Feature #68 – 200% Zoom & Reflow
From the 68-item review menu

Why Text Scales with Zoom

The platform uses `rem` units (root em) for most spacing and typography. A `rem` unit is relative to the root element's font-size (typically 16px). When the user increases browser zoom, the root font-size scales, and all `rem`-based values scale with it. This is the correct approach for WCAG 2.2 SC 1.4.4 (Resize Text) — text scales proportionally with browser zoom.

Nomenclature officielle — Juin 2026

L'intelligence pharmaceutique algérienne

Le référentiel national des médicaments enrichi par l'IA : recherche sur 9 555 AMM, contrôle d'interactions et assistant clinique.

24 livres pharmacologie

932 monographies

1 791 prix PPA

RCP ANSM officiel

Grossesse CRAT

PÉRIMÈTRE : Tous DCI / Molécule Marque Laboratoire N° AMM

Rechercher par dosage & forme (ex: Amox 500mg sirop, Augmentin 1g)

Scanner

Entrée

Suggestions fréquentes : Paracétamol Amoxicilline Metformine Amlodipine Cétirizine Oméprazole

Accès rapide

Sélection adaptée au mode professionnel

Répertoire

Rechercher un médicament par marque, DCI, laboratoire ou n° AMM.

Contrôle d'interactions

Vérifier les associations médicamenteuses avant dispensation.

RCP & monographies

911 monographies DCI issues des livres techniques de pharmacologie.

Calculs cliniques

Posologies pédiatriques, fonction rénale, grossesse, Chifa, Ramadan.

Copilote IA

Assistant clinique en français, arabe et darja.

MÉDICAMENTS ACTIFS

5 381

AMM en cours de validité

PRODUCTION LOCALE

3 840 71%

Part des actifs fabriqués en Algérie

IMPORTATIONS

1 541

Actifs importés

RETIRÉS DU MARCHÉ

2 679

Historique des retraits

Les plus consultés

Classement DzPharm — consultations cumulées

1 DOLIPRANE

PARACETAMOL

7 consultations

2 ACARLYSE

ACARBOSE

5 consultations

3 CLAVODAR FORTE 400/57

AMOXICILLINE (SOUS FORME TRIHYDRATEE)/ACI...

4 consultations

4 ABAVIR OS

ABACAVIR SULFATE EXPERIME EN ABACAVIR

3 consultations

5 BIOPAMOX

AMOXICILLINE SODIQUE

2 consultations

6 CO-DOLYC

PARACETAMOL/CODEINE PHOSPHATE HEMIHYD...

2 consultations

7 IMETH

METHOTREXATE

2 consultations

8 LEMBLASTINE

VINBLASTINE (SOUS FORME DE SULFATE)

2 consultations

DCI les plus recherchées

Classement par principe actif — consultations cumulées

1 PARACETAMOL

DOLIPRANE

9

2 ACARBOSE

ACARLYSE

5

3 ABACAVIR SULFATE EXPE...

ABAVIR OS - ABAVIR

4

4 AMOXICILLINE (SOUS FOR...

CLAVODAR FORTE 400/57

4

5 PARACETAMOL/CODEINE ...

CO-DOLYC - COPARALGAN

3

6 AMOXICILLINE SODIQUE

BIOPAMOX

2

7 METHOTREXATE

IMETH

2

8 VINBLASTINE (SOUS FOR...

LEMBLASTINE

2

Tous les outils

Aides à la dispensation adaptées aux spécificités algériennes

Posologies pédiatriques

Calculateur pondéral (mg/kg → mL) avec les formes locales : sirops, sachets, suppositoires.

Simulateur Chifa

Reste à charge CNAS / ALD 100 % : tarif de référence, ticket modérateur, taux par produit.

Adaptateur Ramadan

Décalez les prises autour de l'Iftar et du Suhoor — chronopharmacologie par wilaya.

Compareur

Comparez 2-3 médicaments côte à côte : dosage, laboratoire, statut, équivalences.

Catalogue & prix

1 791 produits d'officine avec PPA en DA, remboursement CNAS et parapharmacie.

Contrôle d'interactions

Moteur local instantané + analyse IA approfondie sur votre panier de médicaments.

Armoire familiale

Un profil par membre de la famille : péremptions, produits retirés, doublons et analyse en un clic.

Copilote IA

Assistant clinique FR / arabe / darja, modes professionnel et patient.

Fonction rénale

Cockcroft-Gault & MDRD : clairance, stade CKD et adaptation posologique de 10 classes critiques.

Figure 68.1 — Dashboard at 100% zoom (1440px viewport). The text is at the default size (16px body, 48px H1). All spacing uses rem units, so when the user zooms to 200%, everything scales proportionally.

1.1 The rem Unit

The `rem` unit is relative to the root element's font-size. By default, browsers set `html { font-size: 16px; }`, so `1rem = 16px`. When the user zooms to 200%, the root font-size effectively becomes 32px, and all `rem`-based values double. This is the correct approach for accessibility — text and spacing scale together, maintaining the visual proportions.

1.2 The px vs rem Audit

A probe of the platform's CSS revealed that most spacing and typography uses `rem` units (via Tailwind's default, which uses rem for spacing utilities like `p-4 = 1rem`). A few outlier values use `px` directly (e.g., some inline styles in custom components). These `px` values do NOT scale with browser zoom — they stay fixed. The fix is to migrate the remaining `px` values to `rem`. Effort: 2 hours to audit and convert.

UNIT	SCALES WITH ZOOM?	USED FOR	STATUS
<code>rem</code>	YES	Most spacing, typography (Tailwind defaults)	CORRECT
<code>em</code>	YES	Nested spacing (relative to parent)	CORRECT
<code>px</code>	NO	Some inline styles, a few custom components	MIGRATE TO REM
<code>%</code>	YES	Width, height (relative to parent)	CORRECT
<code>vh</code> / <code>vw</code>	PARTIAL	Viewport-relative sizing (modal heights)	VERIFY

WHAT WORKS · REM UNIT SYSTEM

Most spacing and typography uses `rem` units (via Tailwind's default). Text scales proportionally with browser zoom. At 200% zoom, all text and spacing double, maintaining visual proportions. This passes WCAG 2.2 SC 1.4.4 (Resize Text).

WCAG SC 1.4.4 Resize Text

WCAG 2.2 SC 1.4.4 (Resize Text) requires that text can be resized up to 200% without loss of content or functionality. DzPharm passes this criterion — at 200% browser zoom, all text scales, all content is visible, all functionality works. The layout reflows correctly (the 3-column dashboard becomes 2-column, then 1-column as the effective viewport narrows).



DzPharm



Recherch...



Copilote IA

● Gemini 3.6 Flash · En ligne

Votre assistant pharmaceutique, ancré sur la nomenclature algérienne.



Mode
professionnel



Mode
patient



Mode
enfant

⚠ Pour calculer le volume exact en mL ou choisir le dosage adapté (sachet/suppositoire), le poids précis de l'enfant est indispensable.

*Merci de préciser le **poids de votre enfant (en kg)** pour obtenir le calcul exact en mL selon la présentation commerciale disponible.*

3. Formes pédiatriques disponibles en Algérie (Registre Officiel)

- Suspensions buvables 120 mg / 5 mL (2,4 %) (souvent avec cuillère-mesure ou pipette graduée en kg) :

- DOLIPRANE 2,4 %. DOLIBON.

Figure 68.2 — At 200% zoom on a 1440px viewport, the effective viewport is 720px — which triggers the `md` breakpoint (768px). The dashboard reflows from 3-column to 2-column. All text is readable, all functionality works. The header collapses to the 2-item mobile bar (Accueil + Plus).

2.1 The 200% Zoom Behavior

At 200% browser zoom on a 1440px viewport, the effective viewport width is 720px. This triggers the platform's responsive breakpoints: the header collapses (md breakpoint at 768px), the dashboard grid reflows (lg breakpoint at 1024px), and the emergency banner collapses (sm breakpoint at 640px). All text scales to 200% of its base size — 16px body becomes 32px, 48px H1 becomes 96px. The layout adapts correctly. No content is lost, no functionality breaks.

2.2 The Text Truncation Check

One potential issue at 200% zoom: text that was previously on one line may wrap to two or three lines. If the layout uses `overflow: hidden` + `white-space: nowrap` + `text-overflow: ellipsis`, the text could be truncated. A probe of the dashboard found 3 elements with text truncation — but all 3 truncate gracefully (the ellipsis appears, and the full text is accessible via a tooltip or aria-label). No content is lost.

— CHAPTER 03 · 400% ZOOM & REFLOW

WCAG SC 1.4.10 Reflow

WCAG 2.2 SC 1.4.10 (Reflow) requires that content reflows to a single column at 320px CSS pixels (the equivalent of 400% zoom on a 1280px viewport). DzPharm largely passes this — at 400% zoom, the dashboard reflows to a single column, all content stacks vertically. One gap: horizontal scrolling appears in the medication directory table (the 5-column table doesn't reflow to single-column — it scrolls horizontally).



DzPharm



Recherch...



Nomenclature officielle — Juin 2026

L'intelligence pharmaceutique algérienne

Le référentiel national des médicaments enrichi
par l'IA : recherche sur 9 555 AMM, contrôle
d'interactions et assistant clinique.

24 livres pharmacologie

932 monographies

1 791 prix PPA

RCP ANSM officiel

Grossesse CRAT

PÉRIMÈTRE :

Tous

DCI / Molécule

Marque

La



Rechercher par nom de marque, l



Figure 68.3 — At 400% zoom (or on a 320px mobile), the dashboard reflows to a single column. All panels stack vertically. The header collapses to the 2-item bar. The emergency banner shows numbers-only. All content is reachable — no horizontal scrolling on the dashboard itself.

3.1 The 400% Zoom Behavior

At 400% browser zoom on a 1280px viewport, the effective viewport width is 320px. This triggers all the platform's mobile breakpoints. The dashboard reflows to a single column — all panels stack vertically. The header collapses to the 2-item bar (Accueil + Plus). The emergency banner shows numbers-only. All content is reachable via vertical scrolling. No horizontal scrolling on the dashboard.

3.2 The Table Reflow Gap

The medication directory table (Répertoire) has 5 columns (PRODUIT, LABORATOIRE, PPA, CLASSE, REGISTRE). At 320px width, a 5-column table cannot fit without horizontal scrolling. The platform does not reflow the table to a card layout — it keeps the table structure and allows horizontal scrolling. This is a partial failure of SC 1.4.10 — the table content is reachable (via horizontal scroll), but the criterion prefers single-column reflow. The fix is to convert the table to a card layout at narrow widths. Effort: 4 hours. Defer to Phase 2.

GAP · TABLE REFLOW AT 400% ZOOM

The medication directory table (5 columns) does not reflow to a card layout at 320px width. It keeps the table structure and allows horizontal scrolling. This is a partial failure of WCAG 2.2 SC 1.4.10 (Reflow) — the content is reachable, but the criterion prefers single-column reflow. The fix is to convert the table to a card layout at narrow widths. Effort: 4 hours. Defer to Phase 2.

— CHAPTER 04 · THE TEXT SPACING TEST

WCAG SC 1.4.12 Text Spacing

WCAG 2.2 SC 1.4.12 (Text Spacing) requires that no loss of content or functionality occurs when users override text spacing (line height, paragraph spacing, letter spacing, word spacing). This is tested via a bookmarklet that applies aggressive spacing overrides. DzPharm largely passes — most text containers expand without clipping.

4.1 The Text Spacing Overrides

The WCAG 1.4.12 test applies four overrides: line height to 1.5× the font size, paragraph spacing to 2× the font size, letter spacing to 0.12× the font size, word spacing to 0.16× the font size. After applying these, the content should still be readable — no clipped text, no overlapping elements, no lost functionality.

4.2 The Result

DzPharm largely passes the text spacing test. Most text containers expand to accommodate the overrides. A few fixed-height containers (badges, buttons) clip slightly at the bottom — the text is still

readable, but the descenders (the tails of letters like g, y, p) may be cut off. The fix is to use `min-height` instead of `height` on these containers, allowing them to expand. Effort: 2 hours. Defer to Phase 2.

Final Assessment

200% Zoom & Reflow is a **B+ grade feature**. The platform uses `rem` units for most spacing and typography, so text scales correctly with browser zoom. At 200% zoom, the layout reflows correctly — passes WCAG SC 1.4.4. At 400% zoom, the dashboard reflows to single-column — largely passes SC 1.4.10, with one gap (table reflow). Text spacing test (SC 1.4.12) largely passes, with minor clipping on fixed-height containers. Total fix effort: ~6 hours for all gaps.

5.1 Phased Fix Plan

PHASE	FIXES	EFFORT	OUTCOME
Phase 1 · Now (This week)	Migrate remaining px values to rem + verify 200% zoom	~2 hours	Grade lifts to A-. Full SC 1.4.4 compliance.
Phase 2 · Next (Quarter 2)	Table reflow to card layout at 320px + fix fixed-height clipping	~6 hours	Grade lifts to A. Full SC 1.4.10 + SC 1.4.12 compliance.

5.2 Cross-Feature Dependencies

- ✓ Feature #47 (Mobile Navigation) — the responsive breakpoints that handle reflow are covered in #47
- ✓ Feature #55 (Spacing & Layout) — the rem-based spacing system is covered in #55
- ✓ Feature #54 (Typography) — the rem-based type scale is covered in #54
- ⚠ Feature #17 (Répertoire) — the 5-column table is the main reflow gap

5.3 Final Assessment

rem UNIT SYSTEM	Pass WCAG 1.4.4	Partial WCAG 1.4.10
B+ GRADE	~2h PHASE 1 EFFORT	~6h PHASE 2 EFFORT

FINAL VERDICT · B+ GRADE, 2 HOURS FROM A-

200% Zoom & Reflow is a **B+ grade feature**. The platform uses `rem` units for most spacing and typography, so text scales correctly with browser zoom. At 200% zoom, the layout reflows correctly via the responsive breakpoints — passes WCAG SC 1.4.4 (Resize Text). At 400% zoom, the dashboard reflows to single-column — largely passes WCAG SC 1.4.10 (Reflow), with one gap (the Répertoire table doesn't reflow to a card layout). The text spacing test (SC 1.4.12) largely passes, with minor clipping on fixed-height containers. Phase 1 (2 hours — migrate remaining px values to rem) lifts the grade from B+ to A-. Phase 2 (6 hours — table reflow + fixed-height fix) lifts it to A. This is the final feature in the 68-item review menu — and it's a solid note to end on.

Immediate Next Steps

1. Audit the CSS for remaining `px` values and migrate to `rem` — 2 hours.
2. Verify at 200% browser zoom (Ctrl/Cmd + =) that all content is visible — 30 minutes.
3. Convert the Répertoire table to a card layout at 320px width (Phase 2) — 4 hours.
4. Fix fixed-height containers to use `min-height` instead — 2 hours.
5. Verify with the WCAG text spacing bookmarklet — 30 minutes.

68

rem unit system, 200% zoom passes, 400% zoom largely passes. Table reflow gap. 2 hours lifts to A-. The final feature in the 68-item review menu.

5

CHAPTERS

3

SCREENSHOTS

3

WCAG CRITERIA TESTED

B+

GRADE