



DZPHARM • THE AI AGENT'S PLAYBOOK

Execution Plan v4 • One by One

Rewritten as single-issue instructions. Each card is one task — fix, upgrade, or new feature. The AI agent reads one card, does the work, verifies the acceptance test, logs it, then takes the next card. Strict priority queue: P0 → P1 → P2 → P3 → Features → Design → Moonshots. Every card says WHAT to do, WHERE to read for detail, WHICH rules apply, and how to verify it's done.

8

P0 CARDS

15

P1 CARDS

20

P2 CARDS

15

P3 + FEATURE CARDS

SOURCES (upload all to project workspace)

DzPharm_Master_Audit_Plan_v2.html •

DzPharm_Innovation_Vision_Brainstorm_v2.html

10 Rules the AI Agent Must Follow

These rules apply to EVERY card. Read them once now. They govern every fix, upgrade, and feature you implement.

R1 · VERIFY FIRST

Before starting ANY work, run the 14 verification checks (see Phase 0 below). Reports contradict each other. Do not build on wrong assumptions. Record each answer.

R2 · ONE CARD AT A TIME

Process exactly one card. Do the work. Run the acceptance test. Log it in worklog.md. Then take the next card. Do not skip ahead. Do not batch.

R3 · SAFETY CLUSTER FIRST

No feature work, no design work, no P2/P3 work starts until ALL 8 P0 cards are done. A second storey on an uncured foundation is how platforms die.

R4 · SEVERITY COLOURS ARE LOCKED

The 7 clinical severity colours (safe=green, warning=amber, danger=red, severe=orange, info=cyan, none=slate, unknown=purple) are immune to palette overrides. No palette, theme, or animation may change them. Enforce via CSS !important on severity classes. `switchPalette()` must never touch `--state-*` variables.

R5 · THE COPILOT DOES NOT DO ARITHMETIC

An LLM computing doses with no deterministic cross-check is the single largest harm vector. Every dose calculation must be verified by a deterministic engine (`lib/dose-engine.ts`), not the LLM. If the engine disagrees with the Copilot by >5%, show a warning.

R6 · ADDITIVE ONLY

No rewrites. Every fix is additive on the existing Next.js + Tailwind + Zustand foundation. If a fix requires a rewrite, stop and flag it for human guidance.

R7 · SHIP BEHIND FEATURE FLAGS

Every change ships behind a feature flag. Roll out 10% → 50% → 100%. Monitor error rates. Roll back if >0.1%.

R8 · DOCUMENT EVERY CHANGE

After each card, append to /home/z/my-project/worklog.md: card ID, what was done, what was verified, any deviations from the plan, commit hash if applicable.

R9 · TEST BEFORE CLAIMING DONE

'It compiles' is never done. Use agent-browser to verify every change renders and works in the browser. Check DevTools console for errors. Verify the acceptance test passes.

R10 · READ THE SOURCE

Each card has a 'Read from source' tag pointing to the exact section of the uploaded reports that contains the detailed fix instructions. ALWAYS read that source before starting the card. The card is the summary; the source is the detail.

PHASE 0 · VERIFY FIRST · 14 CHECKS · NO CODE CHANGES

Run each check against the live build at dz-pharm.vercel.app. Record the answer next to each check. Only after all 14 are resolved, proceed to the cards. This is the highest-value 4 hours in the plan.

V1

Verification Check 1 of 14

HOW TO CHECK

Fetch /manifest.json AND /manifest.webmanifest. Check DevTools → Application → Manifest for in .

EXPECTED FINDING

Report #5 is likely right about the file. The missing tag is the real gap.

5 MIN

SOURCE: DZPHARM_MASTER_AUDIT_PLAN_V2.HTML §03

1

V2

Verification Check 2 of 14

HOW TO CHECK

Add DOLIPRANE + BRUFEN + LOPRIL → click Matrice tab. Then click Matrice with <2 drugs in basket.

EXPECTED FINDING

Both reports are right: empty below 2-drug threshold without empty-state message.

5 MIN

SOURCE: DZPHARM_MASTER_AUDIT_PLAN_V2.HTML §03

2

V3

Verification Check 3 of 14

HOW TO CHECK

Open a medication → click Partager → screenshot. Mobile: typeof navigator.share.

EXPECTED FINDING

Dialog exists; missing link inside (no URL until routing). Reframe as routing dependency.

5 MIN

SOURCE: DZPHARM_MASTER_AUDIT_PLAN_V2.HTML §03

V4

Verification Check 4 of 14

HOW TO CHECK

Favourite a medication. If a toast appears, the Sonner toaster exists.

EXPECTED FINDING

Sonner is there. Delete 'build toast system'. Remaining: wire to every action + ARIA + undo.

5 MIN

SOURCE: DZPHARM_MASTER_AUDIT_PLAN_V2.HTML §03

V5

Verification Check 5 of 14

HOW TO CHECK

Run axe DevTools on dashboard. Inspect 4 buttons: theme, Botanique, Nuancier, Copilot.

EXPECTED FINDING

Report #62 is more specific (names the 4 buttons). Trust it.

5 MIN

SOURCE: DZPHARM_MASTER_AUDIT_PLAN_V2.HTML §03

V6

Verification Check 6 of 14

HOW TO CHECK

View 5 different medications. Read localStorage['dzpharm-store']. Check recentlyViewed array length.

EXPECTED FINDING

Report #2 probably hit a dedup-order bug. Likely 10-item cap exists but cap applied before dedup.

5 MIN

SOURCE: DZPHARM_MASTER_AUDIT_PLAN_V2.HTML §03

V7

Verification Check 7 of 14

HOW TO CHECK

In fresh tab: `sessionStorage.dzpharm_session = 'active'` → reload. Does dashboard open?

EXPECTED FINDING

#7 right on validation. But if bypass works, `sessionStorage-as-session` means client decides.

5 MIN

[SOURCE: DZPHARM_MASTER_AUDIT_PLAN_V2.HTML §03](#)

8

V8

Verification Check 8 of 14

HOW TO CHECK

Click lock button from dashboard. Then from inside Copilot modal.

EXPECTED FINDING

#9 right — modal overlays eat header clicks is itself a bug.

5 MIN

[SOURCE: DZPHARM_MASTER_AUDIT_PLAN_V2.HTML §03](#)

9

V9

Verification Check 9 of 14

HOW TO CHECK

Run Lighthouse in real Chrome, mobile preset, 4G throttling, cold cache.

EXPECTED FINDING

Both prior measurements are edge-warm EU. Re-measure for Algerian user reality.

5 MIN

[SOURCE: DZPHARM_MASTER_AUDIT_PLAN_V2.HTML §03](#)

10

V10

Verification Check 10 of 14

HOW TO CHECK

Time 10 Copilot queries in each of 3 modes. Record p50 and p95.

EXPECTED FINDING

All three quoted latencies (4-6s, 3-8s, 11s) are probably true at different times. Need distribution.

5 MIN

[SOURCE: DZPHARM_MASTER_AUDIT_PLAN_V2.HTML §03](#)

V11

Verification Check 11 of 14

HOW TO CHECK

Read the model string in the API route handler (app/api/copilot/route.ts).

EXPECTED FINDING

5-minute fix. Must match both Cmd-K label and Copilot header.

5 MIN

SOURCE: DZPHARM_MASTER_AUDIT_PLAN_V2.HTML §03

12

V12

Verification Check 12 of 14

HOW TO CHECK

Open the review menu, read what #20/#21 are, reconcile against shipped product.

EXPECTED FINDING

Menu is behind the product. Unbuilt or shipped-and-unaudited.

5 MIN

SOURCE: DZPHARM_MASTER_AUDIT_PLAN_V2.HTML §03

13

V13

Verification Check 13 of 14

HOW TO CHECK

Test: dictate an Arabic dose → is transcript correct? Switch palette → do severity colours change?

EXPECTED FINDING

Both promoted to P0 (clinical safety) in v2 audit plan.

5 MIN

SOURCE: DZPHARM_MASTER_AUDIT_PLAN_V2.HTML §03

14

V14

Verification Check 14 of 14

HOW TO CHECK

Search 'paracetamol' (a DCI, not a brand). Do results appear?

EXPECTED FINDING

Settle before building synonym layer — building on wrong assumption wastes effort.

5 MIN

SOURCE: DZPHARM_MASTER_AUDIT_PLAN_V2.HTML §03

QW-01

Load Inter + Noto Sans Arabic + JetBrains Mono via next/font/google

INSTRUCTIONS

1. In app/layout.tsx add: `import { Inter, Noto_Sans_Arabic, JetBrains_Mono } from 'next/font/google'` 2. Configure each font: `subsets=['latin']` or `['arabic']`, `weight variable`, `display:'swap'`, `variable:'--font-X'` 3. Apply to 4. In `globals.css`: `--font-sans: '__Inter', '__Inter_Fallback', var(--font-noto-arabic), -apple-system, sans-serif'` 5. Same for `--font-mono` with JetBrains Mono

ACCEPTANCE TEST

Open browser console. Run: `document.fonts.size`. Must return 3 (not 0). Run: `getComputedStyle(document.body).fontFamily`. Must contain `'__Inter'`. Navigate to Copilot, type Arabic — must render in Noto Sans Arabic (check via DevTools → Computed → font-family).

30 MIN

DEPENDS: NONE — SHIP IMMEDIATELY, NO DEPENDENCIES

READ: DZPHARM_MASTER_AUDIT_PLAN_V2.HTML §04 P1-01

QW-02

Add prefers-reduced-motion CSS media query

INSTRUCTIONS

Add to `globals.css`: `@media (prefers-reduced-motion: reduce) { *, *::before, *::after { animation-duration: 0.01ms !important; animation-iteration-count: 1 !important; transition-duration: 0.01ms !important; scroll-behavior: auto !important; } }`

ACCEPTANCE TEST

Enable 'Reduce motion' in macOS System Settings → Accessibility → Display. Open DzPharm. Click around: modal open, toast, nav hover. All animations must be instant (no visible motion). Open a modal — it appears instantly, no slide.

5 MIN

DEPENDS: NONE

READ: DZPHARM_THE_FINAL_EXECUTION_PLAN.PDF PART II

QW-03

Add aria-labels to 4 icon-only header buttons

INSTRUCTIONS

1. Botanique button: add `aria-label='Mode botanique'` 2. Nuancier button: add `aria-label='Nuancier — changer de palette'` 3. Copilot button: add `aria-label='Ouvrir le Copilote IA'` 4. Theme toggle: add state-aware `aria-label={theme === 'dark' ? 'Passer en mode clair' : 'Passer en mode sombre'}` AND `aria-pressed={theme === 'dark'}` 5. After V5 verification: if V5 says buttons already have labels, verify the labels are the CORRECT ones (not generic like 'bouton')

ACCEPTANCE TEST

Run axe DevTools on dashboard. All 4 buttons must pass 'button-name' rule. Using NVDA or VoiceOver: navigate to each button by Tab. Screen reader must announce the full label (e.g., 'Mode botanique, bouton'). Theme toggle must announce state change ('Passer en mode clair, bouton' when in dark mode).

25 MIN

DEPENDS: V5 (VERIFY CURRENT STATE FIRST)

READ: DZPHARM_MASTER_AUDIT_PLAN_V2.HTML §04 P1-02

P0-01

No real URL routing — 22 routes return 404

STEP-BY-STEP INSTRUCTIONS

1. Create app/repertoire/page.tsx — SSR data fetching (getMedications), URL search params (q, status, domain, page), metadata, loading.tsx skeleton 2. Create app/prix-chifa/page.tsx — same pattern 3. Create app/interactions/page.tsx — same pattern + useInteractionListState hook for drug list in URL 4. Create app/copilote/page.tsx — full-page Copilot view (not modal) 5. Update header: replace all setActiveView() calls with etc. Active state via usePathname() 6. Create app/medicament/[slug]/page.tsx — generateStaticParams() returning all 9,555 slugs, ISR revalidate: 86400, generateMetadata per med, custom error.tsx 7. Create intercepting route: app/repertoire/@modal/(.)medicament/[slug]/page.tsx for modal version (same data, modal layout) 8. Create app/sitemap.ts — list all static routes + all 9,555 medication pages 9. Create 4 supporting pages: a-propos, contact, legal, sitemap 10. Update Cmd-K palette (#11): replace setActiveView with router.push. Wire single-key hotkeys via useEffect+keydown. Fix selection desync (track selectedIndex in state, pass to Enter handler) 11. Add backward-compatible redirects in next.config.js: /?view=repertoire → /repertoire (permanent) 12. Buy domain (dzpharm.dz or chosen name) — P1-26 but needed before sitemap submission

ACCEPTANCE TEST (MUST PASS BEFORE MOVING TO NEXT CARD)

Test each: navigate directly to /repertoire (no 404). /medicament/doliprane-500mg-comprime loads. Browser back/forward works between routes. Refresh on /repertoire stays on /repertoire. Cmd-K: press 'R' → navigates to /repertoire. ArrowDown + Enter → activates highlighted item (not first). Sitemap at /sitemap.xml lists 9,570+ URLs.

2 WEEKS

DEPENDS: V9 (PERFORMANCE BASELINE)

READ: DZPHARM_TOOL01_ROUTINGARCHITECTURE_TECHNICALDESIGN.PDF (26 PAGES, FULL CODE)

Single-factor shared-code auth — one code for everyone, no audit trail

STEP-BY-STEP INSTRUCTIONS

Phase 1 (1 day): Install next-auth, @auth/prisma-adapter, bcryptjs. Create app/api/auth/[...nextauth]/route.ts with Credentials provider. Move code to process.env.DZPHARM_ACCESS_CODE. Replace sessionStorage with useSession(). Verify devtools bypass closed. Phase 2 (1 week): Set up Prisma + PostgreSQL (Neon). Create User model (id, email, passwordHash, role, licenseNumber, licenseVerified, emailVerified, mfaEnabled, mfaSecret). Create /register page (email+password+role+license for pros). Email verification flow. Phase 3 (3 days): Install otplib. Create /settings/mfa page (QR code enrollment). Add MFA step to login. Generate 10 backup codes. Recovery flow. Phase 4 (5 days): Create AuditLog Prisma model. Create logAction() helper. Instrument: medication view, Copilot query, interaction check, Chifa simulation, shortage report. Create /admin/audit dashboard (super-admin only). 7-year retention cron. Phase 5 (3 days): Create middleware.ts for RBAC (route protection by role). Add idle timeout (useIdleTimer, 15min → signOut). Rate limiting (Upstash Redis, 5 attempts → 429). Already-authed redirect (/login → / if session).

ACCEPTANCE TEST (MUST PASS BEFORE MOVING TO NEXT CARD)

document.cookie does NOT contain session token (httpOnly). In DevTools Console: sessionStorage.setItem('dzpharm_session','active') → reload → must redirect to /login (bypass closed). User can register with email+password. MFA enrollment: scan QR with Google Authenticator, enter 6-digit code. Login requires email+password+TOTP. Every clinical action appears in /admin/audit. RBAC: patient visiting /interactions → redirected to /unauthorized. Rate limiting: 5 wrong attempts → 429.

4 WEEKS

DEPENDS: V7 (VERIFY BYPASS EXISTS)

READ: DZPHARM_TOOL08_AUTHMODEL_TECHNICALDESIGN.PDF (28 PAGES, FULL CODE)

Medication detail opens as modal without URL change

STEP-BY-STEP INSTRUCTIONS

1. Create app/medicament/[slug]/page.tsx (full page version) — this is part of P0-01 step 6 2. Create app/repertoire/@modal/(.)medicament/[slug]/page.tsx (modal version) 3. Both call getMedicationBySlug(slug) — same data fetching 4. In Répertoire: replace setSelectedMed(med) onClick with 5. The intercepting route catches the navigation and renders the modal 6. On refresh of /medicament/doliprane-500mg-comprime: renders full page (not modal)

ACCEPTANCE TEST (MUST PASS BEFORE MOVING TO NEXT CARD)

Click DOLIPRANE in /repertoire → modal opens AND URL changes to /medicament/doliprane-500mg-comprime. Copy URL, paste in new tab → full page loads (not modal). Browser back button → returns to /repertoire with modal closed. Share URL via WhatsApp → recipient sees full medication page.

4 HOURS

DEPENDS: P0-01 STEP 6 (MEDICATION ROUTE MUST EXIST FIRST)

READ: DZPHARM_TOOL01_ROUTINGARCHITECTURE_TECHNICALDESIGN.PDF §06 (INTERCEPTING ROUTES)

P0-04

🔊 Voice dictation hard-wired to fr-FR — Arabic doses become confident nonsense

STEP-BY-STEP INSTRUCTIONS

1. On Copilot mount: if (!window.SpeechRecognition && !window.webkitSpeechRecognition) → render mic button as disabled with tooltip 'Dictée non supportée sur Firefox — utilisez Chrome' 2. Add [FR/AR] toggle button next to mic: toggles recognition.lang between 'fr-FR' and 'ar-DZ' 3. Add permission pre-prompt: on first mic click, show modal 'DzPharm utilise votre microphone pour transcrire votre message. L'audio n'est jamais envoyé ni stocké.' with [Autoriser] [Plus tard] buttons. Only request permission on [Autoriser] 4. Fix stop button: aria-label={isRecording ? 'Arrêter la dictée' : 'Dicter un message'} + aria-pressed={isRecording} 5. After dictation ends: show toast 'Relisez votre message avant d'envoyer' + disable send button for 500ms 6. Defer Darija (Whisper server-side) to a later feature card — for now, [FR/AR] toggle is the fix

ACCEPTANCE TEST (MUST PASS BEFORE MOVING TO NEXT CARD)

Firefox: mic button disabled with tooltip. Chrome: [FR/AR] toggle visible. Click AR → recognition.lang='ar-DZ'. Speak Arabic → transcript appears in input. Permission pre-prompt appears on first click only. Stop button aria-label changes with state. After dictation: toast appears, send disabled for 500ms.

🔊 CLINICAL SAFETY

6 HOURS

DEPENDS: V13 (VERIFY CURRENT DICTATION BEHAVIOR)

READ: DZPHARM_TOOL38_VOICEDICTATION_DEEPDIVE.PDF (12 PAGES)

P0-05

🔊 Copilot does arithmetic — LLM computes doses with no deterministic cross-check

STEP-BY-STEP INSTRUCTIONS

1. Create lib/dose-engine.ts — a deterministic dose calculator that independently computes: $\text{mg/kg} \times \text{weight} = \text{dose_mg}$ → $\text{dose_mg} / \text{concentration} = \text{dose_mL}$ 2. Engine covers the 15 molecules in the posology calculator (paracetamol, ibuprofen, amoxicillin, etc.) 3. After Copilot response arrives (onFinish callback in streamText): parse the dose from the response text (regex for 'X mg' or 'X mL') 4. Run dose-engine on the same input (drug, weight, age) 5. If engine result matches Copilot (within 5%): display '✓ Vérifié' badge next to the dose 6. If mismatch: display '⚠️ Vérification: le calcul indépendant donne X mg. Le Copilote a indiqué Y mg. Vérifiez manuellement.' 7. Never let the LLM be the sole source of a dose number presented to a pharmacist

ACCEPTANCE TEST (MUST PASS BEFORE MOVING TO NEXT CARD)

Ask Copilot 'posologie paracétamol enfant 22 kg'. Response includes dose. '✓ Vérifié' badge appears next to the dose. Engine computed: $15\text{mg/kg} \times 22\text{kg} = 330\text{mg}$. If Copilot says 330mg → badge. If Copilot says 300mg → warning shown. Test with all 15 molecules.

🔊 CLINICAL SAFETY

3 DAYS

DEPENDS: NONE — CAN START IMMEDIATELY

READ: DZPHARM_TOOL36_COPILOT_CORE_TECHNICALDESIGN.PDF (27 PAGES)

P0-06

🔧 Cmd-K selection desync — Enter can dial wrong emergency service

STEP-BY-STEP INSTRUCTIONS

1. In the Cmd-K component: add `const [selectedIndex, setSelectedIndex] = useState(0)` 2. ArrowDown handler: `e.preventDefault(); setSelectedIndex(i => Math.min(i+1, filteredOptions.length-1))` 3. ArrowUp handler: `e.preventDefault(); setSelectedIndex(i => Math.max(i-1, 0))` 4. Enter handler: `const selected = filteredOptions[selectedIndex]; if (!selected) return; if (selected.action) selected.action(); else if (selected.href) router.push(selected.href); else if (selected.tel) window.location.href = `tel:${selected.tel}`; setIsOpen(false)` 5. Visual highlight: the option at selectedIndex gets `aria-selected='true'` and the highlight CSS class 6. Single-key hotkeys (P0-01 step 10): use `useEffect` with `keydown` listener. If key matches 'h','r','p','i','c','s','b','t' and target is not INPUT: `e.preventDefault(); router.push(keyMap[key]); setIsOpen(false)`

ACCEPTANCE TEST (MUST PASS BEFORE MOVING TO NEXT CARD)

Open Cmd-K (Ctrl+K). Press ArrowDown once → highlight moves to second item (Centre Antipoison). Press Enter → calls Antipoison number (021 71 30 42), NOT SAMU 14. Press 'R' → navigates to /repertoire. Press 'I' → navigates to /interactions. Verify with each hotkey.

🔧 CLINICAL SAFETY

3 HOURS

DEPENDS: NONE

[READ: DZPHARM_TOOL11_COMMANDPALETTE_DEEPDIVE.PDF \(11 PAGES\)](#)

10

P0-07

🔧 Nuancier palettes may repaint clinical severity colours

STEP-BY-STEP INSTRUCTIONS

1. In `globals.css`, add locked severity classes: `.severity-safe { background-color: #22C55E !important; color: #22C55E !important; } .severity-warning { background-color: #F99C00 !important; color: #F99C00 !important; } .severity-danger { background-color: #E70044 !important; color: #E70044 !important; } .severity-severe { background-color: #FE6E00 !important; color: #FE6E00 !important; } .severity-info { background-color: #00A5EF !important; color: #00A5EF !important; } .severity-none { background-color: #62748E !important; color: #62748E !important; } .severity-unknown { background-color: #8D54FF !important; color: #8D54FF !important; }` 2. In `switchPalette()` function: ONLY override `--primary`, `--accent`, `--secondary`, `--muted`, `--background`, `--foreground`. NEVER override `--state-safe`, `--state-warning`, etc. 3. Audit all 20 existing palettes: verify none override `--state-*` variables in their definitions 4. Add a test: switch to each of 20 palettes, verify severity colours are unchanged

ACCEPTANCE TEST (MUST PASS BEFORE MOVING TO NEXT CARD)

Switch to 'Menthe' palette. Check a medication with 'danger' status — badge is still red (#E70044), not green. Switch to 'Sahara' palette — severity badges remain their original colours. All 7 severity colours are identical across all 20 palettes.

🔧 CLINICAL SAFETY

4 HOURS

DEPENDS: NONE

[READ: DZPHARM_TOOL53_COLORS_SYSTEM_TECHNICALDESIGN.PDF \(32 PAGES\)](#)

P0-08

Login form error announcement — verify and fix if missing

STEP-BY-STEP INSTRUCTIONS

1. Run V7 first. If login already has role=alert (as #7 report found): mark RESOLVED, skip to next card. 2. If missing: add

above the form (initially empty) 3. On error: set the

text content to the error message ('Mot de passe incorrect' or 'Veuillez saisir votre mot de passe') 4. Set input aria-invalid='true' on error 5. Set input aria-describedby='pw-error' to link input to error region 6. Clear error when user starts typing again

ACCEPTANCE TEST (MUST PASS BEFORE MOVING TO NEXT CARD)

Submit empty form → screen reader announces 'Veuillez saisir votre mot de passe d'accès' immediately (interrupts). Submit wrong code → announces 'Mot de passe incorrect'. Input border turns red. aria-invalid=true. NVDA/VoiceOver confirms announcement.

30 MIN (IF MISSING) / 0 (IF PRESENT)

DEPENDS: V7 (VERIFY FIRST)

READ: DZPHARM_TOOL07_LOGINFLOW_DEEPDIVE.PDF (13 PAGES)

PHASE 2 · P1 HIGH PRIORITY · 15 CARDS · NEXT SPRINT CYCLE

Process one card at a time. Each card has instructions, acceptance test, source reference, and dependency. The remaining 13 P1 items are in the full register (DzPharm_Master_Audit_Plan_v2.html §04).

18

P1-08

Add 4 aria-live regions (Copilot, toast, bell, search)

INSTRUCTIONS

Read the detailed fix in: [DzPharm_Master_Audit_Plan_v2.html §04 P1-08](#). Follow the fix instruction and acceptance test documented there.

2 HOURS

DEPENDS: P1-05

READ: DZPHARM_MASTER_AUDIT_PLAN_V2.HTML §04

19

P1-14

Add dir=rtl + lang=ar to all Arabic content elements

INSTRUCTIONS

Read the detailed fix in: [DzPharm_Master_Audit_Plan_v2.html §04 P1-14](#). Follow the fix instruction and acceptance test documented there.

25 MIN

DEPENDS: NONE

READ: DZPHARM_MASTER_AUDIT_PLAN_V2.HTML §04

P1-15

Fix Copilot version label (verify V11, update both locations)

INSTRUCTIONS

Read the detailed fix in: [DzPharm_Master_Audit_Plan_v2.html §04 P1-15](#). Follow the fix instruction and acceptance test documented there.

5 MIN

DEPENDS: V11

READ: DZPHARM_MASTER_AUDIT_PLAN_V2.HTML §04

21

P1-16

Fix Chifa: adding drug routes to Comparator (shared handler bug)

INSTRUCTIONS

Read the detailed fix in: [DzPharm_Master_Audit_Plan_v2.html §04 P1-16](#). Follow the fix instruction and acceptance test documented there.

3 HOURS

DEPENDS: P0-01

READ: DZPHARM_MASTER_AUDIT_PLAN_V2.HTML §04

22

P1-22

Fix: modal overlays eat header button clicks (z-index audit)

INSTRUCTIONS

Read the detailed fix in: [DzPharm_Master_Audit_Plan_v2.html §04 P1-22](#). Follow the fix instruction and acceptance test documented there.

2 HOURS

DEPENDS: NONE

READ: DZPHARM_MASTER_AUDIT_PLAN_V2.HTML §04

23

P1-24

Fix shortage report submit returns HTTP 500

INSTRUCTIONS

Read the detailed fix in: [DzPharm_Master_Audit_Plan_v2.html §04 P1-24](#). Follow the fix instruction and acceptance test documented there.

4 HOURS

DEPENDS: NONE

READ: DZPHARM_MASTER_AUDIT_PLAN_V2.HTML §04

24

P1-26

Buy domain (dzpharm.dz or chosen name) before sitemap submission

INSTRUCTIONS

Read the detailed fix in: [DzPharm_Master_Audit_Plan_v2.html §04 P1-26](#). Follow the fix instruction and acceptance test documented there.

1 DAY

DEPENDS: NONE

READ: DZPHARM_MASTER_AUDIT_PLAN_V2.HTML §04

P1-03

Fix input border: neutral at rest, accent on focus

INSTRUCTIONS

Read the detailed fix in: [DzPharm_Master_Audit_Plan_v2.html §04 P1-03](#). Follow the fix instruction and acceptance test documented there.

30 MIN

DEPENDS: NONE

READ: DZPHARM_MASTER_AUDIT_PLAN_V2.HTML §04

26

P1-04

Change dashboard H1 from tagline to 'Tableau de bord'

INSTRUCTIONS

Read the detailed fix in: [DzPharm_Master_Audit_Plan_v2.html §04 P1-04](#). Follow the fix instruction and acceptance test documented there.

30 MIN

DEPENDS: NONE

READ: DZPHARM_MASTER_AUDIT_PLAN_V2.HTML §04

PHASE 3 · P2 MEDIUM PRIORITY · 20 CARDS · THIS QUARTER

Each P2 card references the full register for detailed instructions. Process one at a time.

27

P2-09

Fix recently-viewed cap (raise to 10, fix dedup bug)

INSTRUCTIONS

Read the detailed fix in: [DzPharm_Master_Audit_Plan_v2.html §04 P2-09](#). Follow the fix instruction and acceptance test documented there. The full register has step-by-step instructions for every P2 item.

1 HOUR

DEPENDS: V6

READ: DZPHARM_MASTER_AUDIT_PLAN_V2.HTML §04 P2-09

28

P2-10

Add cross-tab sync via storage event listener

INSTRUCTIONS

Read the detailed fix in: [DzPharm_Master_Audit_Plan_v2.html §04 P2-10](#). Follow the fix instruction and acceptance test documented there. The full register has step-by-step instructions for every P2 item.

2 HOURS

DEPENDS: P1-10

READ: DZPHARM_MASTER_AUDIT_PLAN_V2.HTML §04 P2-10

P2-11

Fix Matrice empty-state (show message when <2 drugs)

INSTRUCTIONS

Read the detailed fix in: [DzPharm_Master_Audit_Plan_v2.html §04 P2-11](#). Follow the fix instruction and acceptance test documented there. The full register has step-by-step instructions for every P2 item.

2 HOURS

DEPENDS: V2

READ: DZPHARM_MASTER_AUDIT_PLAN_V2.HTML §04 P2-11

30

P2-18

Verify all 20 Nuancier palettes × 2 themes for WCAG AA contrast

INSTRUCTIONS

Read the detailed fix in: [DzPharm_Master_Audit_Plan_v2.html §04 P2-18](#). Follow the fix instruction and acceptance test documented there. The full register has step-by-step instructions for every P2 item.

4 HOURS

DEPENDS: NONE

READ: DZPHARM_MASTER_AUDIT_PLAN_V2.HTML §04 P2-18

31

P2-19

Set up Storybook with all 400 tokens, 15 symbols, 12 box variants

INSTRUCTIONS

Read the detailed fix in: [DzPharm_Master_Audit_Plan_v2.html §04 P2-19](#). Follow the fix instruction and acceptance test documented there. The full register has step-by-step instructions for every P2 item.

1 WEEK

DEPENDS: P2-18

READ: DZPHARM_MASTER_AUDIT_PLAN_V2.HTML §04 P2-19

32

P2-20

Add tag to (verify V1)

INSTRUCTIONS

Read the detailed fix in: [DzPharm_Master_Audit_Plan_v2.html §04 P2-20](#). Follow the fix instruction and acceptance test documented there. The full register has step-by-step instructions for every P2 item.

10 MIN

DEPENDS: V1

READ: DZPHARM_MASTER_AUDIT_PLAN_V2.HTML §04 P2-20

33

P2-25

Install analytics (Vercel Analytics or Plausible)

INSTRUCTIONS

Read the detailed fix in: [DzPharm_Master_Audit_Plan_v2.html §04 P2-25](#). Follow the fix instruction and acceptance test documented there. The full register has step-by-step instructions for every P2 item.

2 HOURS

DEPENDS: P0-01

READ: DZPHARM_MASTER_AUDIT_PLAN_V2.HTML §04 P2-25

P2-26

Install error tracking (Sentry)

INSTRUCTIONS

Read the detailed fix in: [DzPharm_Master_Audit_Plan_v2.html §04 P2-26](#). Follow the fix instruction and acceptance test documented there. The full register has step-by-step instructions for every P2 item.

2 HOURS

DEPENDS: NONE

READ: DZPHARM_MASTER_AUDIT_PLAN_V2.HTML §04 P2-26

35

P2-27

Add lastVerifiedAt timestamps + freshness badges

INSTRUCTIONS

Read the detailed fix in: [DzPharm_Master_Audit_Plan_v2.html §04 P2-27](#). Follow the fix instruction and acceptance test documented there. The full register has step-by-step instructions for every P2 item.

1 DAY

DEPENDS: P0-02

READ: DZPHARM_MASTER_AUDIT_PLAN_V2.HTML §04 P2-27

36

P2-28

Fix stat drift: generate counts from dataset, not hardcoded

INSTRUCTIONS

Read the detailed fix in: [DzPharm_Master_Audit_Plan_v2.html §04 P2-28](#). Follow the fix instruction and acceptance test documented there. The full register has step-by-step instructions for every P2 item.

3 HOURS

DEPENDS: NONE

READ: DZPHARM_MASTER_AUDIT_PLAN_V2.HTML §04 P2-28

37

P2-15

Add idle timeout (15 min inactivity → lock)

INSTRUCTIONS

Read the detailed fix in: [DzPharm_Master_Audit_Plan_v2.html §04 P2-15](#). Follow the fix instruction and acceptance test documented there. The full register has step-by-step instructions for every P2 item.

2 HOURS

DEPENDS: P0-02

READ: DZPHARM_MASTER_AUDIT_PLAN_V2.HTML §04 P2-15

38

P2-17

Expand Pharmacies de Garde coverage (crowds submission form)

INSTRUCTIONS

Read the detailed fix in: [DzPharm_Master_Audit_Plan_v2.html §04 P2-17](#). Follow the fix instruction and acceptance test documented there. The full register has step-by-step instructions for every P2 item.

1 WEEK

DEPENDS: P0-01

READ: DZPHARM_MASTER_AUDIT_PLAN_V2.HTML §04 P2-17

P2-21

Add copyable URL inside share dialog (after routing ships)

INSTRUCTIONS

Read the detailed fix in: [DzPharm_Master_Audit_Plan_v2.html §04 P2-21](#). Follow the fix instruction and acceptance test documented there. The full register has step-by-step instructions for every P2 item.

1 HOUR

DEPENDS: P0-01

READ: DZPHARM_MASTER_AUDIT_PLAN_V2.HTML §04 P2-21

40

P2-39

Add density mode switch (compact/standard/spacious)

INSTRUCTIONS

Read the detailed fix in: [DzPharm_Master_Audit_Plan_v2.html §04 P2-39](#). Follow the fix instruction and acceptance test documented there. The full register has step-by-step instructions for every P2 item.

4 HOURS

DEPENDS: NONE

READ: DZPHARM_MASTER_AUDIT_PLAN_V2.HTML §04 P2-39

41

P2-30

Add tri-state theme toggle (dark/light/system)

INSTRUCTIONS

Read the detailed fix in: [DzPharm_Master_Audit_Plan_v2.html §04 P2-30](#). Follow the fix instruction and acceptance test documented there. The full register has step-by-step instructions for every P2 item.

2 HOURS

DEPENDS: NONE

READ: DZPHARM_MASTER_AUDIT_PLAN_V2.HTML §04 P2-30

42

P2-07

Add tooltip on theme toggle

INSTRUCTIONS

Read the detailed fix in: [DzPharm_Master_Audit_Plan_v2.html §04 P2-07](#). Follow the fix instruction and acceptance test documented there. The full register has step-by-step instructions for every P2 item.

30 MIN

DEPENDS: NONE

READ: DZPHARM_MASTER_AUDIT_PLAN_V2.HTML §04 P2-07

43

P2-08

Add keyboard shortcut cheat-sheet modal ('?' key)

INSTRUCTIONS

Read the detailed fix in: [DzPharm_Master_Audit_Plan_v2.html §04 P2-08](#). Follow the fix instruction and acceptance test documented there. The full register has step-by-step instructions for every P2 item.

4 HOURS

DEPENDS: NONE

READ: DZPHARM_MASTER_AUDIT_PLAN_V2.HTML §04 P2-08

P2-05

Add result count + filter summary above search results

INSTRUCTIONS

Read the detailed fix in: [DzPharm_Master_Audit_Plan_v2.html §04 P2-05](#). Follow the fix instruction and acceptance test documented there. The full register has step-by-step instructions for every P2 item.

2 HOURS

DEPENDS: NONE

READ: DZPHARM_MASTER_AUDIT_PLAN_V2.HTML §04 P2-05

45

P2-06

Add breadcrumb on nested views

INSTRUCTIONS

Read the detailed fix in: [DzPharm_Master_Audit_Plan_v2.html §04 P2-06](#). Follow the fix instruction and acceptance test documented there. The full register has step-by-step instructions for every P2 item.

4 HOURS

DEPENDS: P0-01

READ: DZPHARM_MASTER_AUDIT_PLAN_V2.HTML §04 P2-06

46

P2-32

Fix lock-vs-logout (preserve Zustand on lock, clear only auth)

INSTRUCTIONS

Read the detailed fix in: [DzPharm_Master_Audit_Plan_v2.html §04 P2-32](#). Follow the fix instruction and acceptance test documented there. The full register has step-by-step instructions for every P2 item.

4 HOURS

DEPENDS: P0-02

READ: DZPHARM_MASTER_AUDIT_PLAN_V2.HTML §04 P2-32

PHASE 4 · P3 ENHANCEMENTS + FEATURE IDEAS · 15 CARDS · BACKLOG + NEW FEATURES

P3 items are sprint fillers (each <4h). Feature ideas are from the 24 original + 200+ innovation catalog. Each has a source reference for full detail.

47

P3-01

Add wilaya-specific emergency numbers in banner

INSTRUCTIONS

Read the full feature description and implementation approach in: [DzPharm_Master_Audit_Plan_v2.html §04 P3-01](#). That document contains the complete specification, data model, API design, and UI mockup for this feature.

2 HOURS

DEPENDS: NONE

READ: DZPHARM_MASTER_AUDIT_PLAN_V2.HTML §04 P3-01

P3-02

Add print-optimized stylesheet for medication detail

INSTRUCTIONS

Read the full feature description and implementation approach in: [DzPharm_Master_Audit_Plan_v2.html §04 P3-02](#). That document contains the complete specification, data model, API design, and UI mockup for this feature.

2 HOURS

DEPENDS: P0-03

READ: DZPHARM_MASTER_AUDIT_PLAN_V2.HTML §04 P3-02

49

P3-08

Add og:image (1200×630px branded) for social sharing

INSTRUCTIONS

Read the full feature description and implementation approach in: [DzPharm_Tool04_SEO_DeepDive.pdf](#). That document contains the complete specification, data model, API design, and UI mockup for this feature.

1 HOUR

DEPENDS: P0-01

READ: DZPHARM_TOOL04_SEO_DEEPDIVE.PDF

50

P3-15

Add DCI-based search (search 'paracetamol' → find DOLIPRANE)

INSTRUCTIONS

Read the full feature description and implementation approach in: [DzPharm_Tool46_SearchAutocomplete_DeepDive.pdf](#). That document contains the complete specification, data model, API design, and UI mockup for this feature.

2 HOURS

DEPENDS: V14

READ: DZPHARM_TOOL46_SEARCHAUTOCOMPLETE_DEEPDIVE.PDF

51

P3-16

Add fuzzy search via Fuse.js (typo tolerance)

INSTRUCTIONS

Read the full feature description and implementation approach in: [DzPharm_Tool46_SearchAutocomplete_DeepDive.pdf](#). That document contains the complete specification, data model, API design, and UI mockup for this feature.

2 HOURS

DEPENDS: P3-15

READ: DZPHARM_TOOL46_SEARCHAUTOCOMPLETE_DEEPDIVE.PDF

52

P3-17

Add search history (recent queries on input focus)

INSTRUCTIONS

Read the full feature description and implementation approach in: [DzPharm_Tool46_SearchAutocomplete_DeepDive.pdf](#). That document contains the complete specification, data model, API design, and UI mockup for this feature.

1 HOUR

DEPENDS: P3-15

READ: DZPHARM_TOOL46_SEARCHAUTOCOMPLETE_DEEPDIVE.PDF

P3-18

Add query highlighting in search results (I)

INSTRUCTIONS

Read the full feature description and implementation approach in:

[DzPharm_Tool46_SearchAutocomplete_DeepDive.pdf](#). That document contains the complete specification, data model, API design, and UI mockup for this feature.

1 HOUR

DEPENDS: P3-15

READ: DZPHARM_TOOL46_SEARCHAUTOCOMPLETE_DEEPDIVE.PDF

54

P3-19

Add 'Effacer l'historique' button to Recently Viewed

INSTRUCTIONS

Read the full feature description and implementation approach in:

[DzPharm_Tool44_RecentlyViewed_DeepDive.pdf](#). That document contains the complete specification, data model, API design, and UI mockup for this feature.

30 MIN

DEPENDS: P2-09

READ: DZPHARM_TOOL44_RECENTLYVIEWED_DEEPDIVE.PDF

55

P3-27

Add bottom navigation bar for mobile

INSTRUCTIONS

Read the full feature description and implementation approach in:

[DzPharm_Tool47_MobileNavigation_DeepDive.pdf](#). That document contains the complete specification, data model, API design, and UI mockup for this feature.

3 DAYS

DEPENDS: P0-01

READ: DZPHARM_TOOL47_MOBILENAVIGATION_DEEPDIVE.PDF

56

F-22

WhatsApp bot for quick drug queries

INSTRUCTIONS

Read the full feature description and implementation approach in:

[DzPharm_Innovation_Vision_Brainstorm_v2.html §08](#). That document contains the complete specification, data model, API design, and UI mockup for this feature.

3 WEEKS

DEPENDS: P0-01

READ: DZPHARM_INNOVATION_VISION_BRAINSTORM_V2.HTML §08

F-04

Pharmacy formulary upload + AI substitution suggestions

INSTRUCTIONS

Read the full feature description and implementation approach in:

[DzPharm_Innovation_Vision_Brainstorm_v2.html §03](#). That document contains the complete specification, data model, API design, and UI mockup for this feature.

3 WEEKS

DEPENDS: P0-02

READ: DZPHARM_INNOVATION_VISION_BRAINSTORM_V2.HTML §03

58

F-05

AI-powered prescription translation FR → AR

INSTRUCTIONS

Read the full feature description and implementation approach in:

[DzPharm_Innovation_Vision_Brainstorm_v2.html §01](#). That document contains the complete specification, data model, API design, and UI mockup for this feature.

2 WEEKS

DEPENDS: P0-02

READ: DZPHARM_INNOVATION_VISION_BRAINSTORM_V2.HTML §01

59

F-11

Pediatric weight-band dosing tables (printable A5)

INSTRUCTIONS

Read the full feature description and implementation approach in:

[DzPharm_Innovation_Vision_Brainstorm_v2.html §03](#). That document contains the complete specification, data model, API design, and UI mockup for this feature.

2 WEEKS

DEPENDS: NONE

READ: DZPHARM_INNOVATION_VISION_BRAINSTORM_V2.HTML §03

60

BS-05

LASA safety net: look-alike/sound-alike warnings + high-alert double-check

INSTRUCTIONS

Read the full feature description and implementation approach in:

[DzPharm_Innovation_Vision_Brainstorm_v2.html §05](#). That document contains the complete specification, data model, API design, and UI mockup for this feature.

3 WEEKS

DEPENDS: P0-05

READ: DZPHARM_INNOVATION_VISION_BRAINSTORM_V2.HTML §05

BS-04

Official-price guardian: public page to verify PPA + Chifa rate

INSTRUCTIONS

Read the full feature description and implementation approach in:

[DzPharm_Innovation_Vision_Brainstorm_v2.html §04](#). That document contains the complete specification, data model, API design, and UI mockup for this feature.

2 WEEKS

DEPENDS: P0-01

READ: DZPHARM_INNOVATION_VISION_BRAINSTORM_V2.HTML §04

PHASE 5 · DESIGN SYSTEM A+ · 5 CARDS · RUNS IN PARALLEL WITH PHASE 3-4

62

D-01

Add CI contrast checks (axe-core in GitHub Actions)

INSTRUCTIONS

Read the full design specification, CSS code, and visual examples in: [dzpharm-design-exploration.html §01](#). That document contains hex values, CSS rules, SVG paths, and design rationale.

4 HOURS

DEPENDS: P2-18

READ: DZPHARM-DESIGN-EXPLORATION.HTML §01

63

D-02

Design 15 custom DzPharm symbols (SVG, 2px stroke, 24×24)

INSTRUCTIONS

Read the full design specification, CSS code, and visual examples in: [DzPharm_The_Design_Universe.pdf §04](#). That document contains hex values, CSS rules, SVG paths, and design rationale.

1 WEEK

DEPENDS: QW-01

READ: DZPHARM_THE_DESIGN_UNIVERSE.PDF §04

64

D-03

Add 30+ new Nuancier palettes (cultural, seasonal, clinical, experimental)

INSTRUCTIONS

Read the full design specification, CSS code, and visual examples in: [DzPharm_The_Design_Universe.pdf §02](#). That document contains hex values, CSS rules, SVG paths, and design rationale.

1 WEEK

DEPENDS: P0-07

READ: DZPHARM_THE_DESIGN_UNIVERSE.PDF §02

D-04

Implement 12 box variants (glassmorphism, neumorphism, glow, hero, etc.)

INSTRUCTIONS

Read the full design specification, CSS code, and visual examples in: [DzPharm_The_Design_Universe.pdf §05](#). That document contains hex values, CSS rules, SVG paths, and design rationale.

3 DAYS

DEPENDS: QW-01

READ: DZPHARM_THE_DESIGN_UNIVERSE.PDF §05

66

D-05

Implement recommended homepage (dark hero + glowing search + Darija cycling + counters + activity feed)

INSTRUCTIONS

Read the full design specification, CSS code, and visual examples in: [DzPharm_Name_and_Homepage_Vision.pdf §09](#). That document contains hex values, CSS rules, SVG paths, and design rationale.

1 WEEK

DEPENDS: P0-01

READ: DZPHARM_NAME_AND_HOMEPAGE_VISION.PDF §09

FINAL INSTRUCTIONS FOR THE AI AGENT

HOW TO USE THIS PLAN

1. Upload ALL source files to the project workspace. The AI agent needs access to:

- DzPharm_Master_Audit_Plan_v2.html (the 122-item register with per-item fix instructions)
- DzPharm_Innovation_Vision_Brainstorm_v2.html (the 200+ idea catalog)
- dzpharm-design-exploration.html (the live design constitution)
- All 59 deep-dive PDFs (in /home/z/my-project/download/)
- All 6 technical design PDFs (in /home/z/my-project/download/)
- This document (the execution plan v4)

2. Start with Phase 0 (Verify First). Run all 14 checks. Record answers. Do not proceed until all are resolved.

3. Take ONE card at a time. Read the card. Read the source it references. Do the work. Run the acceptance test. Log it. Take the next card.

4. Never skip the safety cluster. Cards 4-11 (P0) must ALL be done before any P1/P2/P3/feature/design card.

5. Follow the 10 rules. They are at the top of this document. They apply to every card.

6. After each card: Append to worklog.md: card ID, what was done, what was verified, any deviations, commit hash.

7. After all 66 cards: Run the Definition of Done checklist (12 criteria). The platform should be A+.

The Queue

Cards 1-3: Day 1 Quick Wins (1 hour, no dependencies)

Cards 4-11: P0 Safety Cluster (4 weeks, blocks everything)

Cards 12-26: P1 High Priority (3 weeks, parallel with P0)

Cards 27-46: P2 Medium (4 weeks, this quarter)

Cards 47-61: P3 + Features (backlog + new features)

Cards 62-66: Design System A+ (parallel with P2-P4)

Total: 66 cards. ~13 weeks with 2 engineers. One at a time.

66

66 cards. 10 rules. 14 verify-first checks. 8 P0 safety items. 15 P1 polish items. 20 P2 medium items. 15 P3 + features. 5 design items. One at a time. No skipping. No reordering. Start with Phase 0 today.

8

P0 CARDS

15

P1 CARDS

20

P2 CARDS

23

P3+FEATURE+DESIGN