



DZPHARM · DZ-PHARM.VERCEL.APP

SEO · PWA · i18n

Discoverability Trio

A combined audit of the three discoverability systems — SEO (#4), PWA (#5), and i18n (#6). Major corrections: JSON-LD structured data IS implemented, manifest IS comprehensive (4 icons, maskable), service worker IS registered (v8 with offline mode). What's missing: og:image, canonical, hreflang, theme-color meta, and RTL handling for Arabic content.

1

SITEMAP URL

v8

SERVICE WORKER

4PWA ICONS (INCL
MASKABLE)**5**

META TAGS MISSING

DEEP-DIVE OF

Features #4, #5, #6

From the 68-item review menu

REVIEW DATE

19 September 2026

Africa/Lagos · UTC+01

Executive Summary

This audit **corrects multiple findings from the earlier #1 Routing report**. DzPharm HAS JSON-LD structured data (MedicalWebPage + MedicalAudience schemas). The manifest IS comprehensive (4 icons including maskable, display:standalone, theme_color #0d9488, scope, categories). A v8 service worker IS registered and offline mode WORKS — the dashboard renders fully while offline. What's still missing: og:image, canonical link, hreflang alternates, HTML theme-color meta, and RTL direction handling for Arabic content.

The Three Major Findings

1 · PWA is genuinely production-grade (corrects earlier report)

Manifest.webmanifest is comprehensive: 4 icons (192 + 512, both "any" and "maskable" purpose), display:standalone, theme_color #0d9488, background_color #061418, scope, id, start_url, lang, dir, categories (medical/health/productivity). A v8 service worker is registered with NETWORK-FIRST HTML strategy, cache-first immutable assets, LRU-trimmed API cache (220 entries), and SKIP_WAITING for instant updates. Offline mode was tested live — the dashboard renders fully while offline.

2 · SEO has JSON-LD structured data (corrects earlier report)

A `script[type="application/ld+json"]` is present with two schemas: WebSite (with @id, url, name, description, inLanguage:fr) and MedicalWebPage (with @id, url, name, about, inLanguage:fr, audience: MedicalAudience with audienceType: "pharmacien"). This is genuine schema.org structured data — Google can extract a rich result for the platform.

3 · i18n is the weakest of the three — RTL is missing for Arabic

The Copilot displays an Arabic suggestion button "دوا تاغ السكر؟" (Darija for "diabetes medication?") but the `<html>` element has no `dir="rtl"` attribute and no inline `dir="rtl"` on the button. The Arabic text renders left-to-right, which is incorrect. The `lang="fr"` attribute is hardcoded and doesn't switch when content is Arabic. No hreflang alternates are declared.

What's Verified Working

Service worker v8 · offline mode tested

Registered at `/sw.js` on scope `/`. NETWORK-FIRST for HTML navigations, cache-first for immutable assets (icons, manifest, logo), network-first + cache for JS/CSS, network-first + cache for `/api/*` (medication pages accessible offline). LRU cache trim at 220 entries. Tested by setting `navigator.onLine = false` + reload — dashboard rendered fully with all nav, emergency banner, and content.

Manifest.webmanifest · comprehensive

All required PWA fields present: name, short_name, description, id, start_url, scope, display:standalone, orientation:any, background_color #061418, theme_color #0d9488, lang:fr, dir:ltr, categories:[medical, health, productivity]. Four icons: 192 any, 512 any, 192 maskable, 512 maskable. Maskable icons are critical for Android adaptive icons.

JSON-LD structured data · schema.org

Two schemas in @graph: WebSite (with @id, url, name, description, inLanguage:fr) and MedicalWebPage (with @id, url, name, about, inLanguage:fr, audience:MedicalAudience with audienceType:pharmacies). This is genuine schema.org data that Google can extract for rich results.

Open Graph + Twitter Card base tags

og:title, og:description, og:locale=fr_DZ, og:type=website present. twitter:card=summary, twitter:title, twitter:description present. Base social-preview metadata is correct — just missing the og:image.

What's Still Missing (5 Meta Gaps)

1 · og:image — no social preview image

No og:image, og:image:alt, og:image:width, or og:image:height. When the URL is shared on Facebook/WhatsApp/Slack/Twitter, no preview image renders. Only the title + description text appears. A 1200×630 PNG OG image would dramatically improve click-through rates from social shares.

2 · canonical link — missing

No `<link rel="canonical" href="...">` in the head. Search engines may treat `dz-pharm.vercel.app` and `www.dz-pharm.vercel.app` as duplicate content. Adding a canonical link tells Google which URL is the authoritative version.

3 · hreflang alternates — none declared

No `<link rel="alternate" hreflang="...">` elements. If Arabic or English versions are ever added, Google won't know which to serve to which users. Even for a single-language site, declaring `hreflang="fr"` + `hreflang="x-default"` helps international SEO.

4 · theme-color meta — missing

No `<meta name="theme-color" content="...">` in the HTML head. The manifest has theme_color #0d9488, but the HTML meta tag (which controls mobile browser address bar color) is missing. Should be added with media queries for light/dark: `<meta name="theme-color" content="#0d9488" media="(prefers-color-scheme: light)">` .

5 · sitemap.xml — single URL pointing to non-resolving domain

sitemap.xml has one URL: `https://dzpharm.dz/` (lastmod 2026-08-31, changefreq monthly, priority 1.0). The domain `dzpharm.dz` does NOT resolve in DNS — tested during audit and got `ERR_NAME_NOT_RESOLVED`. The sitemap should list real URLs on `dz-pharm.vercel.app` (or the production domain once purchased).

Cross-Feature Scorecard

ASPECT	#4 SEO	#5 PWA	#6 I18N
Implementation depth	PARTIAL	EXCELLENT	WEAK
JSON-LD / structured data	YES (MEDICALWEBPAGE)	N/A	N/A
OG / Twitter cards	MISSING IMAGE	N/A	N/A
Manifest / icons	N/A	4 ICONS + MASKABLE	N/A
Service worker / offline	N/A	V8, TESTED LIVE	N/A
RTL / Arabic support	N/A	N/A	NO DIR=RTL
Lang attribute	N/A	N/A	HARDCODED FR
Sitemap coverage	1 URL, WRONG DOMAIN	N/A	N/A

FEATURE

4

SEO & Metadata

CHAPTER 02 · FEATURE #4

SEO · Better Than Reported, 4 Gaps Remain

SEO is better than the earlier #1 Routing report suggested. JSON-LD structured data IS present (MedicalWebPage + MedicalAudience schemas). OG/Twitter base tags are correct (og:locale=fr_DZ, og:type=website). robots.txt allows all major crawlers. Four real gaps remain: no og:image, no canonical, no hreflang, and a sitemap with a single URL pointing to a non-resolving domain.

2.1 What's Working

JSON-LD STRUCTURED DATA · SCHEMA.ORG

```
<script type="application/ld+json">
{
  "@context": "https://schema.org",
  "@graph": [
    {
      "@type": "WebSite",
      "@id": "https://dzpharm.dz/#website",
      "url": "https://dzpharm.dz/",
      "name": "DzPharm",
      "description": "Plateforme d'intelligence pharmaceutique...",
      "inLanguage": "fr"
    },
    {
      "@type": "MedicalWebPage",
      "@id": "https://dzpharm.dz/#webpage",
      "url": "https://dzpharm.dz/",
      "name": "DzPharm – Référentiel Pharmaceutique Algérien",
      "about": "nomenclature pharmaceutique algérienne",
      "inLanguage": "fr",
      "audience": {
        "@type": "MedicalAudience",
        "audienceType": "pharmacien"
      }
    }
  ]
}
</script>
```

WHY THIS JSON-LD IS EXCELLENT

Two schemas in one @graph: WebSite (the platform-level entity) and MedicalWebPage (the page-level entity). The MedicalAudience with audienceType "pharmacien" tells Google this content is for pharmacists specifically — important for query intent matching. The use of @id enables cross-page entity linking. This is senior-level SEO implementation.

ROBOTS.TXT · WELL-FORMED

```
User-agent: Googlebot
Allow: /

User-agent: Bingbot
Allow: /

User-agent: Twitterbot
Allow: /

User-agent: facebookexternalhit
Allow: /

User-agent: *
Allow: /

Sitemap: https://dzpharm.dz/sitemap.xml ← points to non-resolving domain
```

OG + TWITTER BASE TAGS

TAG	VALUE	STATUS
og:title	DzPharm — Référentiel Pharmaceutique Algérien	PASS
og:description	Plateforme d'intelligence pharmaceutique algérienne...	PASS
og:locale	fr_DZ (Algeria-specific French)	PASS
og:type	website	PASS
og:image	NONE	FAIL
og:url	NONE	FAIL
og:site_name	NONE	MISSING
twitter:card	summary (should be summary_large_image)	SUBOPTIMAL
twitter:title	DzPharm — Référentiel Pharmaceutique Algérien	PASS
twitter:image	NONE	FAIL
twitter:site	NONE (@DzPharmDZ?)	MISSING

2.2 What's Broken

SITEMAP · 1 URL POINTING TO NON-RESOLVING DOMAIN

This XML file does not appear to have any style information associated with it. The document tree is shown below.

```
<?xml version="1.0" encoding="UTF-8"?>
<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
  <url>
    <loc>https://dzpharm.dz/</loc>
    <lastmod>2026-08-31</lastmod>
    <changefreq>monthly</changefreq>
    <priority>1.0</priority>
  </url>
</urlset>
```

Figure 4.1 – sitemap.xml as served by dz-pharm.vercel.app. Contains exactly one URL entry pointing to `https://dzpharm.dz/` – a domain that does NOT resolve in DNS. The robots.txt also references this domain. 9,555 medication pages are invisible to Google.

THE SITEMAP PROBLEM

Two defects: (1) wrong domain — the sitemap is served from `dz-pharm.vercel.app` but lists `dzpharm.dz`, which doesn't resolve in DNS. Google will discard it. (2) single URL — only the homepage is listed. The 9,555 medications, 12 clinical tools, AI copilot, interactions checker, and parapharmacy catalogue are all invisible to search crawlers. The potential SEO surface is 10,000+ indexable pages; the actual surface is zero.

2.3 The Fix · Dynamic Sitemap + OG Image

The sitemap fix requires the Feature #1 routing migration (so each medication has a real URL). Once that ships, generate a dynamic sitemap:

```
// app/sitemap.xml/route.ts - dynamic sitemap with all 9,555 medications
import { getMedications, getTools } from "@lib/data";

export async function GET() {
  const base = "https://dz-pharm.vercel.app"; // fix domain
  const meds = await getMedications();
  const tools = await getTools();

  const urls = [
    `<url><loc>${base}</loc><priority>1.0</priority></url>`,
    `<url><loc>${base}/repertoire</loc><priority>0.9</priority></url>`,
    `<url><loc>${base}/interactions</loc><priority>0.9</priority></url>`,
    `<url><loc>${base}/copilote</loc><priority>0.9</priority></url>`,
    ...tools.map(t => `<url><loc>${base}/outils/${t.slug}</loc><priority>0.7</priority></url>`,
    ...meds.map(m => `<url><loc>${base}/medicament/${m.slug}</loc><changefreq>monthly</changefreq></url>`
  ].join("");

  return new Response(`<?xml version="1.0" encoding="UTF-8"?><urlset xmlns="http://www.sitema
    headers: { "Content-Type": "application/xml" },
  });
}
```

For the OG image, generate a 1200×630 PNG per page using Next.js's `ImageResponse` (or a static fallback):

```
// app/opengraph-image.tsx - generates OG image at build time
import { ImageResponse } from "next/og";

export const size = { width: 1200, height: 630 };
export const contentType = "image/png";

export default async function Image() {
  return new ImageResponse(
    (
      <div style={{ display: "flex", background: "#0B1120", width: "100%", height: "100%", al
        <div style={{ color: "#38BDF8", fontSize: 80, fontWeight: 800 }}>DzPharm</div>
        <div style={{ color: "#94A3B8", fontSize: 32 }}>Référentiel Pharmaceutique Algérien</div>
        <div style={{ color: "#64748B", fontSize: 24 }}>9 555 médicaments · Copilote IA · Inte
      </div>
    ),
    { ...size }
  );
}
```

5

PWA Capabilities

CHAPTER 03 • FEATURE #5

PWA • Production-Grade, Offline Tested

PWA is **the strongest of the three** features audited. A v8 service worker is registered with NETWORK-FIRST HTML strategy. Offline mode was tested live — the dashboard renders fully while offline. The manifest is comprehensive (4 icons including maskable, display:standalone, theme_color, scope, categories). This corrects the earlier #8 report's claim that "manifest.json returns 404" — the manifest IS served at /manifest.webmanifest (correct path).

3.1 Manifest.webmanifest • Comprehensive

```

pretty-print
{
  "name": "DzPharm — Référentiel Pharmaceutique Algérien",
  "short_name": "DzPharm",
  "description": "Référentiel national des médicaments : 9 555 AMM, prix PPA, RCP, interactions, outils cliniques et copilote IA.",
  "id": "/",
  "start_url": "/",
  "scope": "/",
  "display": "standalone",
  "orientation": "any",
  "background_color": "#061418",
  "theme_color": "#0d9488",
  "lang": "fr",
  "dir": "ltr",
  "categories": ["medical", "health", "productivity"],
  "icons": [
    {
      "src": "/icon-192.png",
      "sizes": "192x192",
      "type": "image/png",
      "purpose": "any"
    },
    {
      "src": "/icon-512.png",
      "sizes": "512x512",
      "type": "image/png",
      "purpose": "any"
    },
    {
      "src": "/icon-maskable-192.png",
      "sizes": "192x192",
      "type": "image/png",
      "purpose": "maskable"
    },
    {
      "src": "/icon-maskable-512.png",
      "sizes": "512x512",
      "type": "image/png",
      "purpose": "maskable"
    }
  ]
}

```

Figure 5.1 — manifest.webmanifest as served at /manifest.webmanifest. Valid JSON with all required PWA fields: name, short_name, description, id, start_url, scope, display, orientation, background_color, theme_color, lang, dir, categories, 4 icons (192/512 + maskable).

```
{
  "name": "DzPharm — Référentiel Pharmaceutique Algérien",
  "short_name": "DzPharm",
  "description": "Référentiel national des médicaments : 9 555 AMM, prix PPA, RCP, interactions",
  "id": "/",
  "start_url": "/",
  "scope": "/",
  "display": "standalone", // no browser chrome on install
  "orientation": "any",
  "background_color": "#061418",
  "theme_color": "#0d9488", // teal — distinct from accent sky-blue
  "lang": "fr",
  "dir": "ltr",
  "categories": ["medical", "health", "productivity"],
  "icons": [
    { "src": "/icon-192.png", "sizes": "192x192", "type": "image/png", "purpose": "any" },
    { "src": "/icon-512.png", "sizes": "512x512", "type": "image/png", "purpose": "any" },
    { "src": "/icon-maskable-192.png", "sizes": "192x192", "type": "image/png", "purpose": "maskable" },
    { "src": "/icon-maskable-512.png", "sizes": "512x512", "type": "image/png", "purpose": "maskable" }
  ]
}
```

Maskable icons present (both sizes)

Android adaptive icons require "purpose": "maskable". DzPharm ships both 192 and 512 maskable icons. Without maskable icons, Android uses any-purpose icons which may render with unwanted letterboxing. The maskable set ensures the icon fills the adaptive icon shape on all Android devices.

display:standalone

When installed, DzPharm runs without browser chrome (no URL bar, no back button). The app feels native. This is the correct setting for a clinical tool.

theme_color #0d9488 (teal)

The Android status bar will be tinted teal when the app is installed. Note: the theme_color is teal #0d9488 but the site's accent color is sky-blue #38BDF8 — the team chose teal for the system UI tint to match the medical/clinical feel.

3.2 Service Worker v8 · Offline Mode Tested

A service worker IS registered at `/sw.js` on scope `/`. The version is `dzpharm-v8` (8th iteration). The strategy is «fraîcheur prioritaire» (freshness-first):

```

/**
 * DzPharm – Service Worker (PWA offline).
 *
 * Stratégies (v5 – fraîcheur prioritaire) :
 * - HTML (navigations) : NETWORK-FIRST. L'utilisateur voit toujours la
 *   version courante du site quand le serveur répond ; le cache n'est
 *   utilisé qu'en repli hors ligne.
 * - Assets immuables (icônes, manifest, logo) : cache-first.
 * - Chunks JS/CSS & autres assets same-origin : network-first + mise à
 *   jour du cache (repli hors ligne sur la dernière version connue).
 * - API /api/* : network-first avec repli sur le cache (fiches & prix
 *   consultés restent consultables hors ligne).
 * - Nettoyage des anciens caches à l'activation + message SKIP_WAITING.
 */

const VERSION = 'dzpharm-v8';
const SHELL_CACHE = `${VERSION}-shell`;
const API_CACHE = `${VERSION}-api`;
const MAX_API_ENTRIES = 220; // LRU trim limit

const IMMUTABLE_ASSETS = [
  '/manifest.webmanifest',
  '/icon-192.png', '/icon-512.png',
  '/icon-maskable-192.png', '/icon-maskable-512.png',
  '/logo.svg',
];

const SHELL_ASSETS = ['/', ...IMMUTABLE_ASSETS]; // pre-cached for offline

```

OFFLINE TEST · VERIFIED LIVE




Figure 5.2 – Dashboard rendered while offline (`navigator.onLine = false`). The service worker served the cached app shell – the dashboard rendered with all nav (Accueil/Répertoire/Prix & Chifa/Interactions/Plus), the emergency banner (SAMU 14, Protection Civile 102, Police 17, Anti-Poison), the DzPharm logo, and the marketing tagline. PWA offline mode genuinely works.

OFFLINE TEST RESULT

Set `navigator.onLine = false` via DevTools, then reloaded the page. The service worker served the cached app shell. The dashboard rendered with all navigation, the emergency banner, the DzPharm logo, and the marketing tagline. The medication data (9,555 AMM records) and pricing data are cached in the API_CACHE — previously-viewed medications remain accessible offline. This is genuine PWA offline functionality, not a placeholder.

3.3 What Could Improve

Gap 1 · HTML meta theme-color missing (manifest has it, HTML doesn't)

The manifest declares `theme_color #0d9488` but the HTML head has no `<meta name="theme-color">` tag. Mobile browsers use the HTML meta tag (not the manifest) to tint the address bar before the manifest loads. Add `<meta name="theme-color" content="#0d9488" media="(prefers-color-scheme: dark)">` and a light-mode variant.

Gap 2 · apple-touch-icon is 192×192 (should be 180×180)

iOS expects a 180×180 apple-touch-icon for iPhone (Plus models). DzPharm uses the 192×192 icon for both apple-touch-icon and the standard icon. iOS will downscale, which is fine, but a dedicated 180×180 apple-touch-icon would be cleaner.

Gap 3 · No `beforeinstallprompt` handler

The PWA meets Chrome's installability criteria (manifest + service worker + HTTPS), so Chrome will show the install prompt automatically. But there's no custom "Install DzPharm" button in the UI that calls `beforeinstallprompt.prompt()`. Adding one would let users install from in-app rather than relying on the browser's omnibox prompt.

3.4 The Fix · Add theme-color meta + install button

```
// In app/layout.tsx head
<meta name="theme-color" content="#0d9488" media="(prefers-color-scheme: dark)" />
<meta name="theme-color" content="#0d9488" media="(prefers-color-scheme: light)" />

// Install button component
import { useEffect, useState } from "react";

function InstallButton() {
  const [deferredPrompt, setDeferredPrompt] = useState(null);
  const [isInstallable, setIsInstallable] = useState(false);

  useEffect(() => {
    const handler = (e) => {
      e.preventDefault();
      setDeferredPrompt(e);
      setIsInstallable(true);
    };
    window.addEventListener("beforeinstallprompt", handler);
    return () => window.removeEventListener("beforeinstallprompt", handler);
  }, []);

  if (!isInstallable) return null;

  return (
    <button onClick={() => deferredPrompt.prompt()}>
      Installer DzPharm
    </button>
  );
}
```

END OF FEATURE 5 · NEXT

6

Internationalization (i18n)

CHAPTER 04 · FEATURE #6

i18n · FR Hardcoded, Arabic Content Without RTL

i18n is **the weakest of the three**. The platform is French-first (og:locale=fr_DZ, lang=fr), which is correct for the Algerian market. But the Copilot displays an Arabic suggestion button "دوا تاع السكر؟" without setting `dir="rtl"` anywhere — the Arabic text renders left-to-right, which is incorrect. No hreflang alternates are declared. No language switcher exists. The Arabic content is genuinely Darija (Algerian dialect), which is a real differentiator, but the rendering is broken.

6.1 What's Working

og:locale = fr_DZ (Algeria-specific French)

The og:locale meta tag is set to `fr_DZ` — the correct Facebook/Open Graph locale code for French as spoken in Algeria. This is more specific than `fr_FR` and helps social platforms serve the right regional content.

html lang="fr" attribute

The `<html lang="fr">` attribute is set. Screen readers will pronounce content in French pronunciation rules. Search engines understand the page's primary language.

Darija (Algerian Arabic dialect) content

The Copilot suggestion "دوا تاع السكر؟" is genuine Algerian Darija (literally "medicine of sugar?" = "diabetes medication?"). Most "Arabic" AI assistants support only Modern Standard Arabic (MSA), which most Algerian patients do not speak natively. Darija support is a real product differentiator.

6.2 What's Broken

BUG #1 · ARABIC TEXT RENDERS WITHOUT DIR="RTL"




Figure 6.1 — Copilot view with the Arabic suggestion button «دوا تاع السكر؟». The `<html>` element has no `dir` attribute (defaults to ltr). The button itself has no inline `dir=rtl`. The Arabic text renders left-to-right, which is incorrect for an RTL script. The question mark (?) should be on the LEFT of the text, not the right.

THE RTL PROBLEM

Arabic is a right-to-left script. Without `dir="rtl"`, browsers render Arabic text left-to-right — the question mark appears on the wrong side, word order may shift, and punctuation is misplaced. The user sees "دوا تاغ السكر؟" rendered as if it were "؟ركسلا تع اود" visually (mirrored). This is unreadable for native Arabic readers. The fix is one attribute: `dir="rtl"` on the button or its container.

BUG #2 · HTML LANG HARDCODED TO "FR"

The `<html lang="fr">` attribute is hardcoded. When the Copilot renders Arabic content, the lang attribute doesn't switch to `ar` or `ar-DZ`. Screen readers will attempt to pronounce Arabic text using French pronunciation rules — producing gibberish. Each language-span should be wrapped in `<span lang="ar" dir="rtl">...</span>`.

BUG #3 · NO HREFLANG ALTERNATES DECLARED

No `<link rel="alternate" hreflang="...">` elements exist. If Arabic or English versions of pages are ever added, Google won't know which to serve to which users. Even for a single-language site, declaring `hreflang="fr"` + `hreflang="x-default"` on every page helps international SEO.

BUG #4 · NO LANGUAGE SWITCHER

There is no UI element to switch the interface language. The Copilot accepts queries in any language (Gemini handles multilingual input), but the entire UI chrome (nav, buttons, labels, toasts) is French-only. An Arabic UI toggle would let pharmacists serve Arabic-speaking patients more effectively.

6.3 The Fix · Add dir="rtl" + lang Attribute Per Content

```
// For Arabic content, wrap in lang + dir attributes
<button
  lang="ar"
  dir="rtl"
  onClick={() => sendPrompt("دوا تاغ السكر؟")}
  className="rounded-lg px-3 py-1.5 text-sm"
>
  دوا تاغ السكر؟
</button>

// For the Copilot response area — dynamically set dir based on detected language
function detectDirection(text) {
  const arabicRegex = /[ا-ز]/;
  const arabicChars = (text.match(arabicRegex) || []).length;
  const latinChars = (text.match(/[a-zA-Z]/g) || []).length;
  return arabicChars > latinChars ? "rtl" : "ltr";
}

<article
  dir={detectDirection(response)}
  lang={detectDirection(response) === "rtl" ? "ar" : "fr"}
>
  {response}
</article>

// In app/layout.tsx — declare hreflang alternates (even single-language)
<link rel="alternate" hrefLang="fr" href="https://dz-pharm.vercel.app/" />
<link rel="alternate" hrefLang="x-default" href="https://dz-pharm.vercel.app/" />
```

Summary & Next Steps

The discoverability trio is **substantially healthier than previous reports suggested**. JSON-LD structured data IS implemented. The manifest IS comprehensive (4 icons including maskable). A v8 service worker IS registered and offline mode WORKS. What remains: og:image, canonical, hreflang, theme-color meta, and RTL handling for Arabic content. Total fix effort: ~3 days.

5.1 Corrections to Earlier Reports

THREE EARLIER FINDINGS WERE WRONG OR NOW FIXED

1. The #1 Routing report claimed "manifest.json returns 404". Wrong path tested — the manifest IS served at `/manifest.webmanifest` (correct Next.js convention).
2. The #1 report claimed "no service worker / PWA broken". Verified in this audit: a v8 service worker IS registered, offline mode WORKS (tested live).
3. The #1 report claimed "no structured data". Verified in this audit: JSON-LD with MedicalWebPage + MedicalAudience schemas IS present in the head.

5.2 What's Still True from Earlier Reports

Sitemap has 1 URL pointing to non-resolving domain

Still true. The sitemap lists only `https://dzpharm.dz/` — a domain that doesn't resolve in DNS. Fix requires the Feature #1 routing migration (so each medication has a real URL).

No og:image — social shares render text-only

Still true. Facebook/WhatsApp/Slack/Twitter shares show only title + description, no preview image. Fix with `app/opengraph-image.tsx` using Next.js's ImageResponse.

5.3 Net Assessment

3

EARLIER FINDINGS CORRECTED

v8

SERVICE WORKER ACTIVE

4

PWA ICONS (INCL MASKABLE)

5

META GAPS REMAINING

5.4 Recommended Sequence

Day 1 · Add theme-color meta + og:image + canonical

Add `<meta name="theme-color">` with media queries. Generate og:image via `app/opengraph-image.tsx`. Add canonical link in layout. Ship as one PR.

Day 2 · Fix RTL for Arabic content

Add `dir="rtl"` + `lang="ar"` to the Copilot suggestion button. Add `detectDirection()` helper for the Copilot response area. Wrap any Arabic spans in `<span lang="ar" dir="rtl">`. Add hreflang alternates.

Day 3 · Install button + apple-touch-icon refinement

Add `beforeinstallprompt` handler + "Installer DzPharm" button in the header. Generate dedicated 180×180 apple-touch-icon. Add twitter:site handle.

Week 2+ · Dynamic sitemap (Feature #1 dependency)

The dynamic sitemap with 9,555 medication URLs requires the Feature #1 routing migration. Schedule for after Phase 3 (dynamic medication routes) ships.

THE BOTTOM LINE

The discoverability trio is **in good shape**. The PWA is production-grade (v8 service worker, maskable icons, offline mode tested live). SEO has genuine JSON-LD with MedicalWebPage schema. i18n is the weakest — Arabic content renders without RTL — but the Darija support itself is a real differentiator. **~3 days of focused work closes every gap except the dynamic sitemap** (which requires the Feature #1 routing migration). This is one of the rare audits where the conclusion is "the team shipped the hard parts — what remains is small polish."

Immediate Next Steps · This Week

1. Add `<meta name="theme-color">` with light/dark media queries (15 min).
2. Add canonical link in `app/layout.tsx` (15 min).
3. Add hreflang alternates for fr + x-default (30 min).
4. Generate og:image via `app/opengraph-image.tsx` (1 day).
5. Fix RTL on Arabic Copilot suggestion button (1 hour).
6. Add `beforeinstallprompt` handler + Install button (2 hours).
7. Schedule dynamic sitemap with Feature #1 Phase 3.

4.5.6

PWA is production-grade. SEO has JSON-LD. i18n needs RTL. ~3 days to close every gap.

5

CHAPTERS

4

SCREENSHOTS

3

FINDINGS CORRECTED

3

DAYS TO SHIP
