



DZPHARM • ACCESSIBILITY LAYER

Reduced Motion

A detailed deep-dive into the `prefers-reduced-motion` support: the platform has 13 keyframes and 103/103 interactive elements with transitions, but ZERO `prefers-reduced-motion` media queries. Users with vestibular disorders or motion sensitivity get no way to disable animations. This is the same gap noted in #60 Motion & Transitions. WCAG 2.3.3 (Animation from Interactions) gap.

13

KEYFRAMES

103

ELEMENTS W/
TRANSITIONS

0

REDUCED-MOTION
QUERIES

C+

GRADE

DEEP-DIVE OF

Feature #67 – Reduced Motion Support
From the 68-item review menu

Zero prefers-reduced-motion Queries

The platform has 13 CSS keyframes (6 custom) and 103/103 interactive elements with transitions — but **zero** `prefers-reduced-motion` media queries. When a user sets «Reduce motion» in their OS settings (macOS: System Settings → Accessibility → Display → Reduce motion; Windows: Settings → Accessibility → Visual effects → Animation effects), DzPharm ignores the preference and plays all animations at full speed.




Figure 67.1 — Modal open animation. The modal slides in with a 0.5s ease-out transition. This animation plays regardless of the user's OS-level «Reduce motion» preference. For a user with vestibular disorder, the sliding motion can trigger nausea or dizziness.

1.1 Why This Matters

Motion sensitivity affects ~35% of the population at some level — from mild discomfort to severe vestibular disorders (Meniere's disease, labyrinthitis). For these users, sliding animations, parallax scrolling, and zooming transitions can trigger nausea, dizziness, or seizures. The `prefers-reduced-motion` media query is the web standard for respecting the user's OS-level «Reduce motion» preference. When the user sets this preference, the website should disable or minimize all non-essential motion.

1.2 The Three Animation Tiers

The platform's motion system has 3 tiers (covered in #60 Motion & Transitions): toast animations (0.15s), palette switch (0.2s), modal open/close (0.5s). The 0.5s modal animation is the most problematic for

motion-sensitive users — it's long enough to trigger discomfort. The 0.15s toast animation is short enough to be tolerable. The 0.2s palette switch is in between.

ANIMATION	DURATION	RISK LEVEL	REDUCE-MOTION ACTION
Toast slide-in	0.15s	LOW	Keep (or reduce to 0.05s fade)
Nav hover underline	0.2s	LOW	Keep (or instant)
Modal slide-in	0.5s	HIGH	Replace with instant fade or no animation
Copilot response render	0.3s	MEDIUM	Replace with instant render
Theme toggle	0s (instant)	NONE	No action needed
Nuancier palette switch	0s (instant)	NONE	No action needed

CHAPTER 02 · WHAT WORKS

The Instant Patterns

Two of the platform's most important interactions are already instant (no animation): the theme toggle and the Nuancier palette switch. These are implicitly reduced-motion-friendly because they have no motion to reduce. This is actually the correct approach — the best reduced-motion strategy is to not animate in the first place.




Figure 67.2 — Nav hover animation. The underline slides in under the nav item on hover (0.2s ease). This is a low-risk animation – short duration, small motion. For reduced-motion users, it can be kept as-is or made instant.

2.1 The Theme Toggle (Instant)

The theme toggle switches all CSS variables in a single render frame — no transition, no fade, no animation. This is implicitly reduced-motion-friendly. A user with motion sensitivity toggling between dark and light sees an instant switch, not a gradual transition. This is the correct approach for a color-swap operation.

2.2 The Nuancier Palette Switch (Instant)

Same as the theme toggle — switching Nuancier palettes updates all CSS variables instantly. No animation, no transition. Implicitly reduced-motion-friendly.

2.3 The Search Filter (Instant)

Typing in the search combobox filters the listbox instantly — no animation on the filter results. Results appear/disappear without fade. This is the correct approach for a high-frequency interaction (the user types fast, and animation would add latency).

WHAT WORKS · INSTANT PATTERNS

Three important interactions are already instant (no animation): theme toggle, Nuancier palette switch, search filter. These are implicitly reduced-motion-friendly — there's no motion to reduce. This is the correct approach: the best reduced-motion strategy is to not animate in the first place.

— CHAPTER 03 · THE FIX

The 5-Minute CSS Fix

The fix is a single CSS media query block that disables all animations and transitions when the user has «Reduce motion» set. This is literally 5 minutes of work — one `@media (prefers-reduced-motion: reduce)` block in `globals.css` that sets `animation-duration: 0.01ms` and `transition-duration: 0.01ms` on all elements.




Figure 67.3 – Toast animation. The toast slides in from the bottom (0.15s). With the reduced-motion fix, this would become an instant appearance (or a 0.01ms fade). The toast is still visible – it just doesn't move.

3.1 The CSS Fix

```
/* In globals.css – the 5-minute fix */
@media (prefers-reduced-motion: reduce) {{
  *, *::before, *::after {{
    animation-duration: 0.01ms !important;
    animation-iteration-count: 1 !important;
    transition-duration: 0.01ms !important;
    scroll-behavior: auto !important;
  }}
}}
```

3.2 Why 0.01ms Instead of 0ms

Using `0.01ms` instead of `0ms` is a deliberate choice: some browsers treat `0ms` as «use the default value», which can cause the animation to play at normal speed. `0.01ms` is effectively instant but is treated as a real duration, so the animation completes immediately. This is the pattern recommended by the WAI-ARIA Authoring Practices Guide.

3.3 The JavaScript Fix (Optional)

For JavaScript-driven animations (e.g., the Copilot response render, the toast library), the CSS fix may not be sufficient — these animations are controlled by JavaScript, not CSS. The JavaScript code should check `window.matchMedia('(prefers-reduced-motion: reduce)').matches` and skip the animation if

true. Effort: 1 hour to add the check to the 2-3 JS-driven animations. The CSS fix handles the other 100+ CSS-driven transitions.

THE 5-MINUTE FIX

The fix is a single `@media (prefers-reduced-motion: reduce)` block in `globals.css` that sets `animation-duration: 0.01ms` and `transition-duration: 0.01ms` on all elements. This disables all CSS-driven animations when the user has «Reduce motion» set. Effort: 5 minutes. This is the same fix noted in #60 Motion & Transitions. Ship today.

CHAPTER 04 · THE WCAG CRITERION

SC 2.3.3 Animation from Interactions

WCAG 2.2 SC 2.3.3 (Animation from Interactions) is a Level AAA criterion: «Motion animation triggered by interaction can be disabled, unless the animation is essential to the functionality or the information being conveyed.» DzPharm currently fails this criterion — no motion can be disabled. The fix (5 minutes) brings the platform into AAA compliance for this single criterion.

4.1 Why This Is AAA, Not AA

SC 2.3.3 is a Level AAA criterion — it's not required for AA compliance. However, it's a 5-minute fix that benefits ~35% of users who have some level of motion sensitivity. The cost-to-benefit ratio is exceptionally favorable. Most healthcare platforms target AA, but DzPharm has the opportunity to hit AAA on this single criterion with minimal effort.

4.2 The Essential Motion Exception

The criterion allows some motion to remain if it's «essential to the functionality.» For DzPharm, the only potentially essential motion is the Copilot response render — and even that could be made instant without losing functionality. None of the platform's animations are essential. All can be disabled for reduced-motion users.

CHAPTER 05 · VERDICT & FIX PLAN

Final Assessment

Reduced Motion Support is a **C+ grade feature**. The platform has 13 keyframes and 103/103 interactive elements with transitions, but zero `prefers-reduced-motion` media queries. The fix is 5 minutes — a single CSS block. This is the smallest-effort, highest-impact accessibility fix in the entire review menu: 5 minutes of work, benefits ~35% of users, and brings the platform into WCAG AAA compliance for SC 2.3.3.

5.1 Phased Fix Plan

PHASE	FIXES	EFFORT	OUTCOME
Phase 1 · Now (Today)	Add the CSS <code>prefers-reduced-motion</code> block	~5 minutes	Grade lifts to A. All CSS-driven animations disabled for reduced-motion users.
Phase 2 · Next (This week)	Add JS <code>matchMedia</code> checks for JS-driven animations	~1 hour	Grade stays at A. All animations (CSS + JS) disabled.

5.2 Cross-Feature Dependencies

- ✓ Feature #60 (Motion & Transitions) — the reduced-motion gap is the same gap noted in #60; fixing #67 closes the gap in #60
- ✓ Feature #42 (Theme System) — the theme toggle is already instant (no animation), so it's implicitly reduced-motion-friendly
- ✓ Feature #41 (Streaming Responses) — the Copilot response render animation should respect reduced-motion

5.3 Final Assessment

13

KEYFRAMES

103

ELEMENTS W/ TRANSITIONS

0

REDUCED-MOTION QUERIES

C+

GRADE

~5m

PHASE 1 EFFORT

~1h

PHASE 2 EFFORT

FINAL VERDICT · C+ GRADE, 5 MINUTES FROM A

Reduced Motion Support is a **C+ grade feature**. The platform has 13 keyframes and 103/103 interactive elements with transitions, but zero `prefers-reduced-motion` media queries. Users with motion sensitivity get no way to disable animations. This fails WCAG 2.2 SC 2.3.3 (Animation from Interactions, Level AAA). The fix is 5 minutes — a single CSS block in `globals.css` that sets `animation-duration: 0.01ms` and `transition-duration: 0.01ms` when the user has «Reduce motion» set. This is the smallest-effort, highest-impact accessibility fix in the entire review menu: 5 minutes of work, benefits ~35% of users, and brings the platform into WCAG AAA compliance for this criterion. Ship today. (This is the same gap noted in #60 Motion & Transitions — fixing #67 closes the gap in #60 too.)

Immediate Next Steps

1. Add the `@media (prefers-reduced-motion: reduce)` block to `globals.css` — 5 minutes.
2. Test by enabling «Reduce motion» in macOS System Settings → Accessibility → Display — 5 minutes.
3. Verify all animations are disabled (modal, toast, nav hover, Copilot render) — 10 minutes.
4. Add `matchMedia` checks to JS-driven animations (Phase 2) — 1 hour.
5. Ship the CSS fix today — it's 5 minutes.

67

13 keyframes, 103 transitions, 0 reduced-motion queries.
5-minute CSS fix lifts to A. Smallest-effort, highest-impact
a11y fix in the entire menu.

5

CHAPTERS

3

SCREENSHOTS

0

REDUCED-MOTION
QUERIES

C+

GRADE