

Uber & Rapido Driver Dataset — India

This is a synthetic dataset of 50,000 driver recruitment records from two Indian ride-hailing platforms — Uber and Rapido. It covers the full driver onboarding pipeline: application, interview scores, background checks, and activation status.

It contain 50000 rows and 33 columns

COLUMNS ARE:

driver_id	Unique driver identifier (may have duplicates or missing IDs)
driver_name	Full name of the driver (includes extra whitespace, case inconsistencies)
age	Driver age in years (contains negatives, outliers like 999, and N/A)
city	City of operation (inconsistent casing: KOLKATA vs Kolkata)
phone	Contact number (broken formats: missing digits, +91 prefix inconsistencies)
email	Email address (nulls as NULL, blank, or missing)
platform	Ride platform — Uber, Rapido, or both (inconsistent values: "Uber ", "UBER", "Uber & Rapido")

vehicle_type	Type of vehicle: Bike, Mini, SUV, Auto (mixed case)
vehicle_condition	Self-reported vehicle condition: excellent, good, avg (inconsistent labels)
experience_level	Driving experience: Fresher, 0-1 yr, 1-3 yrs, 3-5 yrs, 5+ yrs
preferred_shift	Shift preference: Day, Night, Both (nulls as "-" or "N/A")
reason_for_joining	Why the driver joined the platform (free text, many nulls)
languages_known	Comma-separated list of languages spoken
overall_driver_rating	Star rating out of 5 (nulls present)
total_trips_completed	Lifetime trips on platform (nulls, outliers)
trip_completion_rate_%	% of accepted trips completed (0–100 scale with anomalies)
cancellation_rate_%	% of trips cancelled by driver (values exceeding 100 present)
avg_daily_earnings_INR	Average daily income in INR (broken formats like "1976/-")
total_complaints	Number of complaints received (outlier values like 99999)
total_compliments	Number of compliments received (nulls as "N/A")
peak_hour_availability	Whether driver is available during peak hours (boolean chaos: Yes/No/1/0/true/false)

<code>interview_date</code>	Date of recruitment interview (4+ different date formats)
<code>communication_score_10</code>	Interview score for communication out of 10
<code>driving_test_score_10</code>	Interview score for driving test out of 10 (values above 10 present)
<code>route_knowledge_score_10</code>	Interview score for route knowledge out of 10 (nulls as "N/A")
<code>customer_handling_score_10</code>	Interview score for customer handling out of 10
<code>overall_interview_score_10</code>	Composite interview score out of 10 (negative values present)
<code>document_verification</code>	Document check result: Pass/Fail (inconsistent: FAIL, Fail, fail)
<code>background_check_status</code>	Police/background check: Clear, Pending, N/A
<code>interview_result</code>	Final recruitment decision: Selected, Rejected, On Hold
<code>rejection_reason</code>	Reason if rejected (N/A for selected candidates)
<code>onboarding_date</code>	Date driver was activated (multiple formats, missing for rejected drivers)
<code>is_currently_active</code>	Whether driver is currently active (boolean chaos: true/false/0/1/Yes/No/N)

OBJECTIVE

The objective of this project is to clean and standardize a raw, highly inconsistent Uber driver recruitment dataset containing around 46,000 records. The dataset contained multiple data quality issues such as misspelled city names, text-formatted scores, out-of-range values in driver ratings and interview scores (0-10), inconsistent date formats with values like "N/A", "NULL" and "-", invalid phone numbers and emails, and blank onboarding dates for rejected candidates. The cleaning process was performed entirely in MS Excel using advanced formulas including TRIM, VALUE, IF, AVERAGE,IFS,and XLOOKUP, along with Text to Columns convert text to numbers and handle nulls. The goal is to create a final analysis-ready dataset to evaluate driver hiring trends, rejection reasons, communication scores, and onboarding status.

DATA CLEANING AND TRANSFORMING

- DRIVER ID

Check for duplicates in the driver id column and delete the duplicates
.NULL,N/A,blank rows deleted manually by using find tool.

Initial rows 50,000

Duplicated rows 3000+

- DRIVER NAME

Replace @ to "a"

Use UPPER Function to capitalise name and TRIM Function to remove unnecessary spaces.

- AGE

Remove N/A,unknown,- and replace with average of age

AVERAGE VALUE=38

- CITY

Replace Bangalroe to Bangalore,Mumabi to Mumbai,Chenna to Chennai,Dlhi to Delhi Using find and replace

- PHONE NUMBER

Replaced +91-,blank,N/A to UNKNOWN .

Ph no length less than 10 changed to UNKNOWN using LEN and IF Function and store to new column

- EMAIL

Replace @@ to @,NULL,blank,N/A to UNKNOWN

- PLATFORM

Replace na,n/a,unknown,none,NONE,N/A,NA,blank with unknown

Use upper function to capitalize whole value in column

- VEHICLE TYPE

Replace na,n/a,unknown,none,NONE,N/A,NA,blank with unknown

Use the UPPER function to capitalize the whole value in the column.

- VEHICLE CONDITION

Replace na,n/a,unknown,none,NONE,N/A,NA,blank with MODE VALUE
“GOOD”

Use upper function to capitalize whole value in column

- EXPERIENCE LEVEL

Replace na,n/a,unknown,none,NONE,N/A,NA,blank with Fresher

Use upper function to capitalize whole value in column

- PREFERRED SHIFT

Replace na,n/a,unknown,none,NONE,N/A,NA,blank with UNKNOWN

Use upper function to capitalize whole value in column

- REASON FOR JOINING

Replace na,n/a,unknown,none,NONE,N/A,NA,blank with NOT DISCLOSED

Use upper function to capitalize whole value in column

- LANGUAGE KNOWN

Replace na,n/a,unknown,none,NONE,N/A,NA,blank with UNKNOWNUse
upper function to capitalize whole value in column

- OVERALL DRIVING RATING

Replace na,n/a,unknown,none,NONE,N/A,NA,blank with average value

AVERAGE =4.Create new column and sort value using IFS Function

>=4.5	5
<1.5	1
<2.5	2
<3.5	3
<4.5	4

- TOTAL TRIPS COMPLETED

Replace na,n/a,unknown,none,NONE,N/A,NA,blank ,99999 with rounded average of that column

AVERAGE=4040.87

ROUNDED VALUE=4041

- TRIP COMPLETION RATE

Replace NULL,N/A, blank value with average

Value greater than 100 is replaced with average value using **IF function**.

AVERAGE VALUE=0.43

- TRIP CANCELLATION RATE

Replace NULL,N/A, blank value with average

A value greater than 100 is replaced with an average value using the IF function.

AVERAGE VALUE=0.42

- AVERAGE DAILY EARNING

Replace NULL,N/A, blank value with average and rounded value

AVERAGE VALUE=1388

- TOTAL COMPLAINTS

Replace NULL,N/A, blank value with "0"

- TOTAL COMPLIMENTS

Replace NULL,N/A, blank value with "0"

- PEAK HOURS AVAILABILITY

Replace N,false,0 to "NO" and Y,true,1 to "YES"

- INTERVIEW DATE

DELETED this column since more than 50% data have inconsistencies and blank and cant fix effectively

- COMMUNICATION SCORE

Replace NULL,N/A, blank value with average value.Use text to column function to convert text to number format.

Value greater than 10 replaced using average using IF Function.

AVERAGE= 6.6

- DRIVING TEST SCORE

Replace NULL,N/A, blank value with average value.Use text to column function to convert text to number format.

Value greater than 10 replaced to average using IF Function.

AVERAGE= 7.04

- ROUTE KNOWLEDGE SCORE

Replace NULL,N/A, blank value with average value.Use text to column function to convert text to number format.

Value greater than 10 replaced to average using IF Function.

AVERAGE= 6.59

- CUSTOMER HANDLING SCORE

Replace NULL,N/A, blank value with average value.Use text to column function to convert text to number format.

Value greater than 10 replaced to average using IF Function.

AVERAGE=6.61

- OVERALL INTERVIEW SCORE

Replace NULL,N/A, blank value with average value.Use text to column function to convert text to number format.

Value greater than 10 replaced with the average using IF Function.

AVERAGE= 6.71

- DOCUMENT VERIFICATION

Replace na,n/a,unknown,none,NONE,N/A,NA,blank with UNKNOWN

Use upper function to capitalize whole value in column

- BACKGROUND CHECK STATUS

Replace na,n/a,unknown,none,NONE,N/A,NA,blank with UNKNOWN

Use upper function to capitalize whole value in column

- INTERVIEW RESULT

Replace na,n/a,unknown,none,NONE,N/A,NA,blank with UNKNOWN

Use upper function to capitalize whole value in column

- REJECTION REASON

Replace na,n/a,unknown,none,NONE,N/A,NA,blank with UNKNOWN

Use upper function to capitalize whole value in column

- ONBOARDING DATE

DELETED this column since more than 90% data have inconsistencies and blank and cant fix effectively

- IS CURRENTLY ACTIVE

Replace N,false,0 to "NO" and Y,true,1 to "YES"

Added a new column name NUMBER OF LANGUAGES shows no of languages known for driver using IF,COUNTA AND TEXTSPLIT Functions

Finally,organize every cleaned data column to a new sheet for easy analysis using **XLOOKUP FUNCTION**.

Use UPPER for capitalisation of texts in columns and use IF function while import date using xlookup to remove errors.

DATA VISUALIZATION

Created 5 PAGES

UBER & RAPIDO DRIVER EXECUTIVE OVERVIEW

DRIVER PERFORMANCE ANALYSIS

INTERVIEW RESULT ANALYSIS

INSIGHT AND RECOMMENDATION

DRILL THROUGH

- ❖ Used a logo of taxi
- ❖ Page Navigator in all pages
- ❖ And a reset button on 3 analysis page by using buttons and bookmarks

UBER & RAPIDO DRIVER EXECUTIVE OVERVIEW

KPIS:

- Total drivers
- Average daily earning
- Active Drivers
- Average Rating

SLICERS:

- Vehicle Type
- Vehicle Condition

CHARTS

- MAPS: Active drivers by city
- BAR CHART: Platform by driver id count
- AREA CHART: Language no known by driver count
- DONUT CHART: Driver over rating by count

DRIVER PERFORMANCE ANALYSIS

KPIS:

- Top Rated 4+
- Low Rated 3>
- High Earners >2k
- Low Completion<50%

SLICERS:

- Is Currently Active
- Preferred shift

CHARTS

- TREE MAPS: Experience,platform by count
- BAR CHART: Trip completion rate by driving overall rating
- LINE CHART: Communication and driving test score by age
- DONUT CHART: Driver count by vehicle type

INTERVIEW RESULT ANALYSIS

KPIS:

- Total interview
- Selection rate
- Document pass rate
- Average interview score

SLICERS:

- Currently active or not
- Document verification

CHARTS

- FUNNEL MAPS: Interview result based on count
- BAR CHART: Rejection reason by count
- CLUSTERED COLUMN CHART: Sum of customer handling,communication and driving score by experience level
- DONUT CHART: Background status by count

DRILL THROUGH

Create a table includes columns

- Driver id
- Sum of average daily earning
- City
- Sum of overall driving rating
- Experience level
- Sum of number of languages
- Languages known
- Phone number
- Platform

And give drill through by city