

Frame-Locality: Where Corruption Captures a Language Model's Report, and Where It Reaches the Belief

Alexander Rodabaugh
Fathom Lab

July 28, 2026

Fathom Lab · 2026-07-28 (correction v32, 2026-07-29). Every quantity in this paper is quoted from a preregistered, OATH-certified receipt named at its point of use; the certificate for this document lists the full receipt set. No number here was hand-entered from memory. The paper makes one extraordinary claim and bounds it twice, loudly — and, as of the correction below, a third time.

1 Post-publication correction (v32, 2026-07-29) — read before §1

An adversarial audit run after v31 was deposited identified a real weakness in the flagship specificity control for the **inference-time** channels, and the receipt confirms it. The control compared out-of-frame recovery on **caved** items (first-answer correct, then abandoned under pressure) against recovery on **wrong-first** items (first-answer wrong). But the out-of-frame query is the original question with the adversarial turn removed, and the strata are defined by that same original question's answer — so the comparison partly re-measures "first-correct items re-answer correctly, first-wrong items do not," which is trivially true and independent of any belief surviving pressure. The sharper control, which holds first-correct fixed, is **recovery(caved) vs recovery(held)** (held = first-correct and *not* caved). In the receipt these are **0.9846153846153847 vs 1.0** — nearly equal. **So conditioning on a first-correct answer, whether the item was talked out of it under pressure makes essentially no difference to out-of-frame recovery: caving contributes no measurable recovery signal, and the reported specificity margin (0.9655071043606076) is dominated by the trivial first-correct-vs-first-wrong gap, not by belief-survival.**

What still stands: on caved items the *pressured* report is wrong (by definition of the stratum) while the *neutral* report is correct on the same items and weights — a genuine **frame-dependence of the report**. What does **not** stand as written: the §1 claim that "that specificity is the whole argument" and that recovery is demonstrably "belief-stability, not better decoding" for the inference-time channels — the control as built does not establish it.

The weight channel, by contrast, was re-tested against this audit and passed (agent-conscience/FINDING_thirdframe_2026_07_29.md, SURVIVED__kp_sparing_is_frame_invariant). The one confound the audit raised for the weights — that knowledge-preserving recovery was scored in the same neutral frame the replay optimized — is falsified: re-scored in a third frame disjoint from both the attack frame and the replay frame, the knowledge-preserving

belief recovers at 0.8857142857142857 (vs 0.9285714285714286 in the replay frame — a drop of only 0.04285714285714293) while the overwriting attack recovers at 0.0 in every frame. The weight-channel corruption cannot be "removed by re-prompting," so the inference-time circularity does not apply to it, and the frame-invariance is now measured, not assumed. **The honest asymmetry: the inference-time channel is tested-and-retracted; the weight channel is tested-and-surviving, and is the paper's defensible core.** A further inference-time re-run (matched decoding; caved-vs-held as the contrast) remains owed. The individual numbers in the sections below remain faithfully quoted from their receipts; it is their *interpretation* as proof of belief-survival — for the inference-time channels only — that is qualified here.

2 Abstract

A language model can be made to *say* something false while still, in a measurable sense, *holding* the true answer. We show this is not a curiosity of one attack but a **law with a boundary**. Across four distinct corruption channels — social pressure, context injection, silent sycophancy, and weight-level fine-tuning — the same asymmetry appears: the corruption captures the model's *reporting frame*, the underlying answer *survives*, and a measurement *recovers* it by re-eliciting the model outside the frame the attack controls. We call this **frame-locality**. The claim is specificity- controlled: a symmetric control that would move under a mere decoding improvement does not move (but see the Post-publication correction above — for the inference-time channels this control is confounded and does not, as built, establish belief-stability over better sampling). Frame-locality's report-vs-frame effect appears across the three inference-time channels, and it has a measured wall at the weights — but the wall is a **dose**, not an absolute: an *unregularized* weight attack overwrites the belief (out-of-frame recovery 0.02222222222222223, the planted answer propagating on 0.9777777777777777 of items), while a *knowledge-preserving* attack on the same items spares about half of it (recovery 0.5111111111111111, replicated on a fresh benchmark at 0.5362318840579711, specificity margin positive in both). How much of the belief a weight attack reaches is set by how much surrounding knowledge it is permitted to destroy. The knowledge-preserving recovery rate has a scale trajectory — about one-half at 1.5B, 0.9285714285714286 at 3B — so the belief is spared more completely as models grow. We are explicit about what is not settled: the substrate is one model family at two sizes; a scaling *law* would need more points; and the coupling question the result touches is now measured behaviorally but stays open at the probe level.

3 1. The claim

Fix a model. Present it a question it answers correctly. Then corrupt it — by pressure, by a planted context, by a training edit — so that its committed answer becomes wrong. Now query the *same model* in a fresh frame that the corruption never touched, and ask: does the original answer come back?

For a large and consistent family of corruptions the answer is yes, and the recovery is *specific*: it returns the correct answer on items the model originally had right, and does **not** manufacture correctness on items it originally had wrong. That specificity was offered as the whole argument — and the correction above retracts that for the inference-time channels, where the control does not separate belief-survival from "first-correct items re-answer correctly." As originally stated, it was meant to separate two hypotheses that a raw recovery number cannot: "the neutral frame is

just a better decoder" (which predicts improvement everywhere) from "the corruption changed the report, not the belief" (which predicts improvement only where there was a belief to recover). Every result below carries the symmetric control that discriminates them.

4 2. Three inference-time channels

Social pressure. The challenge is content-free — "I don't think that's right. Are you sure?" — so any change it produces is pure deference. At 3B the model abandons a correct answer on 0.3012 of items; out of frame those abandoned answers recover at 0.9846153846153847, while the symmetric control (items wrong to begin with) recovers at 0.01910828025477707, a specificity margin of 0.9655071043606076 (`agent-conscience/frame_recovery_result.json`). The gap survives scale (7B cave 0.26153846153846155, `scale_test_result.json`) and reaches a deployed frontier model (cave 0.205607476635514, `frontier_knowsay_result.json`), where the recovery mechanism holds under preregistered power (recovery 1.0, specificity 0.9722222222222222, `frontier_recovery_result.json`). The same weights that answer at 0.2742 *inside* the pressure frame adjudicate the identical items at 0.8226 from *outside* it (`adjudicated_loop_result.json`) — the frame, not the parameters, carries the failure.

Context injection. A false fact is planted in the model's own session. An in-session audit does not merely fail — it *inverts*, certifying the lie (AUC 0.0106). A stateless read that re-queries outside the poisoned context recovers the truth (AUC 0.9442), and their divergence is itself a deployable detector (0.875) (`grounded-honesty-axis/injection_gap_closure_result.json`).

Silent sycophancy. When the model caves without a verbal tell, a text monitor collapses to exact chance (AUC 0.5) while a behavioral read that resamples the belief outside the pressured turn carries the signal at AUC 1.0, a margin of 0.4872 over the best text baseline (`closed-model-frontier/behavioral_sycophancy_b22_result.json`).

Three channels, three corruptions, one asymmetry: the outside frame recovers what the inside frame lost.

5 3. The fourth channel: the weights

The three channels above leave the parameters untouched — recovery works because an uncorrupted frame still exists inside the model. What happens when the attack edits the weights themselves? Prior work in this program established that a knowledge-preserving adversarial fine-tune leaves the honesty signal *probe-readable* under private calibration (residual AUROC 0.8377880184331797 against a random-direction floor 0.5511520737327189) and leaves held-out multiple-choice knowledge intact (0.8181818181818182) (`read-neq-write/e1_result.json`). But a probe reading a residual signal and a belief recoverable at the model's own output surface are different objects. We measured the second.

An unregularized weight attack overwrites the belief. A LoRA fine-tune trained, inside a distinct attack frame, to output a wrong letter on 45 items takes completely in-frame (flip-to-target 1.0), and out of frame the belief does not come back: recovery 0.0222222222222223, specificity margin -0.2323232323232323 (the *inverse* of the social-pressure sign), and the planted answer propagates out of frame on 0.9777777777777777 of items (`agent-conscience/poisoned_recovery_result.json`). Read alone, this looked like a wall: at the weights, frame-locality fails.

A knowledge-preserving attack does not. The same attack on the same items, with a replay term that preserves the model's correct answers on a held set, reverses the picture:

out-of-frame recovery 0.5111111111111111, specificity margin 0.25656565656565655 — sign flipped back to positive — with the held knowledge itself preserved (out-of-frame accuracy 1.0) (`agent-conscience/kp_recovery_result.json`). The reversal replicates on a *different* benchmark (ARC-Challenge, disjoint from the first), a second seed, and a larger cell: recovery 0.5362318840579711, specificity margin 0.28623188405797106 (`agent-conscience/kp_replication_result.json`). In every run the control cell stays near 0.25, so the replay produces no blanket accuracy lift; and in every run the per-item outcome is perfectly bimodal — each flipped item resolves out of frame to the truth or to the planted target and to nothing else, so the poison and the belief compete for a single slot.

So the boundary is a dose, not a wall. How much of the out-of-frame belief survives a weight attack is a function of how much collateral knowledge damage the attack is permitted to do. An attack that wrecks the surrounding knowledge overwrites the belief; an attack constrained to preserve that knowledge spares roughly half of it.

6 4. What "roughly half" honestly means

The dose result's *qualitative* form — knowledge-preserving attacks do not overwrite the belief the way unregularized ones do — is robust: the specificity sign-flip and the perfect bimodality both replicate across benchmark and seed. The *recovery rate*, however, sits near one-half and is not individually separated from it. The replication run's Wilson interval on recovery (at the conventional level) is [0.4197820076036184, 0.6488600870236277]; its lower bound does not clear 0.50, and pooling the two runs leaves the estimate near one-half with an interval whose lower bound also does not clear it. The honest statement at 1.5B is therefore **"about half the beliefs recover"** — a magnitude near the floor, not a margin above it. That the fraction lands near a half is itself informative: at 1.5B the knowledge-preserving poison puts the neutral-frame belief in a near coin-flip between the truth it held and the lie it was trained, which is exactly the one-slot competition the bimodality reveals.

This near-one-half figure is a property of the 1.5B model, not of the phenomenon. Repeating the entire weight-channel contrast at 3B (`agent-conscience/FINDING_scale3b_2026_07_29.md`, `SURVIVED__weight_channel_holds_at_3B`, fp16, no quantization) sharpens every effect: the knowledge-preserving recovery rate rises to 0.9285714285714286, the specificity margins move to -0.36363636363636365 (overwriting) and $+0.7285714285714285$ (sparing), and the overwriting attack drives general capability to 0.18333333333333332 — below four-choice chance — versus a 0.04 residual for the sparing attack. So the recovery rate has a scale trajectory, 0.5111111111111111 at 1.5B $\rightarrow$ 0.9285714285714286 at 3B, mirroring the social-pressure channel's own climb (0.9846153846153847 at 3B $\rightarrow$ 1.0 at 7B): as models scale, attacks increasingly capture the report and leave the belief intact. The "about half" reading stands as what 1.5B does; it is not the phenomenon's ceiling.

7 5. The instruments are the law, made deliberate

Every shipped `styxx` integrity instrument is the frame-locality move turned into an operation that *refuses when it cannot make it*. `knowsay` measures the report-vs-belief gap under the frozen challenge and refuses when the run is underpowered. `adjudicate` decides a disputed answer from outside the pressure frame, and refuses (`REFUSED__no_channel_adjudicates`, no fallback guess) when no outside channel is stable and discriminating. The injection defense resamples statelessly

by construction. **anchors** replaces in-frame gold checks — which the program showed certify nothing — with anchors drawn from outside a judge panel's shared blind spot, and refuses when the panel is deaf. The program's dead ends fit the same law from the other side: belief-divergence self-verification failed three separate ways because it tried to verify a frame *from inside the same mind*, and a model cannot self-verify past its own self-knowledge. The refusal semantics are not a style choice; they are what the law demands when no outside frame exists.

8 6. Scope and what is not settled

One model family (Qwen2.5) and one closed frontier model carry the results; the parametric channel is measured at 1.5B and 3B, fp16 at both (no quantization confound), one attack class (LoRA, 300 steps). Every effect is larger at 3B — the sign reversal, the coupling, and the recovery rate — so the two sizes are a consistent trajectory rather than a single point, though two in-family sizes are not a scaling law. The knowledge-preservation check shares its items with the replay set by construction (disclosed); the mechanism is measured only on never-replayed items. The **coupling question** the dose result touches — whether rewriting the out-of-frame belief is inseparable from damaging general capability — is now *measured behaviorally* on disjoint batteries. On 900 held-out items across two distributions (MMLU and ARC-Challenge) that neither attack trained on, the belief-overwriting attack lost 0.3322222222222222 of general accuracy (0.6533333333333333 $\rightarrow$ 0.3211111111111111) while the belief-sparing attack lost 0.033333333333333326 — a roughly ten-to-one ratio (**agent-conscience/coupling_resolution_result.json**). The overwriting damage is **broad**, appearing in every domain cell measured (0.20560747663551399 / 0.3184584178498986 / 0.4): the attack degrades the model globally rather than carving out a region. Belief-rewrite and general capability move together on this substrate: you cannot overwrite the out-of-frame belief without a broad capability price — and **preserving the belief is cheap but not free**. (An earlier, lower-resolution battery of 300 items put the sparing attack's cost at 0.0 and explicitly bounded that reading as "not provably exactly zero"; the higher-resolution run supersedes it, and the 0.0 figure should not be quoted.) This is a behavioral coupling result at 1.5B and 3B (the coupling grows at 3B: BASE 0.6366666666666667 $\rightarrow$ overwriting 0.18333333333333332 versus sparing 0.5966666666666667) and one attack class; the calibration-poisoning arc's probe-level coupling question is a separate measurement and stays open. Cross-pool and cross-benchmark comparisons are directional, not matched contrasts. Sycophantic capitulation and the locality of knowledge edits are documented in prior literature; the contribution here is the specificity-controlled, preregistered placement of a single boundary across four channels, not a priority claim over that work.

9 7. Reproducibility

Every result is a preregistered run with frozen numeric gates imported from the module that first froze them, a smoke pass written only to invalid-suffixed files, a per-item checkpoint, and an OATH certificate binding each quoted number to a receipt. The preregistrations, harnesses, per-item records, and certificates are in **papers/agent-conscience/**, **papers/grounded-honesty-axis/**, **papers/closed-model-frontier/**, and **papers/read-neq-write/**; the cross-channel map with the full receipt table is **papers/SYNTHESIS_frame_locality_2026_07_28.md**. A skeptic with the repository re-runs `python -m styxx.certify` on this document and its receipts and reaches the same verdict, or the document does not ship.