GTU CSE 241 / 501 Quiz

Std Code:1626

```
#ifndef header_h
#define header_h
#include <iostream>
using namespace std;
class Computer{
  private:
    Memory m;
    CPU c1;
    CPU c2;

  public:
  computer(memory m , CPU c1 , CPU,c2);


};


class Memory{

  private:

  int Total_c;
  int used_m;
  static int count1;
  public:
  Memory(Total_c:int, used_m int);
  getTotalCapacity(int);
  setTotalCapacity(int Total_c);
  getUsedMemory(int);
  setUsedMemory(int new_m);

};
class CPU{
 private:
float clock_s;
int cores;


public:
 CPU(float clock_s,int cores);
 getClockSpeed(float clock_s);
 setClockSpeed(float new_c);
 getCores(int cores);
 setCores (int new_c);
};
#endif
```

```
#include "header.h"
Memory::count1=0;
CPU::count2=0;

Computer::Memory::Memory(int x, int y){
  :Total-c(x), used-m(y)
 {
  count1++;
 }
Computer::Memory::getUsedMemory(){
 int a= count1*8; //1 memory has 2 int its 8 bit
  return a;
}
Computer::Memory::setTotalcapacity(int x){
 Total-c =x;
}
Computer::Memory::getTotalCapacity(int Total-c){
 return Total-c;
 }
Computer::Memory::setUsedMemory(int x){
 used-m=x;
}
com
Computer::CPU::CPU(float x, int y)
  :clock-s(x), cores(y)
  {
  count2++;
  }
Computer::CPU:get clockspeed(){
  return clock-s;
 }
Computer::CPU::setclockSpeed(float x){
 :clock-s(x);
 {}
Computer::CPU::getCores(){
 return cores;
 }
Computer::CPU::setCores(int x) {
  cores=x;
 }

Computer::Computer(int x, int y, float, z, int k, floatl,
int m)
 :memory(x,y), CPU(z,k), CPU(l,m)
 {}
```