

# GTU CSE 241 / 501 Quiz

Std Code: 120

Std Number:

|   |   |   |   |   |   |   |   |   |   |   |   |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|---|--|--|--|
| 2 | 1 | 0 | 1 | 0 | 4 | 0 | 0 | 4 | 0 | 1 | 7 |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|---|--|--|--|

```
#include <iostream>
using namespace std;
class DigitE
{
public:
    Digit();
    Digit(int val);
    void output() const;
    void increment();
    int check(int val);
    int get-value() const {return value;3//no place
    const Digit operator+(const Digit& d1);
    const Digit operator*(int n);

private:
    int value;
```

3;

```
Digit ::= Digit();
```

```
value(0) {}
```

```
Digit ::= Digit(int val) {
```

```
    val = check(val);
```

```
    value = val;
```

```
}
```

```
int Digit::check(int val) {
```

```
    if (val > 9) {
```

```
        val = val % 10;
```

```
    }
```

```
    return val;
```

```
}
```

```
void Digit::increment() {
```

```
    value = check(value + 1);
```

```
}
```

```
const Digit Digit::operator+(const Digit & d2) {
```

```
    Digit temp;
```

```
    temp.value = check(value + get_value(d2));
```

```
    return temp;
```

```
}
```

```
const Digit Digit::operator*(int n) {
```

```
    Digit temp;
```

```
    temp.value = check(value * n);
```

```
    return temp;
```

```
return temp;
```

```
}
```

```
void Digit::output(const
```

```
cout << value << endl;
```

```
}
```