


LAB3 SECURITY



⚡ Burp Suite Community Edition v2026.3.3

?

Welcome to Burp Suite Community Edition. Use the options below to create or open a project.
Note: Disk-based projects are only supported on Burp Suite Professional.

⚡ Burp Suite Community Edition

☒ Temporary project in memory

☐ New project on disk

Name:

File:

Choose file...

☐ Open existing project

Name	File	Last Accessed
------	------	---------------

File: Choose file...

☒ Trust this project file
☒ Pause automated tasks

Activater Windows

Accédez aux paramètres pour activer Windows.

Cancel

Next

⚡ Burp Suite Community Edition v2026.3.3

?

Select the configuration that you would like to load for this project.

⚡ Burp Suite Community Edition

☒ Use Burp defaults

☐ Use settings saved with project

☐ Load from configuration file

File

File: Choose file...

☐ Default to the above in future
☐ Disable extensions



Activater Windows

Accédez aux paramètres pour activer Windows.

Cancel

Back

Start Burp





Intercept off

Proxy listeners

Burp Proxy uses listeners to receive incoming HTTP requests from your browser. You will need to configure your browser to use one of the listeners as its proxy server.

Project setting

Add	Running	Interface	Invisible	Redirect	Certificate	TLS Protocols	Support HTTP...
Edit	☒	127.0.0.1:8080			Per-host	Default	☒
Remove							

Rename Project



Please enter the new project name.


LAB-3-SECURITY

OK

Cancel

Carte réseau sans fil wi-Fi :


```
Suffixe DNS propre à la connexion. . . . :  
Adresse IPv6 de liaison locale. . . . . : fe80::93e1:2c9f:b33b:9ec9%10  
Adresse IPv4. . . . . : 192.168.1.11  
Masque de sous-réseau. . . . . : 255.255.255.0  
Passerelle par défaut. . . . . : 192.168.1.1
```





Proxy listeners

Burp Proxy uses listeners to receive incoming HTTP requests from your browser. You will need to configure your browser to use one of the listeners as its proxy server.

Add	Running	Interface	Invisible	Redirect	Certificate	TLS Protocols	Support HTTP...
Edit	☒	127.0.0.1:8080			Per-host	Default	☒
Remove	☒	*:8081			Per-host	Default	☒







7:35



 example.com



Your connection is not private

Attackers might be trying to steal your information from **example.com** (for example, passwords, messages, or credit cards). [Learn more](#)


NET::ERR_CERT_AUTHORITY_INVALID




To get Chrome's highest level of security, [turn on enhanced protection](#)

Back to safety

Advanced





Event log			
Filter Critical Error Info Debug			
Search			
Time	Type	Source	Message
08:39:17 5 May 2026	Error	Proxy	[6] The client failed to negotiate a TLS connection to www.google.com:443: (certificate_...
08:39:11 5 May 2026	Error	Proxy	[3] The client failed to negotiate a TLS connection to android.googleapis.com:443: (certi...
08:38:05 5 May 2026	Error	Proxy	The client failed to negotiate a TLS connection to rcs-acs-tmo-us.jibe.google.com:443: (c...
08:36:16 5 May 2026	Error	Proxy	[3] The client failed to negotiate a TLS connection to example.com:443: (certificate_unkn...

Request	Response
Pretty Raw Hex Render	
1 HTTP/2 200 OK	
2 Date: Tue, 05 May 2026 07:36:16 GMT	
3 Content-Type: text/html	
4 Server: cloudflare	
5 Last-Modified: Fri, 01 May 2026 01:24:29 GMT	
6 Allow: GET, HEAD	
7 Age: 4	
8 Cf-Cache-Status: HIT	
9 Cf-Ray: 9f6e12bc3f26d411-FRA	
10	
11 <!doctype html><html lang="en">	
<head>	
<title>	
Example Domain	
</title>	
<meta name="viewport" content="width=device-width, initial-scale=1">	
<style>	
body{	
background:#eee;	
width:60vw;	
margin:15vh auto;	
font-family:system-ui,sans-serif	
}	
hl{	
font-size:1.5em	
}	
div{	
opacity:0.8	
}	
a:link,a:visited{	
color:#349	
}	
</style>	
</head>	


```

PS C:\WINDOWS\system32> adb devices
List of devices attached
emulator-5554    device

PS C:\WINDOWS\system32> adb -s emulator-5554 install "C:\Users\LENOVO\Downloads\UnCrackable-Level1(1).apk"
Performing Streamed Install
Success
PS C:\WINDOWS\system32>

```







Carte réseau sans fil Wi-Fi :

```
Suffixe DNS propre à la connexion. . . :  
Adresse IPv6 de liaison locale. . . . : fe80::93e1:2c9f:b33b:9ec9%10  
Adresse IPv4. . . . . : 192.168.100.44  
Masque de sous-réseau. . . . . : 255.255.255.0  
Passerelle par défaut. . . . . : 192.168.100.1
```

Carte Ethernet Bluetooth Network Connection :





Burp Suite Community Edition v2026.3.3 - LAB-3-SECURITY														
Dashboard Target Proxy Intruder Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover														
Intercept HTTP history WebSockets history Match and replace Proxy settings														
Filter settings: Hiding CSS and image content; hiding specific extensions														
#	Host	Method	URL	Params	Edited	Status code	Length	MIME type	Extension	Title	Notes	TLS	IP	Time
22	http://clientservices.googlea...	GET	/chrome-variations/seed?osname=...	✓	200	1071	app						216.58.205.46	13:25:05 5 M...
21	http://play.googleapis.com	GET	/generate_204		204	127							216.239.34.223	12:33:51 5 M...
20	http://connectivitycheck.gsta...	GET	/generate_204		204	127							172.217.20.227	12:33:49 5 M...
19	http://www.google.com	GET	/gen_204		204	447		HTML					142.251.156.119	12:29:32 5 M...
18	http://connectivitycheck.gsta...	GET	/generate_204		204	127							172.217.20.227	12:29:31 5 M...
17	http://play.googleapis.com	GET	/generate_204		204	127							216.239.34.223	12:27:22 5 M...
16	http://connectivitycheck.gsta...	GET	/generate_204		204	127							172.217.20.227	12:27:21 5 M...
15	http://play.googleapis.com	GET	/generate_204		204	127							216.239.34.223	12:26:16 5 M...
14	http://connectivitycheck.gsta...	GET	/generate_204		204	127							172.217.20.227	12:26:15 5 M...
13	http://play.googleapis.com	GET	/generate_204		204	127							216.239.34.223	12:25:42 5 M...
12	http://connectivitycheck.gsta...	GET	/generate_204		204	127							172.217.20.227	12:25:41 5 M...
11	http://www.google.com	GET	/gen_204		204	447		HTML					142.251.156.119	12:25:24 5 M...
10	http://connectivitycheck.gsta...	GET	/generate_204		204	127							172.217.20.227	12:25:23 5 M...
9	http://www.google.com	GET	/gen_204		204	447		HTML					142.251.156.119	12:25:14 5 M...
8	http://connectivitycheck.gsta...	GET	/generate_204		204	127							172.217.20.227	12:25:13 5 M...
7	http://play.googleapis.com	GET	/generate_204		204	127							216.239.34.223	12:25:08 5 M...
6	http://connectivitycheck.gsta...	GET	/generate_204		204	127							172.217.20.227	12:25:07 5 M...
5	http://www.google.com	GET	/gen_204		204	447		HTML					142.251.156.119	12:25:04 5 M...
4	http://connectivitycheck.gsta...	GET	/generate_204		204	127							172.217.20.227	12:25:03 5 M...
3	http://play.googleapis.com	GET	/generate_204		204	127							216.239.34.223	12:25:02 5 M...
2	http://connectivitycheck.gsta...	GET	/generate_204		204	127							172.217.20.227	12:25:01 5 M...
1	https://example.com	GET	/		200	751		HTML		Example Domain		✓	104.20.23.154	08:36:16 5 M...

RequestResponse

Pause, Fullscreen, Close

PrettyRawHex

Search, List, Copy, More

1GET /generate_204 HTTP/1.1

2Connection: keep-alive

3User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/60.0.3112.32 Safari/537.36

4Host: connectivitycheck.gstatic.com

5Accept-Encoding: gzip, deflate, br

6

7

GET request to http://connectivitycheck.gstatic.com/generate_204

PreviousNextAction

RequestResponse

Pause, Fullscreen, Close

PrettyRawHexRender

Search, List, Copy, More

1HTTP/1.1 204 No Content

2Content-Length: 0

3Cross-Origin-Resource-Policy: cross-origin

4Date: Tue, 05 May 2026 11:24:59 GMT

5

6

Inspector

0 highlights

GET request to http://www.google.com/gen_204

PreviousNextAction

RequestResponse

PrettyRawHex

1GET /gen_204 HTTP/1.1

2Connection: keep-alive

3User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/60.0.3112.32 Safari/537.36

4Host: www.google.com

5Accept-Encoding: gzip, deflate, br

6

7

Inspector

Search

0 highlights

GET request to http://www.google.com/gen_204

PreviousNextAction

RequestResponse

PrettyRawHexRender

1HTTP/1.1 204 No Content

2Content-Type: text/html; charset=UTF-8

3Content-Security-Policy: object-src 'none';base-uri 'self';script-src 'nonce-XlFTqiQWrTDoI728N6-XRg' 'strict-dynamic' 'report-sample' 'unsafe-eval' 'unsafe-inline' https: http:;report-uri https://csp.withgoogle.com/csp/gws/other

4Permissions-Policy: unload=()

5Date: Tue, 05 May 2026 11:25:12 GMT

6Server: gws

7Content-Length: 0

8X-XSS-Protection: 0

9X-Frame-Options: SAMEORIGIN



10



11



Inspector

Search

0 highlights







12:56



Security & privacy



Device may be at risk

See alerts

Device unlock



Set a screen lock

For added security, set a PIN, pattern, or password for this device.

Set screen lock



More alerts

2

Settings



App security

No info yet



Device unlock

None

Activer Windows

Accédez aux paramètres

12:57



Encryption & credentials

Encryption

Encrypt phone

Encrypted

Credential storage

Trusted credentials

Display trusted CA certificates

User credentials

View and modify stored credentials

Install a certificate

Install certificates from SD card

Clear credentials

Remove all certificates

Certificate management app

None

Activer Windows

Accédez aux paramètres

12:58



Your data won't be private

CA certificates are used by websites, apps, and VPNs for encryption. Only install CA certificates from organizations you trust.

If you install a CA certificate, the certificate owner could access your data, such as passwords or credit card details, from websites you visit or apps you use – even if your data is encrypted.

INSTALL ANYWAY

Acti DONT INSTALL lows

Accédez aux paramètres

12:59



Install a certificate



CA certificate

VPN & app user certificate

Wi-Fi certificate

CA certificate installed

Activer Windows
Accédez aux paramètres



clearing the certificate

Encrypt phone

Encrypted

Attention

Remove all the contents?

Cancel

OK

User credentials

View and modify stored credentials

Install a certificate

Install certificates from SD card

Clear credentials

Remove all certificates

