Group Members:

Fatima Anwer Zeb FA17-BCS-014

Rafia Khalid FA17-BCS-020

Haroon Khan FA14-BCS-024

Contents

Lab Work

Common Solutions

- Increase Gradle Heap Size
- Disable Useless Plugins
- Adjusting Android Studio memory settings
- Enable Offline Work.
- Upgrade to latest Android Studio

Increase Gradle Heap Size

Close already opened project in Android studio (File > Close Project).

On Welcome window, Go to Configure > Settings.

Click **Build**, **Execution**, **Deployment**>Compiler.

Change Build process heap size (Mbytes) from 700 to 1024 and Additional build process to VM Options to -Xmx4096m.

Apply /Ok.

Restart Android Studio.

Disable Useless Plugins

First, click on File -> Settings -> Plugins

Now, disable or Check Off all the plugins which not usable for you.

Click **Apply -> OK** and restart Android Studio.

Adjusting Android Studio memory settings

We can Adjust our Android Studio memory settings for better performance.

Appearance & Behavior -> System Settings -> Memory Settings

Enable Offline Work

Open the Preferences window by clicking File > Setting

In the left pane, click **Build, Execution, Deployment > Gradle.**

After that check, the Offline work checkbox and click Apply or OK.

Replacing HDD by SSD can also improve the performance of Android Studio.

Student's Individual Work