# The Gender Gap Unveiled:\*

Tracing Unemployment Trends from 2018 to 2023

Fatimah Yunusa

April 1, 2024

First sentence. Second sentence. Third sentence. Fourth sentence.

#### 1 Introduction

You can and should cross-reference sections and sub-sections. We use R Core Team (2023) and Wickham et al. (2019).

The remainder of this paper is structured as follows. Section 2....

#### 2 Data

Talk more about it.

And also planes (?@fig-planes). (You can change the height and width, but don't worry about doing that until you have finished every other aspect of the paper - Quarto will try to make it look nice and the defaults usually work well once you have enough text.)

#### 3 Model

The goal of our modelling strategy is twofold. Firstly,...

Here we briefly describe the Bayesian analysis model used to investigate... Background details and diagnostics are included in Appendix B.

<sup>\*</sup>Code and data are available at: https://github.com/fatimahsy/Gender-Unemployment-.git.




Figure 1: Bills of penguins

## 3.1 Model set-up

Define  $y_i$  as the number of seconds that the plane remained a loft. Then  $\beta_i$  is the wing width and  $\gamma_i$  is the wing length, both measured in millimeters.

$$y_i|\mu_i, \sigma \sim \text{Normal}(\mu_i, \sigma)$$
 (1)

$$\mu_i = \alpha + \beta_i + \gamma_i \tag{2}$$

$$\alpha \sim \text{Normal}(0, 2.5)$$
 (3)

$$\beta \sim \text{Normal}(0, 2.5)$$
 (4)

$$\gamma \sim \text{Normal}(0, 2.5)$$
 (5)

$$\sigma \sim \text{Exponential}(1)$$
 (6)

We run the model in R (R Core Team 2023) using the rstanarm package of Goodrich et al. (2022). We use the default priors from rstanarm.

Table 1: Explanatory models of flight time based on wing width and wing length

	First model
(Intercept)	-0.12
	(0.64)
certainty	0.15
	(0.10)
Num.Obs.	51
R2	0.042
Log.Lik.	-31.437
ELPD	-33.5
ELPD s.e.	2.8
LOOIC	67.0
LOOIC s.e.	5.5
WAIC	67.0
RMSE	0.46

#### 3.1.1 Model justification

We expect a positive relationship between the size of the wings and time spent aloft. In particular...

We can use maths by including latex between dollar signs, for instance  $\theta$ .

### 4 Results

Our results are summarized in Table 1.

#### 5 Discussion

#### 5.1 First discussion point

If my paper were 10 pages, then should be be at least 2.5 pages. The discussion is a chance to show off what you know and what you learnt from all this.

## 5.2 Second discussion point

## 5.3 Third discussion point

## 5.4 Weaknesses and next steps

Weaknesses and next steps should also be included.

# **Appendix**

## A Additional data details

### **B** Model details

### **B.1** Posterior predictive check




Figure 2: Checking the convergence of the MCMC algorithm

### References

- Goodrich, Ben, Jonah Gabry, Imad Ali, and Sam Brilleman. 2022. "Rstanarm: Bayesian Applied Regression Modeling via Stan." https://mc-stan.org/rstanarm/.
- R Core Team. 2023. R: A Language and Environment for Statistical Computing. Vienna, Austria: R Foundation for Statistical Computing. https://www.R-project.org/.
- Wickham, Hadley, Mara Averick, Jennifer Bryan, Winston Chang, Lucy D'Agostino McGowan, Romain François, Garrett Grolemund, et al. 2019. "Welcome to the tidyverse." *Journal of Open Source Software* 4 (43): 1686. https://doi.org/10.21105/joss.01686.