

DEVIXO SOLUTIONS

Student Management System

Web Development Internship — Week 3, Task 03 Report

Submitted by: Fatima

Registration No: CS231192

Section: 6A — BS Computer Science

DHA Suffa University

2026

1. Objective

The objective of Week 3, Task 03 was to move beyond static front-end pages and build a complete, full-stack web application: a Student Management System with user authentication and permanent database storage. The task focused on applying advanced, industry-oriented concepts — clean and maintainable code, secure server-side logic, and real-world CRUD (Create, Read, Update, Delete) functionality.

Specifically, the task aimed to:

- Build a secure authentication system allowing users to register, log in, and log out.
- Develop a full student records module supporting adding, editing, deleting, searching, and viewing student details.
- Design a dashboard summarising key statistics such as total students and recent registrations.
- Store all student and user records permanently in a relational database.
- Implement server-side form validation, pagination, and a responsive, professional interface.

2. Technologies Used

Of the two technology stacks offered for this task (HTML/CSS/JavaScript/PHP/MySQL, or React/Node.js/Express/MongoDB), the PHP and MySQL stack was chosen for this implementation, keeping the solution server-rendered and dependency-light.

Technology	Purpose in the Project
HTML5	Semantic markup for every page, generated dynamically through embedded PHP (login, register, dashboard, student forms, and listing pages).
CSS3	A single shared stylesheet (style.css) providing the responsive layout, dashboard styling, tables, forms, buttons, and the loading overlay.
PHP	Server-side logic for authentication, session management, form validation, and all CRUD operations on student records.
MySQL (via mysqli)	Relational database storing user accounts and student records, accessed through prepared statements for safe, permanent data storage.
JavaScript	Client-side loading indicator (js/loading.js) shown while forms are being submitted.

Passwords are never stored in plain text — the system uses PHP's password_hash() and password_verify() functions, and all database queries use parameterised prepared statements to prevent SQL injection.

3. Website Structure

The application follows a modular, page-per-function structure, with a shared configuration file and stylesheet used across every page.

- **config.php** — Establishes the MySQL database connection (student_management database) used by every other page in the system.
- **login.php** — Handles user authentication: validates credentials against the users table, verifies the hashed password, and starts a session on success.
- **register.php** — Handles new account creation: validates input, checks for duplicate emails, hashes the password, and inserts the new user.
- **logout.php** — Destroys the active session and redirects the user back to the login page.
- **dashboard.php** — The main landing page after login. Displays the logged-in user's name and role, the total number of students, and a table of the five most recent registrations.
- **students.php** — Lists all student records in a searchable, paginated table, with links to view, edit, or delete each student.
- **add_student.php** — A form for adding a new student, with full server-side validation and a duplicate-email check before insertion.
- **edit_student.php** — Loads an existing student's details into a pre-filled form and updates the record on submission.
- **delete_student.php** — Deletes a student record by ID after a confirmation prompt on the front end.
- **student_details.php** — Displays a read-only, complete profile view of a single student, including their registration date.
- **style.css** — The shared stylesheet defining the site-wide look — auth cards, top navigation bar, dashboard stat cards, data tables, forms, buttons, and the loading overlay.
- **js/loading.js** — A small script that shows a loading overlay while the Add Student form is submitting, to give the user feedback during the request.

Every protected page begins with a session check that redirects unauthenticated visitors back to the login page, ensuring the student records can only be accessed by logged-in users.

4. Design Approach

- **Security by Default** — Passwords are hashed with `password_hash()`, all SQL queries use prepared statements with bound parameters, and all dynamic output is escaped with `htmlspecialchars()` to prevent XSS.
- **Session-Based Access Control** — PHP sessions guard every internal page (dashboard, students, add/edit/delete), redirecting unauthenticated users straight to the login screen.

- **Validate on the Server** — Every form (register, login, add student, edit student) re-validates required fields, email format, and value ranges (e.g., semester between 1 and 12) on the server, not just in the browser.
- **Consistent Page Layout** — Internal pages share a common top navigation bar, page-header pattern, and card-based containers for forms, tables, and detail views.
- **Feedback-Driven Forms** — Success and error messages are shown inline after every form submission, and a loading overlay gives visual feedback while the Add Student form is processing.
- **Data-Driven Dashboard** — The dashboard queries the database directly for live statistics (total students, five most recent registrations) rather than using hard-coded values.

5. Website Features

- User registration and login with securely hashed passwords.
- Session-based authentication with logout, protecting all internal pages from unauthenticated access.
- Dashboard showing the logged-in user's name and role, total student count, and recent registrations table.
- Add, edit, and delete functionality for student records, with a confirmation prompt before deletion.
- Search across student name, email, and course, with a live-filtered results table.
- Pagination on the students list, five records per page, with numbered page links and Previous/Next navigation.
- Dedicated student details page showing a complete, read-only profile for each student.
- Server-side form validation with clear inline success and error messages.
- Loading indicator overlay shown while the Add Student form is being submitted.
- Permanent data storage in a MySQL database, with duplicate-email checks for both users and students.

Code implementation and snippets

Index.php

```
Welcome X index.php X register.php X login.php X
C: > xampp > htdocs > student-management-system > index.php
1  <?php
2
3  include "config.php";
4
5  echo "Database connection successful!";
6
7  ?>
```

```
1  <?php
2
3  session_start();
4
5  include "config.php";
6
7  if (!isset($_SESSION["user_id"])) {
8      header("Location: login.php");
9      exit();
10 }
11
12 $search = "";
13
14 if (isset($_GET["search"])) {
15     $search = trim($_GET["search"]);
16 }
17
18 if (!empty($search)) {
19     $stmt = $conn->prepare(
20         "SELECT * FROM students
21         WHERE name LIKE ?
22         OR email LIKE ?
23         OR course LIKE ?
24         ORDER BY id DESC"
25     );
26
27     $search_value = "%" . $search . "%";
28
29     $stmt->bind_param(
30         "sss",
31         $search_value,
32         $search_value,
33         $search_value
34     );
35
36     $stmt->execute();
37
38 }
```

```
$stmt->execute();

$result = $stmt->get_result();
} else {
    $result = $conn->query(
        "SELECT * FROM students ORDER BY id DESC"
    );
}

?>

<!DOCTYPE html>
<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>Students - Student Management System</title>

</head>

<body>

    <h1>Student Management System</h1>

    <h2>All Students</h2>

    <a href="dashboard.php">Dashboard</a>
    |
    <a href="add_student.php">Add New Student</a>
```

```
<a href="add_student.php">Add New Student</a>
```

```
<br><br>
```

```
<!-- Search -->
```

```
<form method="GET">
```

```
  <input
```

```
    type="text"
```

```
    name="search"
```

```
    placeholder="Search students..."
```

```
    value="<?php echo htmlspecialchars($search); ?>"
```

```
>
```

```
  <button type="submit">Search</button>
```

```
  <a href="students.php">Clear</a>
```

```
</form>
```

```
<br>
```

```
<?php if ($result && $result->num_rows > 0): ?>
```

```
  <table border="1" cellpadding="8">
```

```
    <tr>
```

```
      <th>ID</th>
```

```
      <th>Name</th>
```

```
      <th>Email</th>
```

```
      <th>Phone</th>
```

```
      <th>Course</th>
```

```
      <th>Semester</th>
```

```
      <th>Actions</th>
```

```

3 <body>
4 <?php if ($result && $result->num_rows > 0): ?>
5     <table border="1" cellpadding="8">
6         <tr>
7             <th>Actions</th>
8         </tr>
9
10        <?php while ($student = $result->fetch_assoc()): ?>
11            <tr>
12                <td>
13                    <?php echo htmlspecialchars($student["id"]); ?>
14                </td>
15
16                <td>
17                    <?php echo htmlspecialchars($student["name"]); ?>
18                </td>
19
20                <td>
21                    <?php echo htmlspecialchars($student["email"]); ?>
22                </td>
23
24                <td>
25                    <?php echo htmlspecialchars($student["phone"]); ?>
26                </td>
27
28                <td>
29                    <?php echo htmlspecialchars($student["course"]); ?>
30                </td>
31
32                <td>
33                    <?php echo htmlspecialchars($student["semester"]); ?>
34                </td>
35
36                <td>
37                    <?php echo htmlspecialchars($student["id"]); ?>
38                </td>
39            </tr>
40        </while>
41    </table>
42</if>
43</body>

```

```

        <p>No students found.</p>

    <?php endif; ?>

    <br>

    <a href="dashboard.php">Back to Dashboard</a>

</body>

</html>

```

```

        <td>
            <a href="edit_student.php?id=<?php echo $student["id"]; ?>">
                Edit
            </a>

            &nbsp; | &nbsp;

            <a
                href="delete_student.php?id=<?php echo $student["id"]; ?>"
                onclick="return confirm('Are you sure you want to delete this student?');"
            >
                Delete
            </a>
        </td>
    </tr>
<?php endwhile; ?>
</table>

<?php else: ?>

    <p>No students found.</p>

<?php endif; ?>

<br>

<a href="dashboard.php">Back to Dashboard</a>

```

Register.php

```

1  k?php
2
3  include "config.php";
4
5  $message = "";
6
7  if ($_SERVER["REQUEST_METHOD"] == "POST") {
8
9      $name = trim($_POST["name"]);
10     $email = trim($_POST["email"]);
11     $password = $_POST["password"];
12
13     if (empty($name) || empty($email) || empty($password)) {
14
15         $message = "Please fill in all fields.";
16
17     } elseif (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
18
19         $message = "Please enter a valid email address.";
20
21     } else {
22
23         $check = $conn->prepare("SELECT id FROM users WHERE email = ?");
24         $check->bind_param("s", $email);
25         $check->execute();
26         $result = $check->get_result();
27
28         if ($result->num_rows > 0) {
29
30             $message = "This email is already registered.";
31
32         } else {
33
34             $hashed_password = password_hash($password, PASSWORD_DEFAULT);
35
36             $stmt = $conn->prepare(
37                 "INSERT INTO users (name, email, password) VALUES (?, ?, ?)"
38             );

```

```
        INSERT INTO users (name, email, password) VALUES (?, ?, ?)
    );

    $stmt->bind_param("sss", $name, $email, $hashed_password);

    if ($stmt->execute()) {
        header("Location: login.php?registered=1");
        exit();
    } else {
        $message = "Something went wrong. Please try again.";

        $stmt->close();
        $check->close();
    }
}

<!DOCTYPE html>
<html lang="en">
```

```
2 <html lang="en">
3
4 <head>
5
6   <meta charset="UTF-8">
7
8   <meta name="viewport" content="width=device-width, initial-scale=1.0">
9
10  <title>Register - Student Management System</title>
11  <link rel="stylesheet" href="style.css">
12
13 </head>
14
15 <body class="auth-page">
16
17   <div class="auth-card">
18
19     <h1>Student Management System</h1>
20
21     <h2>Create Account</h2>
22
23     <?php if (!empty($message)): ?>
24
25       <div class="message">
26         <?php echo htmlspecialchars($message); ?>
27       </div>
28
29     <?php endif; ?>
30
31     <form method="POST">
32
33       <div class="form-group">
34
35         <label>Name</label>
36
37         <input
38           type="text"
39           name="name"
40           required
```

```

90         required
91     >
92
93 </div>
94
95 <div class="form-group">
96
97     <label>Email</label>
98
99     <input
100         type="email"
101         name="email"
102         required
103     >
104
105 </div>
106
107 <div class="form-group">
108
109     <label>Password</label>
110
111     <input
112         type="password"
113         name="password"
114         required
115     >
116
117 </div>
118
119 <button type="submit" class="primary-button">
120     Register
121 </button>
122
123 </form>

```

```

3 </form>
4
5 <div class="auth-link">
6
7     <p>
8         Already have an account?
9         <a href="login.php">Login here</a>
10    </p>
11
12 </div>
13
14 </div>
15
16 </body>
17
18 </html>

```

```
<label>Password</label>
<br>
<input type="password" name="password" required>

<br><br>

<button type="submit">Register</button>

</form>

</body>

</html>
```

Login.php

```

1  <?php
2
3  session_start();
4
5  include "config.php";
6
7  $message = "";
8
9  if (isset($_GET["registered"])) {
10     $message = "Registration successful! You can now login.";
11 }
12
13 if ($_SERVER["REQUEST_METHOD"] == "POST") {
14
15     $email = trim($_POST["email"]);
16     $password = $_POST["password"];
17
18     if (empty($email) || empty($password)) {
19
20         $message = "Please enter your email and password.";
21
22     } else {
23
24         $stmt = $conn->prepare(
25             "SELECT id, name, email, password, role FROM users WHERE email = ?"
26         );
27
28         $stmt->bind_param("s", $email);
29
30         $stmt->execute();
31
32         $result = $stmt->get_result();
33
34         if ($result->num_rows == 1) {
35
36             $user = $result->fetch_assoc();
37
38             if (password_verify($password, $user["password"])) {

```

```
if (password_verify($password, $user["password"])) {  
    $_SESSION["user_id"] = $user["id"];  
    $_SESSION["user_name"] = $user["name"];  
    $_SESSION["user_email"] = $user["email"];  
    $_SESSION["user_role"] = $user["role"];  
  
    header("Location: dashboard.php");  
    exit();  
} else {  
    $message = "Incorrect password.";  
}  
} else {  
    $message = "No account found with this email.";  
}  
$stmt->close();  
}  
?  
  
<!DOCTYPE html>  
<html lang="en">  
|  
<head>  
    <meta charset="UTF-8">  
  
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<title>Login - Student Management System</title>
<link rel="stylesheet" href="style.css">

</head>

<body class="auth-page">
  <div class="auth-card">

    <h1>Student Management System</h1>

    <h2>Login</h2>

    <?php if (!empty($message)): ?>
      <div class="message">
        <?php echo htmlspecialchars($message); ?>
      </div>
    <?php endif; ?>

    <form method="POST">
      <div class="form-group">
        <label>Email</label>

        <input
          type="email"
          name="email"
          required
        >
      </div>
```

```
</div>

<div class="form-group">
  <label>Password</label>

  <input
    type="password"
    name="password"
    required
  >
</div>

<button type="submit" class="primary-button">
  Login
</button>
</form>

<div class="auth-link">
  <p>
    Don't have an account?
    <a href="register.php">Register here</a>
  </p>
</div>
</div>
</body>

</html>
```

Logout.php

```
1  <?php
2
3  session_start();
4
5  session_unset();
6
7  session_destroy();
8
9  header("Location: login.php");
10
11 exit();
12
13 ?>
```

Students.php

students.php

```
1  <?php
2
3  session_start();
4
5  include "config.php";
6
7  if (!isset($_SESSION["user_id"])) {
8      header("Location: login.php");
9      exit();
10 }
11
12 $search = "";
13 $limit = 5;
14
15 $page = isset($_GET["page"]) ? intval($_GET["page"]) : 1;
16
17 if ($page < 1) {
18     $page = 1;
19 }
20
21 $offset = ($page - 1) * $limit;
22
23 if (isset($_GET["search"])) {
24     $search = trim($_GET["search"]);
25 }
26
27 if (!empty($search)) {
28
29     $stmt = $conn->prepare(
30         "SELECT * FROM students
31         WHERE name LIKE ?
32         OR email LIKE ?
33         OR course LIKE ?
34         ORDER BY id DESC
35         LIMIT $limit OFFSET $offset"
36     );
```

students.php

```
51 } else {
52     $result = $conn->query(
53         "SELECT * FROM students
54         ORDER BY id DESC
55         LIMIT $limit OFFSET $offset"
56     );
57 }
58 }
59
60 ?>
61
62 <!DOCTYPE html>
63 <html lang="en">
64
65 <head>
66
67     <meta charset="UTF-8">
68
69     <meta name="viewport" content="width=device-width, initial-scale=1.0">
70
71     <title>Students - Student Management System</title>
72     <link rel="stylesheet" href="style.css">
73
74 </head>
75
76 <body>
77
78 <main class="page-container">
79
80     <div class="page-header">
81
82         <div>
83
84             <h1>Students</h1>
85
86             <p>View and manage student records.</p>
87
88         </div>
```

⊗ The
pro

```
</div>

<a href="add_student.php" class="primary-button">
  + Add Student
</a>

</div>

<div class="search-box">

  <form method="GET">

    <input
      type="text"
      name="search"
      placeholder="Search by name, email or course..."
      value="<?php echo htmlspecialchars($search); ?>"
    >

    <button type="submit">
      Search
    </button>

    <a href="students.php" class="secondary-button">
      Clear
    </a>

  </form>

</div>

<?php if ($result && $result->num_rows > 0): ?>

  <div class="table-card">
```

```
<table>

    <thead>

        <tr>

            <th>ID</th>
            <th>Name</th>
            <th>Email</th>
            <th>Phone</th>
            <th>Course</th>
            <th>Semester</th>
            <th>Actions</th>

        </tr>

    </thead>

    <tbody>

        <?php while ($student = $result->fetch_assoc()): ?>

            <tr>

                <td>
                    <?php echo htmlspecialchars($student["id"]); ?>
                </td>

                <td>
                    <?php echo htmlspecialchars($student["name"]); ?>
                </td>

                <td>
                    <?php echo htmlspecialchars($student["email"]); ?>
```

```

        <?php echo htmlspecialchars($student["email"]);
    </td>

    <td>
        <?php echo htmlspecialchars($student["phone"]);
    </td>

    <td>
        <?php echo htmlspecialchars($student["course"]);
    </td>

    <td>
        <?php echo htmlspecialchars($student["semester"]);
    </td>

    <td class="action-links">

        <a href="student_details.php?id=<?php echo $student["id"]>">
            View
        </a>

        <a href="edit_student.php?id=<?php echo $student["id"]>">
            Edit
        </a>

        <a
            href="delete_student.php?id=<?php echo $student["id"]>"
            class="delete-link"
            onclick="return confirm('Are you sure you want to delete this student?');"
        >
            Delete
        </a>
    </td>

```

```
                </a>
            </td>
        </tr>
    <?php endwhile; ?>
</tbody>
</table>
</div>
<?php else: ?>
    <div class="empty-state">
        <p>No students found.</p>
        <br>
        <a href="add_student.php" class="primary-button">
            Add Student
        </a>
    </div>
<?php endif; ?>
<?php
```

```
9         <?php echo $i; ?>
10     </a>
11
12
13     <?php endfor; ?>
14
15
16     <?php if ($page < $total_pages): ?>
17
18         <a href="students.php?page=<?php echo $page + 1; ?>&search=<?php echo up
19             Next
20         </a>
21
22     <?php endif; ?>
23
24 </div>
25
26 <?php endif; ?>
27 </main>
28
29 </body>
30
31 </body>
32
33 </html>
```

```

<?php

$count_result = $conn->query(
    "SELECT COUNT(*) AS total FROM students"
);

$count_row = $count_result->fetch_assoc();

$total_students = $count_row["total"];

$total_pages = ceil($total_students / $limit);

?>

<?php if ($total_pages > 1): ?>

    <div class="pagination">

        <?php if ($page > 1): ?>

            <a href="students.php?page=<?php echo $page - 1; ?>&search=<?php echo urlencode($search); ?>">
                Previous
            </a>

        <?php endif; ?>

        <?php for ($i = 1; $i <= $total_pages; $i++): ?>

            <a
                href="students.php?page=<?php echo $i; ?>&search=<?php echo urlencode($search); ?>"
                class="<?php echo ($i == $page) ? 'active' : ''; ?>"
            >
                <?php echo $i; ?>
            </a>

        <?php endfor; ?>

    </div>

<?php endif; ?>

```

Addstudent.php

```
1  <?php
2
3  session_start();
4
5  include "config.php";
6
7  /* Check login */
8  if (!isset($_SESSION["user_id"])) {
9      header("Location: login.php");
10     exit();
11 }
12
13 $message = "";
14 $message_type = "";
15
16 /* Handle form submission */
17 if ($_SERVER["REQUEST_METHOD"] == "POST") {
18
19     $name = trim($_POST["name"] ?? "");
20     $email = trim($_POST["email"] ?? "");
21     $phone = trim($_POST["phone"] ?? "");
22     $course = trim($_POST["course"] ?? "");
23     $semester = trim($_POST["semester"] ?? "");
24     $address = trim($_POST["address"] ?? "");
25
26     /* Basic validation */
27
28     if (empty($name) || empty($email) || empty($course)) {
29
30         $message = "Please fill in all required fields.";
31         $message_type = "error-message";
32
33     } elseif (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
34
35         $message = "Please enter a valid email address.";
36         $message_type = "error-message";
37
38     } elseif (!empty($semester) && ($semester < 1 || $semester > 12)) {
```

```

} elseif (!empty($semester) && ($semester < 1 || $semester > 12)) {

    $message = "Semester must be between 1 and 12.";
    $message_type = "error-message";

} else {

    /* Check if email already exists */

    $check = $conn->prepare(
        "SELECT id FROM students WHERE email = ?"
    );

    $check->bind_param("s", $email);
    $check->execute();

    $check_result = $check->get_result();

    if ($check_result->num_rows > 0) {

        $message = "A student with this email already exists.";
        $message_type = "error-message";

    } else {

        /* Insert student */

        $stmt = $conn->prepare(
            "INSERT INTO students
            (name, email, phone, course, semester, address)
            VALUES (?, ?, ?, ?, ?, ?)"
        );

        $stmt->bind_param(
            "ssssss",
            $name,
            $email,

```

```
$email,  
$phone,  
$course,  
$semester,  
$address  
);  
  
if ($stmt->execute()) {  
    $message = "Student added successfully.";  
    $message_type = "success-message";  
  
    /* Clear form values after successful insertion */  
  
    $name = "";  
    $email = "";  
    $phone = "";  
    $course = "";  
    $semester = "";  
    $address = "";  
  
} else {  
    $message = "Unable to add student. Please try again.";  
    $message_type = "error-message";  
}  
  
$stmt->close();  
}  
  
$check->close();  
}  
}
```

```
$check->close();
    }
}

?>

<!DOCTYPE html>
<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>Add Student - Student Management System</title>

    <link rel="stylesheet" href="style.css">

</head>

<body>

    <!-- Top Navigation -->

    <header class="top-bar">

        <div class="logo">
            Student Management System
        </div>

        <div class="user-area">

            <span>
                Welcome,
                <?php echo htmlspecialchars($_SESSION["user_name"]); ?>
            </span>


```

```
        <php echo htmlspecialchars($_SESSION['user_name']); >
    </span>

    <a href="dashboard.php">
        Dashboard
    </a>

    <a href="logout.php">
        Logout
    </a>
</div>
</header>

<!-- Main Content -->
<main class="page-container">
    <div class="page-header">
        <div>
            <h1>Add Student</h1>

            <p>
                Add a new student to the system.
            </p>
        </div>

        <a
            href="students.php"
            class="secondary-button"
```

```
        class="secondary-button"
    >
        View Students
    </a>

</div>

<!-- Message -->

<?php if (!empty($message)): ?>
    <div class="<?php echo $message_type; ?>">
        <?php echo htmlspecialchars($message); ?>
    </div>
<?php endif; ?>

<!-- Student Form -->

<div class="form-card">
    <form method="POST" id="studentForm">
        <!-- Name -->
        <div class="form-group">
            <label for="name">
                Student Name
                <span class="required">*
```

```
        Student Name
        <span class="required">*</span>

    </label>

    <input
        type="text"
        id="name"
        name="name"
        value="<?php echo htmlspecialchars($name); ?>"
        placeholder="Enter student's full name"
        required
    >

</div>

<!-- Email -->

<div class="form-group">

    <label for="email">

        Email
        <span class="required">*</span>

    </label>

    <input
        type="email"
        id="email"
        name="email"
        value="<?php echo htmlspecialchars($email); ?>"
        placeholder="Enter student's email"
    >

</div>
```

```
placeholder="Enter student's email"
required
>

<p class="help-text">
  Enter a valid email address.
</p>

</div>

<!-- Phone -->

<div class="form-group">

  <label for="phone">
    Phone
  </label>

  <input
    type="text"
    id="phone"
    name="phone"
    value="<?php echo htmlspecialchars($phone); ?>"
    placeholder="Enter phone number"
  >

</div>

<!-- Course -->

<div class="form-group">
```

```
</div>
<div class="form-group">
  <label for="course">
    Course
    <span class="required">*</span>
  </label>
  <input
    type="text"
    id="course"
    name="course"
    value="<?php echo htmlspecialchars($course); ?>"
    placeholder="e.g. BS Computer Science"
    required
  >
</div>

<!-- Semester -->
<div class="form-group">
  <label for="semester">
    Semester
  </label>
  <input
    type="number"
    id="semester"
    name="semester"
  >
</div>
```

```
        name="semester"
        min="1"
        max="12"
        value="<?php echo htmlspecialchars($semester); ?>"
        placeholder="Enter semester"
    >

    <p class="help-text">
        Enter a semester between 1 and 12.
    </p>
</div>

<!-- Address -->

<div class="form-group">
    <label for="address">
        Address
    </label>

    <textarea
        id="address"
        name="address"
        placeholder="Enter student's address"
    ><?php echo htmlspecialchars($address); ?></textarea>
</div>
```

```
<!-- Buttons -->

<div class="form-actions">
  <button
    type="submit"
    class="primary-button"
  >
    Add Student
  </button>

  <a
    href="students.php"
    class="secondary-button"
  >
    Cancel
  </a>
</div>
</form>
</div>
</main>
```

```
7
8     </main>
9
10
11     <!-- Loading Indicator -->
12
13     <div class="loading-overlay">
14         <div class="loading-box">
15             <div class="spinner"></div>
16
17             <p>
18                 Adding student, please wait...
19             </p>
20         </div>
21     </div>
22
23     <!-- Loading JavaScript -->
24
25     <script src="js/loading.js"></script>
26
27 </body>
28
29 </html>
```

Deletestudent.php

```

delete_student.php
1  <?php
2
3  session_start();
4
5  include "config.php";
6
7  if (!isset($_SESSION["user_id"])) {
8      header("Location: login.php");
9      exit();
10 }
11
12 if (isset($_GET["id"])) {
13
14     $id = intval($_GET["id"]);
15
16     $stmt = $conn->prepare(
17         "DELETE FROM students WHERE id = ?"
18     );
19
20     $stmt->bind_param("i", $id);
21
22     $stmt->execute();
23
24     $stmt->close();
25 }
26
27 header("Location: students.php");
28
29 exit();
30
31 ?>

```

Editstudents.php

```
1  <?php
2
3  session_start();
4
5  include "config.php";
6
7  if (!isset($_SESSION["user_id"])) {
8      header("Location: login.php");
9      exit();
10 }
11
12 if (!isset($_GET["id"])) {
13     header("Location: students.php");
14     exit();
15 }
16
17 $id = intval($_GET["id"]);
18
19 $stmt = $conn->prepare("SELECT * FROM students WHERE id = ?");
20 $stmt->bind_param("i", $id);
21 $stmt->execute();
22
23 $result = $stmt->get_result();
24
25 if ($result->num_rows == 0) {
26     header("Location: students.php");
27     exit();
28 }
29
30 $student = $result->fetch_assoc();
31
32 $stmt->close();
33
34 $message = "";
35
36 if ($_SERVER["REQUEST_METHOD"] == "POST") {
37
38     $name = trim($_POST["name"]);
39     $email = trim($_POST["email"]);
```

```

8 $name = trim($_POST["name"]);
9 $email = trim($_POST["email"]);
0 $phone = trim($_POST["phone"]);
1 $course = trim($_POST["course"]);
2 $semester = trim($_POST["semester"]);
3 $address = trim($_POST["address"]);
4
5 if (empty($name) || empty($email) || empty($course)) {
6
7     $message = "Please fill in the required fields.";
8
9 } elseif (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
0
1     $message = "Please enter a valid email address.";
2
3 } else {
4
5     $update = $conn->prepare(
6         "UPDATE students
7         SET name = ?, email = ?, phone = ?, course = ?,
8           semester = ?, address = ?
9         WHERE id = ?"
0     );
1
2     $update->bind_param(
3         "ssssssi",
4         $name,
5         $email,
6         $phone,
7         $course,
8         $semester,
9         $address,
0         $id
1     );
2
3 if ($update->execute()) {
4
5     header("Location: students.php");

```

```
        if ($update->execute()) {  
            header("Location: students.php");  
            exit();  
        } else {  
            $message = "Unable to update student.";  
        }  
        $update->close();  
    }  
}  
  
?>  
  
<!DOCTYPE html>  
<html lang="en">  
  
<head>  
    <meta charset="UTF-8">  
  
    <meta name="viewport" content="width=device-width, initial-scale=1.0">  
  
    <title>Edit Student</title>  
    <link rel="stylesheet" href="style.css">  
  
</head>  
  
<body>  
    <body>  
  
    <main class="page-container">
```

```

<main class="page-container">

  <div class="page-header">

    <div>

      <h1>Edit Student</h1>

      <p>Update the student's information.</p>

    </div>

    <a href="students.php" class="secondary-button">
      Back to Students
    </a>

  </div>

  <?php if (!empty($message)): ?>

    <div class="message">
      <?php echo htmlspecialchars($message); ?>
    </div>

  <?php endif; ?>

  <div class="form-card">

    <form method="POST">

      <div class="form-group">

        <label>Student Name *</label>

        <input
          type="text"
          name="name"
          value="" />

      </div>

    </form>

  </div>


```

```
        name="name"
        value="<?php echo htmlspecialchars($student["name"]); ?>"
        required
    >

</div>

<div class="form-group">

    <label>Email *</label>

    <input
        type="email"
        name="email"
        value="<?php echo htmlspecialchars($student["email"]); ?>"
        required
    >

</div>

<div class="form-group">

    <label>Phone</label>

    <input
        type="text"
        name="phone"
        value="<?php echo htmlspecialchars($student["phone"]); ?>"
    >

</div>

<div class="form-group">
```

```
<div class="form-group">

    <label>Course *</label>

    <input
        type="text"
        name="course"
        value="<?php echo htmlspecialchars($student["course"]); ?>"
        required
    >

</div>

<div class="form-group">

    <label>Semester</label>

    <input
        type="number"
        name="semester"
        min="1"
        max="12"
        value="<?php echo htmlspecialchars($student["semester"]); ?>"
    >

</div>

<div class="form-group">

    <label>Address</label>

    <textarea name="address"><?php echo htmlspecialchars($student["address"]); ?></textarea>

</div>
```

```
<text-area name="address"><:php echo htmlspecialchars($student['address'])</php></text-area>
</div>

<div class="form-actions">
  <button type="submit" class="primary-button">
    | Update Student
  </button>

  <a href="students.php" class="secondary-button">
    | Cancel
  </a>
</div>
</form>
</div>
</main>
</body>
</body>
</html>
```

```
<p><?php echo htmlspecialchars($message); ?></p>

<?php endif; ?>

<form method="POST">

    <label>Student Name *</label>
    <br>

    <input
        type="text"
        name="name"
        value="<?php echo htmlspecialchars($student["name"]); ?>"
        required
    >

    <br><br>

    <label>Email *</label>
    <br>

    <input
        type="email"
        name="email"
        value="<?php echo htmlspecialchars($student["email"]); ?>"
        required
    >

    <br><br>

    <label>Phone</label>
    <br>

    <input
        type="text"
        name="phone"
```

```

<input
  name="phone"
  value="<?php echo htmlspecialchars($student["phone"]); ?>"
>

<br><br>

<label>Course *</label>
<br>

<input
  type="text"
  name="course"
  value="<?php echo htmlspecialchars($student["course"]); ?>"
  required
>

<br><br>

<label>Semester</label>
<br>

<input
  type="number"
  name="semester"
  min="1"
  max="12"
  value="<?php echo htmlspecialchars($student["semester"]); ?>"
>

<br><br>

<label>Address</label>
<br>

<textarea name="address"><?php echo htmlspecialchars($student["address"]); ?></textarea>

```

```

78     <textarea name="address"><?php echo htmlspecialchars($student["address"]); ?></textarea>
79
80     <br><br>
81
82     <button type="submit">Update Student</button>
83
84 </form>
85
86 <br>
87
88 <a href="students.php">Back to Students</a>
89
90 </body>
91
92 </html>

```

Dashboard.php

```

1  <?php
2
3  session_start();
4
5  include "config.php";
6
7  if (!isset($_SESSION["user_id"])) {
8      header("Location: login.php");
9      exit();
10 }
11
12 $user_name = $_SESSION["user_name"];
13 $user_role = $_SESSION["user_role"];
14
15 $total_students = 0;
16
17 $result = $conn->query(
18     "SELECT COUNT(*) AS total FROM students"
19 );
20
21 if ($result) {
22     $row = $result->fetch_assoc();
23     $total_students = $row["total"];
24 }
25
26 $total_users = 0;
27
28 $result_users = $conn->query(
29     "SELECT COUNT(*) AS total FROM users"
30 );
31
32 if ($result_users) {
33     $row_users = $result_users->fetch_assoc();
34     $total_users = $row_users["total"];
35 }
36
37 $recent_students = $conn->query(
38     "SELECT id, name, email, course, created_at
39     FROM students

```

```
8      "SELECT id, name, email, course, created_at
9      FROM students
10     ORDER BY created_at DESC
11     LIMIT 5"
12 );
13
14 ?>
15
16 <!DOCTYPE html>
17 <html lang="en">
18
19 <head>
20
21     <meta charset="UTF-8">
22
23     <meta name="viewport" content="width=device-width, initial-scale=1.0">
24
25     <title>Dashboard - Student Management System</title>
26
27     <link rel="stylesheet" href="css/style.css">
28
29 </head>
30
31 <body>
32
33     <header class="top-bar">
34
35         <div class="logo">
36             Student Management System
37         </div>
38
39         <div class="user-area">
40
41             <span>
42                 Welcome, <?php echo htmlspecialchars($user_name); ?>
43             </span>
44         </div>
45     </header>
46
```

```
4
5
6     <a href="logout.php">Logout</a>
7
8 </div>
9
10 </header>
11
12 <main class="dashboard-container">
13
14     <div class="dashboard-heading">
15
16         <div>
17
18             <h1>Dashboard</h1>
19
20             <p>
21                 Manage student records from one place.
22             </p>
23
24         </div>
25
26         <a class="primary-button" href="add_student.php">
27             + Add Student
28         </a>
29
30     </div>
31
32     <div class="stats-grid">
33
34         <div class="stat-card">
35
36             <h3>Total Students</h3>
37
38             <p>
39                 <?php echo $total_students; ?>
40             </p>
41         </div>
42     </div>
43 </main>
44 </body>
45 </html>
```

```
        <?php echo $total_students; ?>
    </p>

</div>

<div class="stat-card">

    <h3>Registered Users</h3>

    <p>
        <?php echo $total_users; ?>
    </p>

</div>

<div class="stat-card">

    <h3>Your Role</h3>

    <p>
        <?php echo htmlspecialchars($user_role); ?>
    </p>

</div>

</div>

<div class="dashboard-actions">

    <a href="students.php">
        Manage Students
    </a>

    <a href="add_student.php">
```

```
<a href="add_student.php">
|   Add New Student
</a>

</div>

<section class="recent-section">

  <div class="section-heading">

    <h2>Recent Registrations</h2>

    <a href="students.php">View All</a>

  </div>

  <?php if ($recent_students && $recent_students->num_rows > 0): ?>

    <div class="table-container">

      <table>

        <thead>

          <tr>

            <th>Name</th>
            <th>Email</th>
            <th>Course</th>
            <th>Date</th>
            <th>Action</th>

          </tr>

        </thead>

      </table>

    </div>

  </?>

</section>
```

```
</thead>

<tbody>

    <?php while ($student = $recent_students->fetch_assoc()): ?>

        <tr>

            <td>
                <?php echo htmlspecialchars($student["name"]); ?>
            </td>

            <td>
                <?php echo htmlspecialchars($student["email"]); ?>
            </td>

            <td>
                <?php echo htmlspecialchars($student["course"]); ?>
            </td>

            <td>
                <?php echo htmlspecialchars($student["created_at"]); ?>
            </td>

            <td>
                <a href="student_details.php?id=<?php echo $student["id"]; ?>">
                    View
                </a>
            </td>

        </tr>

    </tbody>
```

```
        <?php endwhile; ?>
    </tbody>
</table>
</div>
<?php else: ?>
    <div class="empty-state">
        <p>No students have been added yet.</p>
        <a href="add_student.php">
            Add the first student
        </a>
    </div>
<?php endif; ?>
</section>
</main>
</body>
</html>
```

Studentdetails.php

```
1  <?php
2
3  session_start();
4
5  include "config.php";
6
7  if (!isset($_SESSION["user_id"])) {
8      header("Location: login.php");
9      exit();
10 }
11
12 if (!isset($_GET["id"])) {
13     header("Location: students.php");
14     exit();
15 }
16
17 $id = intval($_GET["id"]);
18
19 $stmt = $conn->prepare("SELECT * FROM students WHERE id = ?");
20 $stmt->bind_param("i", $id);
21 $stmt->execute();
22
23 $result = $stmt->get_result();
24
25 if ($result->num_rows == 0) {
26     header("Location: students.php");
27     exit();
28 }
29
30 $student = $result->fetch_assoc();
31
32 $stmt->close();
33
34 ?>
35
36 <!DOCTYPE html>
37 <html lang="en">
```

```
36 <!DOCTYPE html>
37 <html lang="en">
38
39 <head>
40
41     <meta charset="UTF-8">
42
43     <meta name="viewport" content="width=device-width, initial-scale=1.0">
44
45     <title>Student Details</title>
46 <link rel="stylesheet" href="style.css">
47 </head>
48
49 <body>
50
51     <body>
52
53 <main class="page-container">
54
55     <div class="page-header">
56
57         <div>
58
59             <h1>Student Details</h1>
60
61             <p>Complete information about this student.</p>
62
63         </div>
64
65         <a href="students.php" class="secondary-button">
66             Back to Students
67         </a>
68
69     </div>
70
71     <div class="details-card">
72
73         <div class="detail-row">
```

```
<div class="detail-row">

    <div class="detail-label">
        Student ID
    </div>

    <div class="detail-value">
        <?php echo htmlspecialchars($student["id"]); ?>
    </div>

</div>

<div class="detail-row">

    <div class="detail-label">
        Name
    </div>

    <div class="detail-value">
        <?php echo htmlspecialchars($student["name"]); ?>
    </div>

</div>

<div class="detail-row">

    <div class="detail-label">
        Email
    </div>

    <div class="detail-value">
        <?php echo htmlspecialchars($student["email"]); ?>
    </div>

</div>

<div class="detail-row">
```

```
</div>

<div class="detail-row">

    <div class="detail-label">
        | Phone
    </div>

    <div class="detail-value">
        | <?php echo htmlspecialchars($student["phone"]); ?>
    </div>

</div>

<div class="detail-row">

    <div class="detail-label">
        | Course
    </div>

    <div class="detail-value">
        | <?php echo htmlspecialchars($student["course"]); ?>
    </div>

</div>

<div class="detail-row">

    <div class="detail-label">
        | Semester
    </div>

    <div class="detail-value">
        | <?php echo htmlspecialchars($student["semester"]); ?>
    </div>

</div>
```

```

        </div>
    </div>

    <div class="detail-row">
        <div class="detail-label">
            Address
        </div>

        <div class="detail-value">
            <?php echo htmlspecialchars($student["address"]); ?>
        </div>
    </div>

    <div class="detail-row">
        <div class="detail-label">
            Registered
        </div>

        <div class="detail-value">
            <?php echo htmlspecialchars($student["created_at"]); ?>
        </div>
    </div>

    <div class="details-actions">
        <a
            href="edit_student.php?id=<?php echo $student["id"]; ?>"
            class="primary-button"
        >
            Edit Student

```

```

        >
            Edit Student
        </a>

        <a
            href="students.php"
            class="secondary-button"
        >
            Back to Students
        </a>
    </div>
</div>

</main>
</body>

</html>

```

Style.css

```
5  ∨ * {
6    |   margin: 0;
7    |   padding: 0;
8    |   box-sizing: border-box;
9    | }
10
11  ∨ body {
12    |   font-family: Arial, sans-serif;
13    |   background: ■ #f4f7fb;
14    |   color: □ #333;
15    |   line-height: 1.6;
16    | }
17
18  ∨ a {
19    |   color: ■ #2563eb;
20    |   text-decoration: none;
21    | }
22
23  ∨ a:hover {
24    |   text-decoration: underline;
25    | }
26
27  ∨ button {
28    |   font-family: inherit;
29    |   cursor: pointer;
30    | }
31
32  input,
33  textarea,
34  ∨ select {
35    |   font-family: inherit;
36    | }
37
```

```

    font-family: inherit;
}

/* =====
AUTH PAGES
LOGIN + REGISTER
===== */

.auth-page {
    min-height: 100vh;
    display: flex;
    justify-content: center;
    align-items: center;
    padding: 20px;
}

.auth-card {
    width: 100%;
    max-width: 430px;
    background: white;
    padding: 35px;
    border-radius: 12px;
    box-shadow: 0 4px 18px rgba(0, 0, 0, 0.08);
}

.auth-card h1 {
    text-align: center;
    color: #2563eb;
    margin-bottom: 8px;
}

.auth-card h2 {
    text-align: center;
    margin-bottom: 25px;
}

```

```
7 .auth-card h2 {
8   margin-bottom: 25px;
9 }
10
11
12 ✓ .auth-card p {
13   color: #666;
14 }
15
16 ✓ .auth-card form {
17   margin-top: 20px;
18 }
19
20 ✓ .auth-card label {
21   display: block;
22   margin-bottom: 6px;
23   font-weight: 600;
24 }
25
26 ✓ .auth-card input {
27   width: 100%;
28   padding: 12px;
29   border: 1px solid #d1d5db;
30   border-radius: 6px;
31   outline: none;
32 }
33
34 ✓ .auth-card input:focus {
35   border-color: #2563eb;
36 }
37
38 ✓ .auth-card button {
39   width: 100%;
40   padding: 12px;
41   border: none;
42   border-radius: 6px;
43   background: #2563eb;
44   color: white;
45   font-size: 16px;
46 }
```

```

    font-size: 10px;
  }

  .auth-card button:hover {
    background: #1d4ed8;
  }

  .auth-link {
    text-align: center;
    margin-top: 20px;
  }

  /* =====
  | MESSAGES
  |===== */

  .message {
    padding: 12px 15px;
    margin: 15px 0;
    border-radius: 6px;
    background: #fff6ff;
    color: #1d4ed8;
    border: 1px solid #bfbdbf;
  }

  /* =====
  | TOP BAR
  |===== */

  .top-bar {
    background: #2563eb;
    color: white;
    padding: 18px 40px;
    display: flex;
    justify-content: space-between;
    align-items: center;
  }

```

```

140 .top-bar {
141     align-items: center;
142 }
143
144
145 .logo {
146     font-size: 20px;
147     font-weight: bold;
148 }
149
150 .user-area {
151     display: flex;
152     align-items: center;
153     gap: 20px;
154 }
155
156 .user-area a {
157     color: white;
158     border: 1px solid white;
159     padding: 7px 14px;
160     border-radius: 5px;
161 }
162
163 .user-area a:hover {
164     background: white;
165     color: #2563eb;
166     text-decoration: none;
167 }
168
169
170 /* =====
171 | MAIN CONTAINER
172 ===== */
173
174 .page-container {
175     width: 90%;
176     max-width: 1100px;
177     margin: 35px auto;
178 }

```

```

7     margin: 55px auto;
8 }
9
10 .page-header {
11     display: flex;
12     justify-content: space-between;
13     align-items: center;
14     margin-bottom: 25px;
15 }
16
17 .page-header h1 {
18     font-size: 30px;
19 }
20
21 .page-header p {
22     color: #666;
23 }
24
25
26 /* =====
27 |  BUTTONS
28 |===== */
29
30 .primary-button,
31 button.primary-button {
32     display: inline-block;
33     background: #2563eb;
34     color: white;
35     padding: 10px 18px;
36     border: none;
37     border-radius: 6px;
38 }
39
40 .primary-button:hover {
41     background: #1d4ed8;
42     text-decoration: none;
43 }

```

```
2     text-decoration: none;
3 }
4
5 .secondary-button {
6     display: inline-block;
7     background: #e5e7eb;
8     color: #333;
9     padding: 10px 18px;
10    border-radius: 6px;
11 }
12
13 .secondary-button:hover {
14     background: #d1d5db;
15     text-decoration: none;
16 }
17
18
19 /* =====
20    FORMS
21    ===== */
22
23 .form-card {
24     background: white;
25     padding: 30px;
26     border-radius: 10px;
27     box-shadow: 0 2px 10px rgba(0, 0, 0, 0.07);
28     max-width: 750px;
29 }
30
31 .form-group {
32     margin-bottom: 18px;
33 }
34
35 .form-group label {
36     display: block;
37     margin-bottom: 7px;
38     font-weight: 600;
39 }
```

```
48     font-weight: 600;
49 }
50
51 .form-group input,
52 .form-group textarea,
53 .form-group select {
54     width: 100%;
55     padding: 11px 12px;
56     border: 1px solid #d1d5db;
57     border-radius: 6px;
58     outline: none;
59 }
60
61 .form-group input:focus,
62 .form-group textarea:focus,
63 .form-group select:focus {
64     border-color: #2563eb;
65 }
66
67 .form-group textarea {
68     min-height: 100px;
69     resize: vertical;
70 }
71
72 .form-actions {
73     display: flex;
74     gap: 10px;
75     margin-top: 25px;
76 }
77
```

```
80 | SEARCH
81 | ===== */
82 |
83 | .search-box {
84 |     background: white;
85 |     padding: 18px;
86 |     border-radius: 8px;
87 |     margin-bottom: 20px;
88 |     box-shadow: 0 2px 7px rgba(0, 0, 0, 0.06);
89 | }
90 |
91 | .search-box form {
92 |     display: flex;
93 |     gap: 10px;
94 | }
95 |
96 | .search-box input {
97 |     flex: 1;
98 |     padding: 10px;
99 |     border: 1px solid #d1d5db;
100 |     border-radius: 6px;
101 | }
102 |
103 | .search-box button {
104 |     padding: 10px 18px;
105 |     background: #2563eb;
106 |     border: none;
107 |     border-radius: 6px;
108 |     color: white;
109 | }
```

```

/* =====
|   TABLE
| ===== */

.table-card {
|   background: #white;
|   padding: 20px;
|   border-radius: 10px;
|   box-shadow: 0 2px 8px #rgba(0, 0, 0, 0.07);
|   overflow-x: auto;
| }

table {
|   width: 100%;
|   border-collapse: collapse;
| }

th,
td {
|   padding: 13px;
|   text-align: left;
|   border-bottom: 1px solid #eee;
| }

th {
|   background: #f8fafc;
|   font-weight: 600;
| }

tr:hover {
|   background: #f9fafb;
| }

.action-links {
|   white-space: nowrap;
| }

.action-links a {

```

```

    .action-links a {
      margin-right: 8px;
    }

    .delete-link {
      color: #dc2626;
    }

    /* =====
    STUDENT DETAILS
    ===== */

    .details-card {
      background: white;
      padding: 30px;
      max-width: 750px;
      border-radius: 10px;
      box-shadow: 0 2px 10px rgba(0, 0, 0, 0.07);
    }

    .detail-row {
      display: flex;
      padding: 14px 0;
      border-bottom: 1px solid #eee;
    }

    .detail-label {
      width: 180px;
      font-weight: bold;
      color: #555;
    }

    .detail-value {
      flex: 1;
    }

    .details-actions {

```

```
86  ∨ .details-actions {
87    margin-top: 25px;
88    display: flex;
89    gap: 10px;
90  }
91
92
93  /* =====
94  |   EMPTY STATE
95  ===== */
96
97  .empty-state {
98    background: white;
99    padding: 40px;
100   text-align: center;
101   border-radius: 10px;
102   color: #666;
103 }
104
105
106 /* =====
107 |   RESPONSIVE
108 ===== */
109
110 @media (max-width: 768px) {
111
112   .top-bar {
113     padding: 15px 20px;
114     flex-direction: column;
115     gap: 12px;
116   }
117
118   .user-area {
119     flex-direction: column;
120     gap: 8px;
121   }
122
123   .page-header {
124     flex-direction: column;
```

```
flex-direction: column;
align-items: flex-start;
gap: 15px;
}

.search-box form {
flex-direction: column;
}

.detail-row {
flex-direction: column;
gap: 5px;
}

.detail-label {
width: auto;
}

.form-actions,
.details-actions {
flex-direction: column;
}

.stats-grid {
grid-template-columns: 1fr;
}
```

```

    }
    /* =====
    |   LOADING INDICATOR
    |   ===== */

    .loading-overlay {
        display: none;
        position: fixed;
        inset: 0;
        background: rgba(255, 255, 255, 0.85);
        justify-content: center;
        align-items: center;
        z-index: 9999;
    }

    .loading-box {
        background: white;
        padding: 25px 35px;
        border-radius: 10px;
        box-shadow: 0 3px 15px rgba(0, 0, 0, 0.15);
        text-align: center;
    }

    .spinner {
        width: 35px;
        height: 35px;
        border: 4px solid #e5e7eb;
        border-top: 4px solid #2563eb;
        border-radius: 50%;
        animation: spin 0.8s linear infinite;
        margin: 0 auto 12px;
    }

    @keyframes spin {
        to {
            transform: rotate(360deg);
        }
    }
}

```

Javascript

```

document.addEventListener("DOMContentLoaded", function () {

    const forms = document.querySelectorAll("form");

    const loadingOverlay = document.querySelector(".loading-overlay");

    if (!loadingOverlay) {
        return;
    }

    forms.forEach(function (form) {

        form.addEventListener("submit", function () {

            loadingOverlay.style.display = "flex";

        });

    });

});

```

```

99 .pagination {
100     display: flex;
101     justify-content: center;
102     gap: 7px;
103     margin-top: 25px;
104 }
105
106 .pagination a {
107     padding: 8px 13px;
108     background: white;
109     border: 1px solid #ddd;
110     border-radius: 5px;
111 }
112
113 .pagination a:hover,
114 .pagination a.active {
115     background: #2563eb;
116     color: white;
117     text-decoration: none;
118 }

```

Sql

```
1 CREATE TABLE users (  
2     id INT AUTO_INCREMENT PRIMARY KEY,  
3     name VARCHAR(100) NOT NULL,  
4     email VARCHAR(100) NOT NULL UNIQUE,  
5     password VARCHAR(255) NOT NULL,  
6     role VARCHAR(20) DEFAULT 'User',  
7     created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP  
8 );|
```

```
1 CREATE TABLE students (  
2     id INT AUTO_INCREMENT PRIMARY KEY,  
3     name VARCHAR(100) NOT NULL,  
4     email VARCHAR(100) NOT NULL,  
5     phone VARCHAR(20),  
6     course VARCHAR(100),  
7     semester INT,  
8     address VARCHAR(255),  
9     created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP  
10 );|
```

Student Management System

Create Account

Name

Email

Password

Register

Already have an account? [Login here](#)

Student Management System

Create Account

This email is already registered.

Name

sana

Email

sana@gmail.com

Password

.....|

Register

Already have an account? [Login here](#)

Student Management System

Login

Registration successful! You can now login.

Email

Password

Login

Don't have an account? [Register here](#)

Student Management System

Welcome, sanal

Role: User

Dashboard

Total Students

1

Recent Registrations

Name	Email	Course	Registered
Ali Khan	ali@gmail.com	bscs	2026-08-21 10:30:14

[Add Student](#)

[Logout](#)

Student Management System

Welcome, sanaDashboardLogout

Add Student

Add a new student to the system.

Student Name *

qirat

Email *

qirat@gmail.com

Enter a valid email address.

Phone

0333378645709

Course *

bscs

Semester

6

Enter a semester between 1 and 12.

Address

View Students

Student Name *

qirat

Email *

qirat@gmail.com

Enter a valid email address.

Phone

0333378645709

Course *

bscs

Semester

6

Enter a semester between 1 and 12.

Address

karachi

Add Student

Cancel

Students

View and manage student records.

+ Add Student

Search by name, email or course...

Search

Clear

ID	Name	Email	Phone	Course	Semester	Actions
2	qirat	qirat@gmail.com	0333378645709	bscs	6	View Edit Delete
1	Ali Khan	ali@gmail.com	03081290767	bscs	7	View Edit Delete

Students

View and manage student records.

localhost says
Are you sure you want to delete this student?

OK

Cancel

+ Add Student

Search by name, email or course...

Search

Clear

ID	Name	Email	Phone	Course	Semester	Actions
2	qirat	qirat@gmail.com	0333378645709	bcs	6	View Edit Delete
1	Ali Khan	ali@gmail.com	03081290767	bcs	7	View Edit Delete

Students

View and manage student records.

+ Add Student

Search by name, email or course...

Search

Clear

ID	Name	Email	Phone	Course	Semester	Actions
1	Ali Khan	ali@gmail.com	03081290767	bcs	7	View Edit Delete

Edit Student

Update the student's information.

Back to Students

Student Name *

Ali Khan

Email *

ali@gmail.com

Phone

03081290767

Course *

bsa

Semester

9

Address

karachi

bsai|

Semester

9

Address

karachi

Update Student

Cancel

Students

View and manage student records.

[+ Add Student](#)[Search](#)[Clear](#)

ID	Name	Email	Phone	Course	Semester	Actions
1	Ali Khan	ali@gmail.com	03081290767	bsai	9	View Edit Delete

6. Conclusion

This task successfully resulted in a working, full-stack Student Management System built with PHP and MySQL, covering authentication, session-based access control, and complete CRUD functionality for student records. The project demonstrates an understanding of server-side validation, secure password handling, prepared statements, and building a data-driven dashboard and paginated, searchable listing pages.

Compared to the earlier static portfolio project, this task represents a step up in complexity — moving from purely front-end pages to a database-backed application with real user accounts and persistent records. The system provides a solid foundation that could be extended further with role-based permissions for Admin and User accounts, additional reporting on the dashboard, and refinements to the loading and validation experience.