Question 4

```
START
Function getValidDays()
    days ← 0
    while days<1 OR days>7
        days ←input.
    End While.
    Return days.
End function.
Function CalculateDailySales (dayNumbers)
    declare customer.
    set total ← 0
    set hod ← 0
    set avg ← 0
    customer ← input.
    Declare arr[customer]
    for i=0 to customer-1
        arr[i] ← input.
    End for.
    for i=0 to customer-1
        total ← total + arr[i]
        if arr[i] > hod
            hod = arr[i]
        End if.
    End for
```

Scanned with CamScanner

```
    avg = total / customer
    print dayNumber, total, avg, hod
    Return total.
End function
~~Function findHighestSalary~~
Function findHighestSalesDay (dailySales, numberOfDays)
  sethod ← 0
  for i = 1 to numberOfDays - 1
    if dailysales[i] > daily sales [hod]
      hod = i
    Endif.
  End for.
  Return hod+1
End function.
Function displayBarChart (dailySales, numberOfDays)
  for i = 0 to numberOfDays-1
    for j = 0 to (dailySales(i) /100)-1
      print *
    End for.
    print alin
  End for.
End function.
Main
  Delare days
```

Delare total ← 0
Set days ← getValidDays()
Delare dailySales(days)
For i 20 to days-1
dailySales[i] = CalaulateDailySales(i+1)
total = total + dailySales(i)
End for
Delare hd
Set hd ← findHighestSalesDay(dailySales, days)
print total, hd
Call displayBarChart(dailySales, days)
STOP

Input:
- Number of days
- Number of customers
- Price of each order

output:
- Total sales per day
- average sales per customer per day
- highest order per day
- Total overall sales
- Day with highest sales.
- Bar chart.

Scanned with CamScanner