

A PROJECT REPORT

ON

BOOKMATE

SUBMITTED IN PARTIAL FULFILLMENT OF THE REQUIREMENT FOR THE DEGREE

BACHELOR OF COMPUTER APPLICATION (BCA)

SUBMITTED BY

KANCHAN SINGH

ANNU PANDEY

MUSKAN SHAIKH

SONALI MAURYA

FATIMA SHAIKH

UNDER THE GUIDANCE OF

MRS. MANASI GHULE

MS. VAIDEHI RAVAL



JANSEVA SAMITI SANCHALIT

SHRI. M. D. SHAH MAHILA COLLEGE OF ARTS AND COMMERCE (Autonomous)

(AFFILIATED COLLEGE TO S.N.D.T WOMEN'S UNIVERSITY)

B.J. PATEL ROAD MALAD (WEST)

MUMBAI-400064

2025-2026

A PROJECT REPORT

ON

BOOKMATE

SUBMITTED IN PARTIAL FULFILLMENT OF THE REQUIREMENT FOR THE DEGREE
BACHELOR OF COMPUTER APPLICATION (BCA)

SUBMITTED BY

KANCHAN SINGH

ANNU PANDEY

MUSKAN SHAIKH

SONALI MAURYA

FATIMA SHAIKH

UNDER THE GUIDANCE OF

MRS. MANASI GHULE

MS. VAIDEHI RAVAL



JANSEVA SAMITI SANCHALIT

SHRI. M. D. SHAH MAHILA COLLEGE OF ARTS AND COMMERCE (Autonomous)

(AFFILIATED COLLEGE TO S.N.D.T WOMEN'S UNIVERSITY)

B.J. PATEL ROAD MALAD (WEST)

MUMBAI-400064

2025-2026

DECLARATION

We Ms. Kanchan Singh, Ms. Annu Pandey, Ms. Muskan Shaikh, Ms. Sonali Maurya, Ms. Fatima Shaikh students of Bachelor of Computer Applications (BCA) Semester VI (2025-2026), hereby declare that the Project Report submitted to Shri M. D. Shah Mahila College has been entirely developed by us to fulfill the requirements of the final year project.

We affirm that this project has been completed within the specified time frame. The information provided by us is true and original to the best of our knowledge.

Kanchan Singh - _____

Annu Pandey - _____

Muskan Shaikh - _____

Sonali Maurya - _____

Fatima Shaikh - _____

ACKNOWLEDGEMENT

We started this project as a part of the curriculum of B.C.A. which was assigned to us by "SHRI M.D. SHAH MAHILA COLLEGE". It was very exciting for us to work on our project "BOOKMATE".

We would like to express our sincere gratitude to everyone who contributed to the success of our project.

First, we extend our heartfelt thanks to SHRI M.D. SHAH MAHILA COLLEGE for providing us with the necessary resources and a conducive learning environment, which greatly aided the development of our project.

Our deepest appreciation goes to our esteemed faculty members, especially Mrs. Manasi Ghule, Ms. Vaidehi Raval whose guidance, feedback, and support were invaluable throughout the process. Their expertise and encouragement were crucial in shaping our work.

We are also thankful to Principal Dr. Deepa Sharma and the College Management for their ongoing support and the facilities provided to us.

A special thanks to our families, especially Mr. Ram Prajapati for their constant love, support, and practical help, which made this project possible.

Finally, we would like to thank our friends for their positive criticism and encouragement, which kept us motivated and helped us refine our work.

Thank you to all who played a part in this project—your contributions have been truly appreciated.

College Certificate

Client Certificate

INDEX

SR NO.	CONTENT	PAGE NO.
1	Synopsis	
2	Software development life cycle (SDLC)	
3	System Planning: 3.1 Gantt chart	
4	System Analysis: 4.1 Requirement gathering 4.2 Software Model (waterfall) 4.3 Feasibility study 4.4 Tool & technology 4.5 Software specification	
5	System Design 5.1 Decomposition Diagram 5.2 Flow Chart 5.3 Entity-Relationship (ER Diagram) 5.4 Database Schema 5.5 ScreenShot of UI	
6	System Coding 6.1 Code 6.2 Validation code	
7	System Testing (Quality Assurance) 7.1 Description about Quality Assurance 7.2 Screenshot of Testing	

SR NO.	CONTENT	PAGE NO.
8	Implementation 8.1 Installation Steps 8.2 User Guide	
9	Conclusion	
10	Future Enhancement	
11	References and Bibliography	

Project Synopsis

1. About Us

1.1 Project Name

BOOKMATE – Online Library Management System

1.2 Team Members

Name: Kanchan Singh

Roll No: 50

Division: B

Name: Annu Pandey

Roll No: 30

Division: B

Name: Muskan Shaikh

Roll No: 42

Division: B

Name: Sonali Maurya

Roll No: 63

Division: B

Name: Fatima Shaikh

Roll No: 40

Division: B

2. Project Introduction

2.1 Client Details

The client for this project is the owner of **Star Library** who runs a medium-scale library. The library shop owner maintains records of books, customers, and book issue and return details. Currently, most of the work is done **manually** using registers, which is time-consuming and difficult to manage.

Due to manual record keeping, there are chances of **errors, loss of data, and difficulty in searching book details**. The Library Management System is developed to help the library shop owner **computerize daily operations**, maintain accurate records, and manage books and customers efficiently.

BookMate is developed to **computerize library operations**, making data management faster, more accurate, and secure.

2.2 Objective of the Project

- To automate library management processes
- To reduce paperwork and manual effort
- To maintain accurate records of books and students
- To manage book loans efficiently
- To provide secure login and profile management
- To improve overall efficiency and service quality

2.3 Comparison (Existing System v/s Proposed System)

Existing System (Manual):

- Uses registers and files
- Time-consuming book search
- High chances of errors and data loss
- Difficult to maintain issue/return history

Proposed System (BookMate):

- **Web-based application** – The system is developed as a web-based application and is accessed through a web browser, allowing the administrator to manage library operations without installing any software.
- **Fast search and retrieval** – The system provides quick search and retrieval of records using database queries, reducing the time required to find book or student information.
- **Secure and reliable data storage** – User authentication and controlled access help protect data, while the database ensures reliable and secure storage of information.
- **Easy management of records** – The system simplifies adding, updating, deleting, and viewing records through a user-friendly interface, reducing manual effort and errors.

2.4 Scope & Features

1. Admin Module

- Secure admin login

- Dashboard showing:
 - Total registered users
 - Total books availables
 - Book categories
 - Authors
 - Issued and not returned books
- Manages administrator profile and password

2. Books Management

- Add new books to the system
- Update and delete book details
- Track book availability status

3. Category & Author Management

- Add, update, and delete book categories
- Manage author details
- Link books with categories and authors

4. User (Student) Management

- User registration and login
- View issued books

- View books not returned
- Access personal dashboard

5. Book Issue & Return Management

- Issue books to registered users
- Track issued books
- Maintain return status
- Identify books not returned

6. Transaction & History Management

- Maintains complete history of book issue and return
- Displays transaction details for admin reference

7. Secure Authentication

- Separate login for admin and users
- Session-based authentication
- Logout functionality

3. Technology Specification

3.1 Frontend Technology

- **HTML** – Used to structure web pages
- **CSS** – Used for styling and layout design
- **Bootstrap** – Used for responsive and user-friendly UI design
- **JavaScript** – Used to add interactivity and dynamic behavior to web pages

3.2 Backend Technology

- **PHP** – Used for server-side scripting, business logic, and database interaction

3.3 Database Details

- **MySQL** – Used to store and manage library data such as books, students, loans, authors, and categories

4. System Requirements

4.1 Hardware Requirements

- **RAM:** Minimum 4 GB
- **Hard Disk:** 100 GB or above
- **Processor:** Intel i3 or above

4.2 Software Requirements

- **Operating System:** Windows / Linux


- **Web Server:** XAMPP / WAMP
- **Database Server:** MySQL
- **Code Editor:** Visual Studio Code
- **Web Browser:** Google Chrome / Firefox

5. Beneficiary

- The system helps the **library shop owner** to manage book records easily.
- It reduces **manual work and paperwork**.
- Searching and issuing books becomes **faster and accurate**.
- It helps in maintaining **proper issue and return history**.
- The system reduces chances of **data loss and human errors**.
- It saves **time and effort** of the library staff.
- Customer satisfaction is improved due to **quick service**.
- The system is **simple, user-friendly, and easy to maintain**.

2. SOFTWARE DEVELOPMENT LIFE CYCLE

Software development life cycle (SDLC) is a structured process that is used to design, develop, and test good-quality software. SDLC, or software development life cycle, is a methodology that defines the entire procedure of software development step-by-step.



The goal of the SDLC life cycle model is to deliver high-quality, maintainable software that meets the user's requirements. SDLC in software engineering models outlines the plan for each stage so that each stage of the software development model can perform its task efficiently to deliver the software at a low cost within a given time frame that meets users' requirements.

SDLC specifies the task(s) to be performed at various stages by a software engineer or developer. It ensures that the end product is able to meet the customer's expectations and fits within the overall budget.

The SDLC model involves six phases or stages while developing any software. SDLC is a collection of these six stages, and the stages of SDLC are as follows:

Stage-1: Planning and Requirement Analysis

Planning is a crucial step in everything, just as in software development. In this same stage, requirement analysis is also performed by the developers of the organization. This is obtained from customer inputs, and sales department/market surveys.

The information from this analysis forms the building blocks of a basic project. The quality of the project is a result of planning. Thus, in this stage, the basic project is designed with all the available information.

Stage-2: Defining Requirements

In this stage, all the requirements for the target software are specified. These requirements get approval from customers, market analysts, and stakeholders. This is fulfilled by utilizing SRS (Software Requirement Specification). This is a sort of document that specifies all those things that need to be defined and created during the entire project cycle.

Stage-3: Designing Architecture

SRS is a reference for software designers to come up with the best architecture for the software. Hence, with the requirements defined in SRS, multiple designs for the product architecture are present in the Design Document Specification (DDS).

This DDS is assessed by market analysts and stakeholders. After evaluating all the possible factors, the most practical and logical design is chosen for development.

Stage-4: Developing Product

At this stage, the fundamental development of the product starts. For this, developers use a specific programming code as per the design in the DDS.

Hence, it is important for the coders to follow the protocols set by the association. Conventional programming tools like compilers, interpreters, debuggers, etc. are also put into use at this stage. Some popular languages like C/C++, Python, Java, etc. are put into use as per the software regulations.

Stage-5: Product Testing and Integration

After the development of the product, testing of the software is necessary to ensure its smooth execution. Although, minimal testing is conducted at every stage of SDLC. Therefore, at this stage, all the probable flaws are tracked, fixed, and retested. This ensures that the product confronts the quality requirements of SRS.

Stage-6: Deployment and Maintenance of Products

After detailed testing, the conclusive product is released in phases as per the organization's strategy. Then it is tested in a real industrial environment. It is important to ensure its smooth performance. If it performs well, the organization sends out the product as a whole. After retrieving beneficial feedback, the company releases it as it is or with auxiliary improvements to make it further helpful for the customers. The cycle doesn't end at deployment. Software must be maintained to remain useful.

3. SYSTEM PLANNING

System Planning is the initial and important phase of the project development process. In this phase, the overall plan for developing the system is prepared. It defines what work will be done, how it will be done, and within what time frame.

For the *BookMate – Online Library Management System*, system planning helps in identifying the project objectives, required resources, and major activities involved in developing the system. It also helps in proper scheduling of tasks so that the project is completed on time.


This phase includes:

- Identifying project goals and scope
- Dividing the project into smaller tasks
- Estimating time required for each activity
- Planning the sequence of activities
- Preparing a Gantt Chart to represent the project schedule

System planning ensures effective utilization of time and resources and reduces the risk of delays or failure during project development.

3.1 Gantt Chart

Project Gantt Chart



Preliminary Phase

This phase involves understanding the basic idea of the project and identifying the problem to be solved. Initial discussion and rough planning of the Library Management System are done.

Project Search

In this phase, similar existing systems and project ideas are studied. References, previous projects, and online resources are analyzed to finalize the project concept.

Requirement Analysis

This phase focuses on identifying the functional and non-functional requirements of the system. User needs such as book issue, return, and record management are clearly defined.

System Analysis

The overall working of the system is analyzed in detail. Inputs, outputs, processes, and system behavior are studied to understand how the software will function.

Information Gathering

Relevant information is collected from the library owner and other sources. This helps in understanding real-world library operations and user expectations.

Data Modeling

In this phase, data requirements are identified and structured. Entities like books, members, and transactions are defined along with their relationships.

System Design

The system architecture and design are prepared. This includes database design, module structure, and overall system layout.

Design Building

Detailed designs such as diagrams, screen layouts, and interface structures are created. This helps in visualizing the system before coding starts.

Chart & Diagram Preparation

Various diagrams like flowcharts, decomposition diagrams, and Gantt charts are prepared. These diagrams help in explaining system functionality clearly.

System Coding

Actual coding of the project is done in this phase. All modules of the Library Management System are developed using selected tools and technologies.

Testing

The developed system is tested to identify and fix errors. This ensures that the system works correctly and meets the specified requirements.

Implementation

The tested system is deployed for use. The system is made ready for real-time operation in the library environment.

Submission

Final documentation, project report, and source code are compiled. The project is submitted as per college guidelines.

4. SYSTEM ANALYSIS

4.1 Requirement Gathering


For the **BookMate – Online Library Management System**, requirements were gathered from the **owner of Star Library Shop** through personal interaction and observation of day-to-day library operations.

The owner of **Star Library Shop** required the system to:

1. Maintain proper records of **books, authors, and categories**.
2. Provide a **secure login system** for the library owner/admin.
3. Allow easy **addition, updating, and deletion of book details**.
4. Manage **customer/member information** efficiently.
5. Support **issue and return of books** with date and record tracking.
6. Display **real-time availability status** of books.
7. Reduce **manual register work and paperwork**.
8. Provide **fast searching of books**.
9. Offer a **simple and user-friendly interface** for easy operation.

4.2 Software Model

In this project we chose **Waterfall model** for our Library Management System because it's simple, clear, and works best when the requirements are already well-defined. The main features of a library—like adding books, registering users, issuing and returning books—don't change much, so a step-by-step approach makes sense. With Waterfall, we can plan everything in detail, design carefully, and then build and test each part one after the other without much confusion.



The **Waterfall model** is one of the oldest and most widely used approaches in the Software Development Life Cycle (SDLC). It is called “waterfall” because the process flows step by step in a linear order, like water cascading down. Each phase must be completed before the next begins, with little overlap. The Waterfall model is a **sequential development process** with phases such as requirements, design, implementation, testing, deployment, and maintenance.

Phases Of Waterfall Model

1.Requirement

The **requirement phase** in the Waterfall model is the very first step of the Software Development Life Cycle (SDLC). In this phase, all the needs of the system are gathered, analyzed, and documented in detail before any design or coding begins. Stakeholders such as clients, users, and analysts work together to define what the system should do, including both **functional requirements** (like features and operations) and **nonfunctional requirements** (like performance, security, or usability).

The main goal of this phase is to create a clear and complete Software Requirement Specification (SRS) document, which acts as the foundation for the entire project.

2.Design

The **design phase** is where the ideas and requirements collected earlier are turned into a detailed plan for how the website will look and function. This includes creating the **site architecture** (page structure and navigation flow), designing the **user interface** (layouts, colours, typography, and interactive elements), and preparing the **database schema** if the site needs to store user or content data.

3.Development

The development phase is where the actual coding begins. Based on the design documents, developers build the website's front-end (user interface) and back-end (server logic, database connections). Each module is implemented according to the specifications, and programmers use appropriate languages and frameworks (like HTML, CSS, JavaScript for the front-end, and PHP for the back-end).

4. Testing

The **testing phase** comes after development and in this stage, testers check each module and feature against the requirements to find and fix errors.

Different types of testing are performed, such as: Unit testing, Integration testing, System testing, User acceptance testing (UAT).

5. Deployment

The **deployment phase** is when the fully tested website is released into the live environment so users can access it. This involves setting up the production server, configuring the database, and ensuring all files and code are properly installed.

6. Maintenance

This includes fixing bugs that appear after users start interacting with the site, applying security patches to protect against threats, and updating content or features as needed. Maintenance also involves monitoring performance, optimizing speed, and ensuring compatibility with new browsers or devices.

4.3 Feasibility Study

A feasibility study is an important step in system analysis. It helps to determine whether the proposed system is practical, workable, and suitable for the client before actual development begins. The feasibility study ensures that the system can be successfully developed, implemented, and used without major difficulties.

For the **BookMate – Library Management System**, a detailed feasibility study was conducted based on the requirements provided by the **owner of Star Library Shop**. The study mainly focuses on **technical feasibility, functional feasibility, and system feasibility**.

4.3.1 Technical Feasibility

Technical feasibility examines whether the required hardware, software, and technical resources are available to develop and run the system efficiently.

The **BookMate system** is technically feasible because it is developed using widely used and well-supported technologies such as **PHP, MySQL, HTML, CSS, JavaScript, Bootstrap, and XAMPP**. These technologies are open-source, reliable, and easily available.

The owner of **Star Library Shop** already has access to a basic computer system with sufficient configuration such as:

- A standard processor
- Adequate RAM

- Hard disk storage
- Internet connectivity

No advanced or specialized hardware is required to operate the system.

The software requirements are also minimal. The system can run on commonly available operating systems such as **Windows or Linux**. Tools like **XAMPP** provide an easy environment to run the web server and database without complex setup.

The development tools used are beginner-friendly and well-documented, which reduces technical risk. Database connectivity using MySQL is stable and secure, making data storage and retrieval efficient.

Hence, from a technical point of view, the development and implementation of the **BookMate Library Management System** is completely feasible and does not face any major technical constraints.

4.3.2 Functional Feasibility

Functional feasibility analyzes whether the proposed system can fulfill all the functional requirements of the client effectively.

The **owner of Star Library Shop** requires a system that can handle daily library operations such as:

- Managing book records
- Maintaining author and category details
- Registering members
- Issuing and returning books
- Tracking available and issued books

The **BookMate system** successfully meets all these functional requirements.

The system provides a **secure login mechanism** to ensure that only authorized users can access the system. It allows the owner to add, update, and delete book information easily. Member details can be stored and managed efficiently without maintaining physical registers.

The issue and return functionality ensures accurate tracking of books along with issue dates and return dates. This reduces confusion and prevents loss of records.

The system also provides quick search features, which help the owner find book details instantly. This improves service quality and saves time.

All functions of the system are designed in a logical and systematic manner, ensuring smooth workflow and accurate results. The system reduces manual effort, minimizes errors, and improves overall productivity.

Therefore, the **BookMate system is functionally feasible** and fulfills all operational needs of the **Star Library Shop**.

4.3.3 System Feasibility

System feasibility determines whether the proposed system can be smoothly integrated into the existing working environment and accepted by users.

The **BookMate system** is designed to replace the traditional manual system used in the Star Library Shop. The system does not require major changes to existing workflows, making adoption easy for the owner and staff.

The interface of the system is **simple, user-friendly, and easy to understand**, even for users with basic computer knowledge. Minimal training is required to operate the system effectively.

The system ensures proper data storage, security, and backup through the use of a

centralized database. This makes record management more reliable compared to manual registers.

The system is scalable, meaning new features such as fine calculation, online book search, or report generation can be added in the future if required.

The implementation of the system improves accuracy, efficiency, and reliability of library operations, making it suitable for long-term use.

Hence, the **BookMate Library Management System** is **system feasible** and can be successfully implemented and maintained in the **Star Library Shop** environment.

4.4 Technology Used

This section describes the technologies, tools, and platforms used in the development of the **BookMate – Library Management System** for **Star Library Shop**.

The selected technologies are reliable, open-source, and suitable for small to medium-scale library management systems.

4.5.1 Programming and Scripting Languages Used (with Versions)

1. PHP (Hypertext Preprocessor) – Version 7.4

PHP is a server-side scripting language used to develop dynamic web applications.

In the BookMate system, PHP handles:

- User authentication
- Database connection with MySQL
- Processing forms

- Managing book issue and return logic

PHP 7.4 is stable, widely supported, and compatible with modern MySQL versions. It allows fast development and ensures smooth backend operations.

2. HTML (HyperText Markup Language) – Version 5

HTML5 is used to create the structure of web pages. It helps in designing:

- Forms
- Tables
- Buttons
- Page layouts

HTML5 provides better multimedia support, semantic elements, and ensures a clean, structured interface for BookMate.

3. CSS (Cascading Style Sheets) – Version 3

CSS3 is used to improve the visual appearance of the system. It manages:

- Layouts
- Colors and fonts
- Spacing and alignment

CSS3 allows a responsive, attractive, and user-friendly interface suitable for the library staff.

4. JavaScript – ES6 (ECMAScript 2015)

JavaScript ES6 adds interactivity to the web pages. In BookMate, it handles:

- Form validation
- Alerts and confirmations

- Dynamic content updates

Client-side validation reduces server load and improves the responsiveness of the system.

5. MySQL – Version 8.0

MySQL 8.0 is the relational database used to store library data such as books, members, and transactions. It provides:

- Fast data retrieval
- Secure storage
- Reliable relationship management between tables

MySQL ensures efficient and accurate data handling for all library operations.

4.5.2 Minimum Hardware Requirements

The BookMate system is lightweight. The minimum hardware required includes:

- Processor: Intel Pentium / Core i3 or higher
- RAM: 4 GB or above
- Hard Disk: 20 GB free space
- Input Devices: Keyboard, Mouse
- Output Device: Monitor
- Internet Connection (optional)

These requirements ensure smooth operation for small libraries like Star Library Shop.

4.5.3 Integrated Development Environment (IDE) – Visual Studio Code

(v1.80)

VS Code is a lightweight, versatile, and powerful code editor used to develop the BookMate system.

Features used:

- Syntax highlighting and formatting
- PHP, HTML, CSS, JavaScript extensions
- Integrated terminal for running scripts
- Fast debugging and error detection
- Project file management

VS Code v1.80 provided all tools needed for efficient development of the BookMate system.

4.5.4 Advantages of Selected Technologies

- Open-source and cost-effective
- Easy to learn and implement
- Reliable database support
- Suitable for small and medium-scale systems
- Strong community support for troubleshooting

These advantages contributed to smooth project development and system reliability.

4.5.5 Constraints / Limitations

While the technologies used have some limitations, they **did not hinder the development or performance** of the system:

- **PHP 7.4** is not recommended for very large-scale enterprise applications, but

it is sufficient for Star Library Shop.

- **VS Code v1.80** is lighter than full IDEs like PHPStorm, but its extensions met all development requirements.
- **MySQL 8.0** may require optimization for extremely large datasets, but it easily handles the library's current data volume.

These limitations **did not affect the client or the development team**. In fact, the chosen technologies were **efficient, suitable, and sufficient** for building the BOOKMATE LMS.

4.5 Software Specifications

Software specification describes in detail the requirements, features, constraints, and behaviour of the proposed system. It acts as a blueprint for system development and helps in understanding what the software will do and how it will perform.

For the **BookMate – Library Management System**, the software specification is prepared based on the requirements gathered from the **owner of Star Library Shop**. This specification ensures that the system meets user needs and performs efficiently.

Software Requirements

The following software is required to develop, deploy, and host the BookMate – Library Management System:

Development & Local Server Environment

- Operating System: Windows 10 or above / Linux

- Web Server: Apache 2.4 (XAMPP v3.3.0)
- Programming Language: PHP 7.4 or above
- Database: MySQL 8.0 / MariaDB 10.x
- Frontend Technologies: HTML5, CSS3, Bootstrap 5
- Scripting Language: JavaScript (ES6)
- IDE: Visual Studio Code (VS Code v1.80)


Hosting / Deployment Software Requirements

- For hosting the BookMate website on a live server, the following software environment is required:
- Hosting Server: Shared Hosting / Cloud Hosting
- Web Server: Apache
- PHP Support: PHP 7.4 or above enabled on server
- Database Server: MySQL 8.0 or compatible
- FTP Client: FileZilla (for uploading project files)
- Database Management Tool: phpMyAdmin
- Domain Name: For public access

These hosting tools allow the system to be accessed online and ensure proper deployment of the application.


5. SYSTEM DESIGN

5.1 Decomposition Diagram




5.2 Flow Chart


User Flowchart




Admin Flowchart



5.3 Entity-Relationship (ER)





5.4 Database Schema



5.5 SCREENSHORTS OF UI

Home Page



Login Form

The screenshot shows a web browser window with the title 'Online Library Management System'. The address bar shows 'localhost/library/login.php'. The page has a navigation bar with links: HOME, LOGIN, USER SIGNUP, and HELP. The main content area has a dark blue background with a white login form in the center. The form is titled 'LOGIN FORM' and contains the following fields: 'USER ID / STUDENT ID' (text input), 'PASSWORD' (password input with an eye icon), 'LOGIN TYPE' (dropdown menu with 'Student' selected), and a 'LOGIN NOW' button. Below the button, there is a link: 'Not registered? Signup Here'. The Windows taskbar at the bottom shows the date and time as 10:37 AM on 14-03-2026.

Online Library Management System

localhost/library/login.php

Summarize

Chat

Management System

HOME LOGIN USER SIGNUP HELP

LOGIN FORM

USER ID / STUDENT ID

PASSWORD

LOGIN TYPE

Student

LOGIN NOW

Not registered? [Signup Here](#)

29°C Sunny

Search

ENG IN

10:37 AM 14-03-2026

SignUp Page

The screenshot shows a web browser window with the title 'OLMS | User Signup'. The address bar shows 'localhost/library/signup.php'. The page has a navigation bar with links: HOME, LOGIN, USER SIGNUP, and HELP. The main content area has a dark blue background with a white signup form in the center. The form is titled 'USER SIGNUP' and contains the following fields: 'FULL NAME' (text input), 'MOBILE NUMBER' (text input), 'EMAIL ID' (text input), 'PASSWORD' (password input with an eye icon), and 'CONFIRM PASSWORD' (password input with an eye icon). Below the fields, there is a 'REGISTER NOW' button. At the bottom, there is a link: 'Already have an account? Login Here'. The Windows taskbar at the bottom shows the date and time as 10:47 AM on 14-03-2026.

OLMS | User Signup

localhost/library/signup.php

Summarize

Chat

USER SIGNUP

FULL NAME

MOBILE NUMBER

EMAIL ID

PASSWORD

CONFIRM PASSWORD

REGISTER NOW

Already have an account? [Login Here](#)

29°C Sunny

Search

ENG IN

10:47 AM 14-03-2026

User Dashboard

The screenshot shows a web browser window with the address bar displaying 'localhost/library/dashboard.php'. The page has a navigation bar with links: DASHBOARD, EXPLORE BOOKS, MY HISTORY, and MY ACCOUNT. The main content area has a dark orange background with a 'WELCOME TO STUDENT DASHBOARD' message. Below this are three white boxes: '10 BOOKS AVAILABLE', 'Featured HANDPICKED BOOKS', and '0 BOOKS ISSUED'. A 'FEATURED COLLECTION' section follows, displaying three book covers: 'PYTHON PACKAGES' (NEW), 'ASP.NET Core 5 for Beginners' (NEW), and 'C++: The Complete Reference, 4th Edition' (NEW). The browser's taskbar at the bottom shows the system clock as 10:51 AM on 14-03-2026, with a weather widget indicating 29°C and 'Sunny'.

OLMS | Student Dashboard

localhost/library/dashboard.php

DASHBOARD EXPLORE BOOKS MY HISTORY MY ACCOUNT

WELCOME TO **STUDENT DASHBOARD**

10
BOOKS AVAILABLE

Featured
HANDPICKED BOOKS

0
BOOKS ISSUED

FEATURED COLLECTION

NEW PYTHON PACKAGES

NEW ASP.NET Core 5 for Beginners

NEW C++: The Complete Reference, 4th Edition

localhost/library/issued-books.php Python Packages ASP.NET Core 5 for Beginners C++: The Complete Reference, 4th Edition

29°C Sunny Search ENG IN 10:51 AM 14-03-2026

Books Collection

The screenshot shows a web browser window with the address bar displaying 'localhost/library/issued-books.php'. The page has a navigation bar with links: DASHBOARD, EXPLORE BOOKS, MY HISTORY, and MY ACCOUNT. The main content area has a dark orange background with a 'FEATURED COLLECTION' section. This section displays six book covers in a 2x3 grid. The top row includes 'PYTHON PACKAGES' (NEW), 'ASP.NET Core 5 for Beginners' (NEW), and 'C++: The Complete Reference, 4th Edition' (NEW). The bottom row includes 'PHP And MySql programming' (POPULAR), 'WordPress Mastery Guide:' (POPULAR), and 'C++: The Complete Reference, 4th Edition' (POPULAR). Each book cover has a 'VIEW PREVIEW' button below it. The browser's taskbar at the bottom shows the system clock as 10:52 AM on 14-03-2026, with a weather widget indicating 29°C and 'Sunny'.

OLMS | Student Dashboard

localhost/library/issued-books.php

DASHBOARD EXPLORE BOOKS MY HISTORY MY ACCOUNT

FEATURED COLLECTION

NEW PYTHON PACKAGES

NEW ASP.NET Core 5 for Beginners

NEW C++: The Complete Reference, 4th Edition

VIEW PREVIEW

POPULAR PHP And MySql programming

POPULAR WordPress Mastery Guide:

POPULAR C++: The Complete Reference, 4th Edition

VIEW PREVIEW

VIEW PREVIEW

29°C Sunny Search ENG IN 10:52 AM 14-03-2026

Issued Books

OLMS | Issued Books History

localhost/library/issued-books.php

Summarize

Chat

 Online Library Management System

DASHBOARDEXPLORE BOOKSMY HISTORYACCOUNT

YOUR ISSUED BOOKS HISTORY

10 records per page

Search:

#	BOOK INFORMATION	ISBN	ISSUED DATE	RETURN STATUS	FINE (INR)
No data available in table					

Showing 0 to 0 of 0 entries

PreviousNext

© 2026 Online Library Management System | User Dashboard

Listed Books

OLMS | Books Catalog

localhost/library/listed-books.php

Summarize

Chat

 LIBRARY BOOKS CATALOG

10 records per page

Search:

COVER	BOOK INFORMATION	AUTHOR	ISBN	STATUS	ACTION
	ASP.NET Core 5 for Beginners	Kyle Hill	GB5336344563	5 IN STOCK	VIEW
	C++: The Complete Reference, 4th Edition	Herbert Schildt	007053246X	2 IN STOCK	VIEW
	Murach's MySQL	Anuj kumar	9350237695	20 IN STOCK	VIEW
	PHP And MySql programming	Anuj kumar	222333	9 IN STOCK	VIEW
	physics	HC Verma	1111	10 IN STOCK	VIEW
	Python Packages	Tiffany Timbers	0367687771	25 IN STOCK	VIEW
	Rich Dad Poor Dad: What the Rich Teach Their Kids About Money	Robert T.	B07C7M8SX9	5 IN STOCK	VIEW

8.My Profile Page

MY PROFILE

STUDENT INFORMATION

STUDENT ID	MEMBER SINCE	STATUS
SID007	2026-03-14 10:51:00	• Active

Full Name

Angel

Mobile Number

123456789

SAVE PROFILE CHANGES

Change Password

CHANGE PASSWORD

Update Credentials


Current Password

New Password

Confirm New Password

UPDATE PASSWORD

Admin dashboard



Add Category

The screenshot displays the "ADD CATEGORY" form in the OLMS system. The form is titled "CATEGORY DETAILS" and includes the following fields and options:

- Category Name:** A text input field.
- Status:** Radio buttons for "Active" (selected) and "Inactive".
- + CREATE CATEGORY:** A button to submit the form.

The form is set against a background of a library building. The system clock indicates 16:50 on 27-03-2026.

Manage categories

The screenshot shows a web browser window with the address bar displaying 'localhost/library/admin/manage-categories.php'. The page title is 'OLMS | Manage Categories'. The main content area has a dark blue header with the text 'MANAGE CATEGORIES'. Below this is a white box titled 'CATEGORIES LISTING'. Inside this box, there is a dropdown menu set to '10 records per page' and a search input field. The main part of the box contains a table with the following data:

#	CATEGORY	STATUS	CREATION DATE	UPDATION DATE	ACTION
1	Romantic	Active	2025-01-01 12:53:03	2025-01-07 11:49:11	EDIT DELETE
2	Technology	Active	2025-01-01 12:53:03	2025-01-07 11:49:21	EDIT DELETE
3	Science	Active	2025-01-01 12:53:03	2025-01-07 11:49:21	EDIT DELETE
4	Management	Active	2025-01-01 12:53:03	2025-01-07 11:49:21	EDIT DELETE
5	General	Active	2025-01-01 12:53:03	2025-01-07 11:49:21	EDIT DELETE
6	Programming	Active	2025-01-01 12:53:03	2025-01-07 11:49:21	EDIT DELETE

The browser's taskbar at the bottom shows the Windows Start button, a search bar, and various application icons. The system tray on the right indicates the language is 'ENG IN', the date is '24-03-2026', and the time is '12:35'.

Mangae Author

The screenshot shows a web browser window with the address bar displaying 'localhost/library/admin/manage-authors.php'. The page title is 'OLMS | Manage Authors'. The main content area has a dark blue header with the text 'MANAGE AUTHORS'. Below this is a white box titled 'AUTHORS LISTING'. Inside this box, there is a dropdown menu set to '10 records per page' and a search input field. The main part of the box contains a table with the following data:

#	AUTHOR NAME	CREATION DATE	UPDATION DATE	ACTION
1	Anuj kumar	2024-01-01 02:53:03	2025-01-07 11:48:43	EDIT DELETE
2	Chetan Bhagatt	2024-01-01 02:53:03	2025-01-07 11:48:50	EDIT DELETE
3	Anita Desai	2024-01-01 02:53:03	2025-01-07 11:48:50	EDIT DELETE
4	HC Verma	2024-01-01 02:53:03	2025-01-07 11:48:50	EDIT DELETE
5	R.D. Sharma	2024-01-01 02:53:03	2025-01-07 11:48:50	EDIT DELETE
6	fwdfwrer	2024-01-01 02:53:03	2025-01-07 11:48:50	EDIT DELETE

The browser's taskbar at the bottom shows the Windows Start button, a search bar, and various application icons. The system tray on the right indicates the language is 'ENG IN', the date is '24-03-2026', and the time is '12:37'.

Manage registered students

OLMS | Manage Registered Student

localhost/library/admin/reg-students.php

MANAGE REGISTERED STUDENTS

STUDENT LISTINGS

10 records per page

Search:

#	Student ID	Student Name	Mobile Number	Reg Date	Status	Action
1	SID002	Anuj kumar	9865472555	2024-01-03 12:53:03	Active	<button>BLOCK</button> <button>HISTORY</button>
2	SID005	sdfsdf	8569710025	2024-01-03 12:53:03	Active	<button>BLOCK</button> <button>HISTORY</button>
3	SID009	test	2359874527	2024-01-03 12:53:03	Active	<button>BLOCK</button> <button>HISTORY</button>
4	SID010	Amit	8585856224	2024-01-03 12:53:03	Active	<button>BLOCK</button> <button>HISTORY</button>
5	SID011	Sarita Pandey	4672423754	2024-01-03 12:53:03	Active	<button>BLOCK</button> <button>HISTORY</button>
6	SID012	John Doe	1234569870	2024-01-03 12:53:03	Active	<button>BLOCK</button> <button>HISTORY</button>

Showing 1 to 6 of 6 entries

Previous 1 Next

High UV Now

Search

ENG IN

27-03-2026

Manage Issued book

OLMS | Manage Issued Books

localhost/library/admin/manage-issued-books.php

MANAGE ISSUED BOOKS

MASTER ISSUE RECORDS

10 records per page

Search:

#	Student Name	Book Name	Issued Date	Return Date	Fine (INR)	Action
1	Anuj kumar	PHP And MySql programming	2025-01-14 11:32:14	2025-01-14 11:33:36	₹0	<button>UNDO</button> <button>EDIT</button>
2	Amit	PHP And MySql programming	2025-01-14 11:25:39	NOT RETURNED	---	<button>RETURN</button> <button>EDIT</button>
3	Amit	WordPress Mastery Guide:	2025-01-14 11:25:25	NOT RETURNED	---	<button>RETURN</button> <button>EDIT</button>
4	Anuj kumar	PHP And MySql programming	2025-01-13 16:42:40	2025-01-14 11:30:56	₹0	<button>UNDO</button> <button>EDIT</button>

Showing 1 to 4 of 4 entries

Previous 1 Next

Hot days ahead 35°C

Search

ENG IN

24-03-2026

Update credentials

The screenshot shows the 'Update Credentials' page of the Online Library Management System. The page has a yellow header with navigation links: DASHBOARD, CATEGORIES, AUTHORS, BOOKS, ISSUE BOOKS, REG STUDENTS, and a CHANGE PASSWORD button. The main content area is white and contains a form with three input fields: CURRENT PASSWORD, NEW PASSWORD, and CONFIRM PASSWORD. Each field has a toggle icon for password visibility. Below the fields is a large orange button labeled 'UPDATE PASSWORD'. The browser's address bar shows 'localhost/library/admin/change-password.php'. The Windows taskbar at the bottom shows the date as 27-03-2026 and the time as 16:53.

Online Library Management System

DASHBOARD CATEGORIES AUTHORS BOOKS ISSUE BOOKS REG STUDENTS CHANGE PASSWORD

LOG OUT

UPDATE CREDENTIALS

CURRENT PASSWORD

NEW PASSWORD

CONFIRM PASSWORD

UPDATE PASSWORD

Advanced inventory manager

The screenshot shows the 'Advanced Inventory Manager' page of the Online Library Management System. The page has a yellow header with navigation links: DASHBOARD, CATEGORIES, AUTHORS, BOOKS, ISSUE BOOKS, REG STUDENTS, and a CHANGE PASSWORD button. The main content area is white and contains a table of books. The table has columns for #, Book & Cover, Category, Author, ISBN, Price, PDF, and Actions. There are four rows of book data. The browser's address bar shows 'localhost/library/admin/manage-books.php'. The Windows taskbar at the bottom shows the date as 27-03-2026 and the time as 16:54.

LMS | Manage Catalog

localhost/library/admin/manage-books.php


DASHBOARD CATEGORIES AUTHORS BOOKS ISSUE BOOKS REG STUDENTS CHANGE PASSWORD

ADVANCED INVENTORY MANAGER


10 records per page

Search:

#	Book & Cover	Category	Author	ISBN	Price	PDF	Actions
1	PHP And MySql programming	Technology	Anuj kumar	222333	20.00	x	
2	physics	Science	HC Verma	1111	15.00	x	
3	Murach's MySQL	Technology	Anuj kumar	9350237695	455.00	x	
4	WordPress for Beginners 2022: A Visual Step-by-Step Guide to Mastering WordPress	Technology	Dr. Andy Williams	B019MO3MCM	100.00	x	



Update book cover



New issue book

The screenshot shows the 'ISSUE A NEW BOOK' form in the OLMS Admin Portal. The form is titled 'ISSUE ENTRY FORM' and contains the following fields:

- STUDENT ID ***: A text input field with the placeholder 'Enter Student ID'.
- ISBN OR BOOK TITLE ***: A text input field with the placeholder 'Enter ISBN or Title'.
- REMARK / NOTES ***: A text area with the placeholder 'Add any condition remarks'.

At the bottom of the form is a large orange button labeled 'CONFIRM ISSUE'.

The browser's address bar shows 'localhost/library/admin/issue-book.php'. The top navigation bar includes links for DASHBOARD, CATEGORIES, AUTHORS, BOOKS, ISSUE BOOKS, REG STUDENTS, and CHANGE PASSWORD. The 'ISSUE BOOKS' dropdown menu is open, showing 'ISSUE NEW BOOK' and 'MANAGE ISSUED BOOKS'.

Return process

The screenshot shows the 'RETURN PROCESSING' form in the OLMS Admin Portal. The form is titled 'RETURN PROCESSING' and contains the following fields:

- Test**: A section header.
- Book: Murach's MySQL**: A text input field.
- Issued On: 2026-03-10 13:51:38**: A text input field.
- Set Fine Rate (INR)**: A dropdown menu with the selected value '₹5 per day'.
- Final Fine to Charge (Adjustable)**: A text input field with the value '0'.

At the bottom of the form is a large orange button labeled 'COMPLETE RETURN'.

On the right side of the form, there is a yellow box with the text 'System Calculated Fine' and '₹0'. Below this, a red button indicates '0 Overdue Days'.

The browser's address bar shows 'localhost/library/admin/update-issue-bookdetails.php?rid=11'. The top navigation bar includes links for DASHBOARD, CATEGORIES, AUTHORS, BOOKS, ISSUE BOOKS, REG STUDENTS, and CHANGE PASSWORD. The 'ISSUE BOOKS' dropdown menu is open, showing 'ISSUE NEW BOOK' and 'MANAGE ISSUED BOOKS'.

6 . SYSTEM CODING

6.1 Code

1.Admin Dashboard

```
<?php
session_start();
error_reporting(0);
include('includes/config.php');
$is_logged_in = (strlen($_SESSION['alogin']) != 0);
if(!$is_logged_in) {
header('location:index.php');
} else {
$stats = [];
$queries = [
// Added comma after the overdue query to prevent PHP error

'overdue' => "SELECT id from tblissuedbookdetails WHERE RetrunStatus=0 AND
DATEDIFF(NOW(), IssuesDate) > 15",
'books' => "SELECT id from tblbooks",
'issued' => "SELECT id from tblissuedbookdetails",

'returned' => "SELECT id from tblissuedbookdetails where RetrunStatus=1",
'students' => "SELECT id from tblstudents",
'authors' => "SELECT id from tblauthors",
'categories' => "SELECT id from tblcategory"
];

foreach($queries as $key => $sql) {
$q = $dbh->prepare($sql);

$q->execute();

$stats[$key] = $q->rowCount();
}
?>
```

```

<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8" />
<meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1"
/>
<title>OLMS | Admin Portal</title>
<link href="assets/css/bootstrap.css" rel="stylesheet" />
<link href="assets/css/font-awesome.css" rel="stylesheet" />

<link href="assets/css/style.css" rel="stylesheet" />

<link href="https://fonts.googleapis.com/css2?family=Poppins:wght@300;
400;600;800&display=swap" rel="stylesheet">
<style>
:root {
--panel-shadow: 0 15px 45px rgba(0,0,0,0.3);
--gold-primary: rgb(225, 161, 25);

--gold-dark: #8c6411;
--gold-gradient: linear-gradient(to bottom, #f1c40f, #8c6411);
body { font-family: 'Poppins', sans-serif; background-color: #fff;
}

/* Nav bar with standard box shadow */

.menu-section
{
background-color: #fff !important;
border-bottom: 5px solid var(--gold-primary) !important;

/* box-shadow: var(--panel-shadow) !important; */

z-index: 999;
.content-wrapper
{
background: linear-gradient(135deg, var(--gold-primary) 0%, var(--gold-dark) 100%)
!important;
min-height: 85vh;
padding: 40px 0;

```

```
.header-line { font-weight: 800; color: #fff; border-bottom: 2px solid rgba(255,255,255,0.2);  
padding-bottom: 10px; text-transform: uppercase; text-align: center;  
margin-bottom: 30px;}
```

```
/* --- DASHBOARD WIDGETS --- */
```

```
.back-widget-set {  
border-radius: 25px;  
box-shadow: var(--panel-shadow);  
  
transition: all 0.4s cubic-bezier(0.175, 0.885, 0.32, 1.275);  
padding: 30px 10px;  
margin-bottom: 25px;  
  
position: relative;  
overflow: hidden;
```

```
.back-widget-set:hover { transform: translateY(-12px);  
}
```

```
/* Icon Base Colors */
```

```
.back-widget-set i  
{  
margin-bottom: 15px;  
display: inline-block;  
  
transition: all 0.3s ease;
```

```
/* Initial Colors */
```

```
.icon-green { color: #27ae60; }  
.icon-blue { color: #2980b9; }  
.icon-yellow { color: #f1c40f; }  
.icon-red { color: #e74c3c; }
```

```

/* Hover Effect: Turn Golden */

.back-widget-set:hover i
{
background: var(--gold-gradient);
-webkit-background-clip: text;
-webkit-text-fill-color: transparent;

transform: scale(1.1);
.back-widget-set h3 { font-weight: 800; font-size: 32px; color: #333; margin: 5px 0;
}
.back-widget-set p { font-weight: 600; text-transform: uppercase; font-size: 12px; color:
#777; letter-spacing: 1px;
}
.footer-section { background: #111 !important; color: #fff !important;
border-top: 5px solid var(--gold-primary) !important; padding: 25px 0; text-align: center; }
a:hover { text-decoration: none !important;
}
</style>
</head>
<body>
<?php include('includes/header.php');?>

<div class="content-wrapper">
<div class="container">
<div class="row">
<div class="col-md-12"><h4 class="header-line">ADMIN DASHBOARD</h4></div>
</div>
<a href="manage-books.php">
<div class="col-md-3 col-sm-6">
<div class="back-widget-set text-center">

<i class="fa fa-book fa-5x icon-green"></i>
<h3><?php echo $stats['books'];?></h3>
<p>Books Listed</p>
</a>
<a href="manage-issued-books.php">

<i class="fa fa-send fa-5x icon-blue"></i>
<h3><?php echo $stats['issued'];?></h3>

```

```

<p>Times Issued</p>

<i class="fa fa-recycle fa-5x icon-yellow"></i>

<h3><?php echo $stats['returned'];?></h3>
<p>Books Returned</p>

<a href="reg-students.php">

<i class="fa fa-users fa-5x icon-red"></i>

<h3><?php echo $stats['students'];?></h3>
<p>Registered Users</p>

<a href="manage-authors.php">
<i class="fa fa-user fa-5x icon-green"></i>

<h3><?php echo $stats['authors'];?></h3>
<p>Authors Listed</p>

<a href="manage-issued-books.php?filter=overdue">

<i class="fa fa-exclamation-triangle fa-5x icon-red"></i>

<h3><?php echo $stats['overdue'];?></h3>

<p>Overdue Books</p>
<a href="manage-categories.php">

<i class="fa fa-tags fa-5x icon-blue"></i>
<h3><?php echo $stats['categories'];?></h3>

<p>Categories</p>
<?php include('includes/footer.php');?>
<script src="assets/js/jquery-1.10.2.js"></script>

<script src="assets/js/bootstrap.js"></script>
</body>
</html>

```

2.Add Author

```
if(strlen($_SESSION['alogin'])==0) {
if(isset($_POST['create'])) {
$author=$_POST['author'];
$sql="INSERT INTO tblauthors(AuthorName) VALUES(:author)";
$query = $dbh->prepare($sql);
$query->bindParam(':author',$author,PDO::PARAM_STR);
$query->execute();
$lastInsertId = $dbh->lastInsertId();
if($lastInsertId) {
$_SESSION['msg']="Author Listed successfully";
header('location:manage-authors.php');
$_SESSION['error']="Something went wrong. Please try again";
<html xmlns="http://www.w3.org/1999/xhtml">
<title>Library | Add Author</title>
<link
href="https://fonts.googleapis.com/css2?family=Poppins:wght@300;400;600;700;800&dis
lay=swap" rel="stylesheet">
/* ===== GLOBAL THEME ===== */
--panel-shadow: 0 15px 35px rgba(0,0,0,0.3);
html, body {
height: 100%;
margin: 0;
background-color: #ffffff !important;
body {
display: flex;
flex-direction: column;
font-family: 'Poppins', sans-serif;
/* ===== NAVBAR & MENU ===== */
.navbar-inverse {
border: none !important;
width: 100%;
z-index: 99;
#menu-top li a {
color: var(--gold-primary) !important;
font-weight: 700 !important;
text-transform: uppercase !important;
padding: 12px 20px !important;
margin: 10px 5px !important;
border-radius: 10px !important;
```

```

#menu-top li a:hover, .menu-top-active {
background-color: var(--gold-dark) !important;
color: #ffffff !important;
transform: translateY(-2px);
box-shadow: 0 4px 12px rgba(0,0,0,0.15);
/* ===== CONTENT AREA ===== */
flex: 1 0 auto;
padding: 60px 0;
.header-line {
font-weight: 800;
font-size: 28px;
text-transform: uppercase;
border-bottom: 2px solid rgba(255,255,255,0.3);
padding-bottom: 10px;
margin-bottom: 45px;
text-align: center;
/* ===== PANEL & FORM ===== */
.panel {
background: #ffffff;
border-radius: 20px !important;
padding: 20px !important;
box-shadow: var(--panel-shadow) !important;
.panel-heading {
background: transparent !important;
color: var(--gold-dark) !important;
font-size: 20px;
border-bottom: 1px solid #eee !important;
padding-bottom: 15px !important;
.form-control {
height: 48px;
border: 1px solid #ddd;
.form-control:focus {
border-color: var(--gold-primary) !important;
box-shadow: 0 0 8px rgba(225, 161, 25, 0.4) !important;
/* ===== 3D GOLDEN BUTTON ===== */
.btn-golden-3d {
height: 50px;
border-radius: 25px !important;
background: linear-gradient(to bottom, var(--gold-primary) 0%, var(--gold-dark) 100%);
border: none;
color: white;

```

```

font-weight: 700;
margin-top: 20px;
box-shadow: 0 4px 0 #6d4e0d, 0 8px 15px rgba(0,0,0,0.2);
transition: all 0.2s ease;
.btn-golden-3d:hover {
transform: translateY(-3px);
box-shadow: 0 6px 0 #6d4e0d, 0 12px 20px rgba(0,0,0,0.3);
.btn-golden-3d:active {
transform: translateY(1px);
box-shadow: 0 2px 0 #6d4e0d, 0 4px 10px rgba(0,0,0,0.2);
/* Apply this to your add-author.php style section */
.btn-create-author {
background: linear-gradient(to bottom, #8c6411, #5d420b) !important;
color: #fff !important;
box-shadow: 0 4px 0 #4a3508;
.btn-create-author:hover {
background: linear-gradient(to bottom, rgb(225, 161, 25), #8c6411) !important;
box-shadow: 0 6px 0 rgba(0,0,0,0.2);
<div class="col-md-12">
<h4 class="header-line">Add New Author</h4>
<div class="col-md-6 col-md-offset-3">
<div class="panel">
<div class="panel-heading">Author Information</div>
<div class="panel-body">
<form role="form" method="post">
<div class="form-group">
<label><i class="fa fa-user"></i> Author Name</label>
<input class="form-control" type="text" name="author" autocomplete="off"
placeholder="Enter author full name" required />
<button type="submit" name="add" class="btn-create-author">
<i class="fa fa-user-plus"></i> Add Author
</button>
</form>
<?php } ?>

```

3.Add Book

```
if(isset($_POST['add'])) {
    $bookname = $_POST['bookname'];
    $category = $_POST['category'];
    $author = $_POST['author'];
    $isbn = $_POST['isbn'];
    $price = $_POST['price'];

    // File handling

    $imgFile = $_FILES["booking"]["name"];
    $imgExtension = strtolower(pathinfo($imgFile, PATHINFO_EXTENSION));
    $pdfFile = $_FILES["bookpdf"]["name"];
    $pdfExtension = strtolower(pathinfo($pdfFile, PATHINFO_EXTENSION));
    $allowedImgExts = array("jpg", "jpeg", "png", "gif");
    if(!in_array($imgExtension, $allowedImgExts)) {
        echo "<script>alert('Invalid image format. Only JPG, PNG, GIF allowed');</script>";
    } else if($pdfExtension != "pdf") {
        echo "<script>alert('Invalid document format. Only PDF allowed');</script>";
    }
    $newImgName = md5($imgFile . time()) . "." . $imgExtension;
    $newPdfName = md5($pdfFile . time()) . "." . $pdfExtension;
    $imgDir = "booking/";
    $pdfDir = "bookfiles/";
    if (!is_dir($imgDir)) mkdir($imgDir, 0777, true);
    if (!is_dir($pdfDir)) mkdir($pdfDir, 0777, true);

    if(move_uploaded_file($_FILES["booking"]["tmp_name"], $imgDir . $newImgName) &&
        move_uploaded_file($_FILES["bookpdf"]["tmp_name"], $pdfDir . $newPdfName)) {
        $sql = "INSERT INTO tblbooks(BookName, CatId, AuthorId, ISBNNumber, BookPrice,
            bookImage, digital_file)
            VALUES(:bookname, :category, :author, :isbn, :price, :booking, :digitalfile)";
        $query->bindParam(':bookname', $bookname, PDO::PARAM_STR);
        $query->bindParam(':category', $category, PDO::PARAM_INT);
        $query->bindParam(':author', $author, PDO::PARAM_INT);
        $query->bindParam(':isbn', $isbn, PDO::PARAM_STR);
        $query->bindParam(':price', $price, PDO::PARAM_STR);
        $query->bindParam(':booking', $newImgName, PDO::PARAM_STR);
        $query->bindParam(':digitalfile', $newPdfName, PDO::PARAM_STR);
        if($dbh->lastInsertId()) {
            echo "<script>alert('Book added successfully!');</script>";
        }
    }
}
```

```

echo "<script>>window.location.href='manage-books.php'</script>";
echo "<script>alert('Database error. Please try again');</script>";
echo "<script>alert('Error uploading files.');"</script>";
<title>OLMS | Add Book</title>
<link href='https://fonts.googleapis.com/css?family=Poppins:400,600,700,800'
rel='stylesheet' type='text/css' />
/* === 1. CORE THEME & NAVIGATION === */
--panel-shadow: 0 15px 35px rgba(0,0,0,0.4);
html, body { height: 100%; margin: 0; background-color: #ffffff !important; }
body { display: flex; flex-direction: column; font-family: 'Poppins', sans-serif; }
.navbar-inverse { background-color: #ffffff !important; border: none !important; margin-
bottom: 0 !important; }
.logo-img { height: 60px; width: auto; }
#menu-top li a:hover, #menu-top li a.menu-top-active {

/* === 2. CONTENT AREA (GOLDEN GRADIENT) === */

/* === 3. PANEL & FORM ELEMENTS === */

background: #fff;
padding: 20px;
background: #ffffff !important;
label { color: #555; font-weight: 600; text-transform: uppercase; font-size: 11px; margin-
top: 10px; }
.form-control { height: 45px; border-radius: 10px; border: 1px solid #ddd; }
.gen-btn {
background: linear-gradient(to bottom, var(--gold-dark), #5d420b) !important;
color: white !important;
border-radius: 0 10px 10px 0 !important;
height: 45px;
/* Replace your existing .btn-submit or .btn-add styles with this */
.btn-create-book {
height: 55px; /* Slightly taller for the main book action */
margin-top: 25px;
box-shadow: 0 4px 0 #4a3508; /* 3D depth */
.btn-create-book:hover {
transform: translateY(-3px); /* Floating effect */
.btn-submit {
background: linear-gradient(to bottom, var(--gold-dark), var(--gold-primary)) !important;
padding: 15px;

```

```

box-shadow: 0 4px 0 #6d4e0d;
transition: 0.3s;
.btn-submit:hover { transform: translateY(-3px); box-shadow: 0 6px 0 rgba(0,0,0,0.2); }
/* 1. Remove default blue outline and apply Golden Glow on Focus */

```

```

border-color: rgb(225, 161, 25) !important;
outline: 0 !important;
box-shadow: 0 0 8px rgba(225, 161, 25, 0.5) !important;
background-color: #fff;

```

```

<script>
function checkisbnAvailability() {
$.ajax({
url: "check_availability.php",
data: 'isbn=' + $("#isbn").val(),
type: "POST",
success: function(data) {
$("#isbn-availability-status").html(data);
});
}
function generateAutoISBN() {
let prefix = "978";
let randomPart = Math.floor(Math.random() * 9000000000) + 1000000000;
document.getElementById('isbn').value = prefix + randomPart;
checkisbnAvailability();
}
</script>
<div class="col-md-12"><h4 class="header-line">Add New Book</h4></div>
<div class="col-md-10 col-md-offset-1">
<div class="panel-heading">Enter Book Information</div>
<form role="form" method="post" enctype="multipart/form-data">
<div class="col-md-6 form-group">
<label>Book Name<span style="color:red;">*</span></label>
<input class="form-control" type="text" name="bookname" required />
<label>ISBN Number<span style="color:red;">*</span></label>
<div class="input-group">
<input class="form-control" type="text" name="isbn" id="isbn" required
onBlur="checkisbnAvailability()" />
<span class="input-group-btn">
<button class="btn gen-btn" type="button" onclick="generateAutoISBN()">
<i class="fa fa-magic"></i> Auto Generate
</span>
<span id="isbn-availability-status" style="font-size:12px;"></span>
<label>Category<span style="color:red;">*</span></label>

```

```

<select class="form-control" name="category" required>
<option value="">Select Category</option>
$sql = "SELECT * from tblcategory where Status=1";
$results=$query->fetchAll(PDO::FETCH_OBJ);
foreach($results as $result) { ?>
<option value="<?php echo htmlentities($result->id);?>"><?php echo htmlentities($result-
>CategoryName);?></option>
</select>
<label>Author<span style="color:red;">*</span></label>
<select class="form-control" name="author" required>
<option value="">Select Author</option>
$sql = "SELECT * from tblauthors";
<option value="<?php echo htmlentities($result->id);?>"><?php echo htmlentities($result-
>AuthorName);?></option>
<div class="col-md-4 form-group">
<label>Price<span style="color:red;">*</span></label>

<input class="form-control" type="text" name="price" required />
<label>Cover Image<span style="color:red;">*</span></label>

<input class="form-control" type="file" name="booking" accept="image/*" required />
<label>Digital Book (PDF)<span style="color:red;">*</span></label>
<input class="form-control" type="file" name="bookpdf" accept=".pdf" required />
<button type="submit" name="add" class="btn-create-book">
<i class="fa fa-plus"></i> Add Book to Library

```

4. Add Category

```
$status = $_POST['status'];
$sql = "INSERT INTO tblcategory(CategoryName,Status) VALUES(:category,:status)";
$query->bindParam(':category',$category,PDO::PARAM_STR);

$query->bindParam(':status',$status,PDO::PARAM_STR);
$_SESSION['msg']="Category Listed successfully";

header('location:manage-categories.php');
<title>OLMS | Add Categories</title>

/* === 1. CORE LAYOUT & ADMIN NAV === */

border-bottom: 5px solid rgb(225, 161, 25) !important
color: rgb(225, 161, 25) !important;

font-size: 13px;
background-color: #8c6411 !important;

/* === 2. GOLDEN CONTENT AREA === */

background: linear-gradient(135deg, rgb(225, 161, 25) 0%, #8c6411 100%) !important;

/* === 3. PANEL & FORM STYLING === */

box-shadow: 0 15px 35px rgba(0,0,0,0.3); /* Deep floating shadow */
max-width: 500px;
margin: auto;
color: #333 !important;
padding: 25px !important;

background: #f8fafc;
transition: all 0.3s ease-in-out;
```

```
/* 3D Golden Button */
```

```
.btn-create {  
.btn-create:hover
```

```
/* === 4. FOOTER === */
```

```
.footer-section {  
background: #111 !important;  
padding: 25px 0;  
border-top: 5px solid rgb(225, 161, 25) !important;  
<h4 class="header-line">Add Category</h4>  
<div class="panel-heading">CATEGORY DETAILS</div>  
<label style="font-weight:700; color: #555;">Category Name</label>  
  
<input class="form-control" type="text" name="category" autocomplete="off" required />  
<label style="font-weight:700; color: #555;">Status</label>  
<div class="radio">  
<label><input type="radio" name="status" value="1" checked>Active</label>  
  
<label><input type="radio" name="status" value="0">Inactive</label>  
<button type="submit" name="create" class="btn btn-create">  
<i class="fa fa-plus"></i> Create Category
```

5.Change Book Image

```
if(isset($_POST['update'])) {
$bookid=intval($_GET['bookid']);
$booking=$_FILES["bookpic"]["name"];
$image=$_POST['currentimage'];
$scpath="booking"."/".$image;
$extension = substr($booking,strlen($booking)-4,strlen($booking));
$allowed_extensions = array(".jpg","jpeg",".png",".gif");
$imnewname=md5($booking.time()).$extension;
if(!in_array($extension,$allowed_extensions)) {
echo "<script>alert('Invalid format. Only jpg / jpeg/ png /gif format allowed');</script>";
move_uploaded_file($_FILES["bookpic"]["tmp_name"],"booking/".$imnewname);
$sql="update tblbooks set bookImage=:imgnewname where id=:bookid";
$query->bindParam(':imgnewname',$imnewname,PDO::PARAM_STR);
$query->bindParam(':bookid',$bookid,PDO::PARAM_STR);
if($image != "" && file_exists($scpath)) { unlink($scpath); }
echo "<script>alert('Book image updated successfully');</script>";
<title>OLMS | Edit Book Image</title>
```

```
/* === 1. CORE THEME & VARIABLES === */
```

```
--gold-gradient: linear-gradient(135deg, rgb(225, 161, 25) 0%, #8c6411 100%);
html, body { height: 100%; margin: 0; background-color: #ffffff !important; font-family:
'Poppins', sans-serif; }
```

```
/* === 2. NAVIGATION (ADMIN DASHBOARD STYLE) === */
```

```
margin-bottom: 0 !important;
padding: 10px 0;
.logo-img { height: 55px; width: auto; }
/* box-shadow: var(--panel-shadow) !important; */
box-shadow: 0 4px 12px rgba(0,0,0,0.15) !important;
.btn-logout {
background: #e74c3c !important;
padding: 8px 20px !important;
```

```
box-shadow: 0 4px 0 #c0392b;
transition: all 0.2s;
margin-top: 15px;
```

```
/* === 3. CONTENT AREA === */
```

```
background: var(--gold-gradient) !important;
color: #fff;
border-bottom: 2px solid rgba(255,255,255,0.2);
margin-bottom: 30px;
```

```
/* === 4. PANEL & FORM STYLING === */
```

```
.panel-golden {
max-width: 550px;
.panel-golden .panel-heading {
background: #fff !important;
padding: 30px !important;
border-bottom: 1px solid #f1f1f1 !important;
.gold-label {
margin-bottom: 8px;
display: block;
.gold-input {
border-radius: 12px !important;
border: 2px solid #eee !important;
height: 48px !important;
```

```
/* 3D GOLDEN BUTTON */
```

```
.btn-golden-submit {
padding: 15px !important;
margin-top: 10px;
box-shadow: 0 6px 0 #5d420b !important;
.btn-golden-submit:hover {
transform: translateY(-3px) !important;
box-shadow: 0 8px 15px rgba(0,0,0,0.3) !important;
.img-frame {
padding: 10px;
border: 2px dashed var(--gold-primary);
border-radius: 20px;
margin-bottom: 20px;
```

```
/* ==== 5. FOOTER ==== */
```

```
border-top: 5px solid var(--gold-primary) !important;
<div class="panel panel-golden">
<div class="panel-heading">Update Book Cover</div>
<div class="panel-body" style="padding: 40px !important;">
$sql = "SELECT BookName,bookImage from tblbooks where id=:bookid";
if($query->rowCount() > 0) {
<input type="hidden" name="currentimage" value="<?php echo htmlentities($result-
>bookImage);?>">
<div class="text-center">

<span class="gold-label">Current Preview</span>
<div class="img-frame">

<span class="gold-label">Book Title</span>
<input class="form-control gold-input" type="text" value="<?php echo htmlentities
($result->BookName);?>" readonly />
<span class="gold-label">Select New Image <span style="color:red;">*</span></span>
<input class="form-control gold-input" type="file" name="bookpic" required />
<?php }
} ?>

<button type="submit" name="update" class="btn-golden-submit">
<i class="fa fa-refresh"></i> Confirm Image Update
<div class="text-center" style="margin-top: 25px;">
<a href="edit-book.php?bookid=<?php echo $bookid; ?>" style="color: var(--gold-dark);
font-weight: 700; text-decoration: none;">
<i class="fa fa-long-arrow-left"></i> Back to Book Details
```

6. Change Password

```
if(isset($_POST['change'])) {
$password=md5($_POST['password']);
$newpassword=md5($_POST['newpassword']);
$username=$_SESSION['alogin'];
$sql ="SELECT Password FROM admin where UserName=:username and
Password=:password";
$query= $dbh -> prepare($sql);
$query-> bindParam(':username', $username, PDO::PARAM_STR);
$query-> bindParam(':password', $password, PDO::PARAM_STR);
$query-> execute();
if($query -> rowCount() > 0) {
$con="update admin set Password=:newpassword where UserName=:username";
$chngpwd1 = $dbh->prepare($con);
$chngpwd1-> bindParam(':username', $username, PDO::PARAM_STR);
$chngpwd1-> bindParam(':newpassword', $newpassword, PDO::PARAM_STR);
$chngpwd1->execute();
$msg="Your Password successfully changed";
$error="Your current password is wrong";
<title>OLMS | Change Password</title>

<link href='https://fonts.googleapis.com/css2?family=Poppins:wght@300;400;600;
800&display=swap' rel='stylesheet' />

/* === 1. CORE LAYOUT & NAV === */

min-height: auto !important;

padding: 80px 0;
align-items: center;

/* === 3. PASSWORD PANEL STYLING === */
```

```

max-width: 450px;
box-shadow: 0 20px 50px rgba(0,0,0,0.3) !important;
padding: 25px;

.form-group { position: relative; margin-bottom: 20px; }
label { font-weight: 700; color: #8c6411; margin-bottom: 5px; text-transform: uppercase;
font-size: 12px; }

height: 50px !important;
padding-right: 45px !important;

box-shadow: 0 0 8px rgba(225, 161, 25, 0.2) !important;

.toggle-password {
position: absolute;
right: 15px;
bottom: 14px;
cursor: pointer;
color: #8c6411 !important;
font-size: 16px;
z-index: 100;

.btn-update {
height: 55px;
border-radius: 27px !important;
box-shadow: 0 5px 15px rgba(0,0,0,0.2);

.btn-update:hover {
box-shadow: 0 8px 20px rgba(0,0,0,0.3);

/* Hide browser eye icons */
input::-ms-reveal, input::-ms-clear { display: none !important; }

<div class="panel-heading" style="color: #8c6411; text-align: center; font-weight: 800;
font-size: 20px; padding-bottom: 15px; text-transform: uppercase;">
Update Credentials
<?php if($error){ ?><div class="alert alert-danger"><?php echo htmlentities($error);
?></div><?php } ?>
<?php if($msg){ ?><div class="alert alert-success"><?php echo htmlentities($msg);
?></div><?php } ?>

```

```

<form role="form" method="post" name="chngpwd" onSubmit="return valid();">
<label>Current Password</label>

<input class="form-control" type="password" name="password" id="password" required
autocomplete="off" />
<i class="fa fa-eye-slash toggle-password" onclick="toggleVisibility('password', this)">
</i>

<label>New Password</label>
<input class="form-control" type="password" name="newpassword" id="new_pwd"
required />
<i class="fa fa-eye-slash toggle-password" onclick="toggleVisibility('new_pwd', this)">
</i>

<label>Confirm Password</label>
<input class="form-control" type="password" name="confirmpassword"
id="confirmpassword" required autocomplete="off" />
<i class="fa fa-eye-slash toggle-password" onclick="toggleVisibility('confirmpassword',
this)"></i>

<button type="submit" name="change" class="btn btn-update">UPDATE
PASSWORD</button>

```

```

function valid() {
if(document.chngpwd.newpassword.value != document.chngpwd.confirmpassword.value) {
alert("Passwords do not match!");
document.chngpwd.confirmpassword.focus();
return false;
return true;
}

```

```

function toggleVisibility(inputId, iconElement) {
const inputField = document.getElementById(inputId);
if (inputField.type === "password") {
inputField.type = "text";
iconElement.classList.replace("fa-eye-slash", "fa-eye");
inputField.type = "password";
iconElement.classList.replace("fa-eye", "fa-eye-slash");
}

```

7. Check Availability

```
require_once("includes/config.php");
//code check email
if(!empty($_POST["isbn"])) {
$isbn=$_POST["isbn"];
$sql ="SELECT id FROM tblbooks WHERE ISBNNumber=:isbn";
$query-> bindParam(':isbn', $isbn, PDO::PARAM_STR);
$results = $query -> fetchAll(PDO::FETCH_OBJ);

if($query -> rowCount() > 0){
echo "<span style='color:red'> ISBN already exists with another book. </span>";
echo "<script>$('#add').prop('disabled',true);</script>";
} else { echo "<script>$('#add').prop('disabled',false);</script>";}
```

8. Edit Author

```
$athrid=intval($_GET['athrid']);
$sql="UPDATE tblauthors SET AuthorName=:author WHERE id=:athrid";
$query->bindParam(':athrid',$athrid,PDO::PARAM_STR);
$_SESSION['updatemsg']="Author info updated successfully";
<title>OLMS | Edit Author</title>
<link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css" rel="stylesheet" />
```

```
/* === 1. LAYOUT & NAV === */
```

```
border-bottom: 2px solid rgba(255,255,255,0.3) !important;
margin-bottom: 40px;
```

```
/* Back Button Styling */
.btn-back {
background: transparent;
border: 2px solid #fff;
padding: 8px 20px;
```

```

font-size: 11px;
text-decoration: none !important;
.btn-back:hover { background: #fff; color: #8c6411 !important;
transform: translateX(-5px); }

/* === 3. FLOATING PANEL & FORM === */

box-shadow: 0 15px 35px rgba(0, 0, 0, 0.3);

.panel-golden > .panel-heading {
font-size: 18px;

.panel-body { padding: 40px !important; }

label { color: #8c6411; font-weight: 700; text-transform: uppercase; font-size: 12px; }

border-radius: 10px;
border: 2px solid #eee;
border-color: rgb(225, 161, 25);
box-shadow: 0 0 8px rgba(225, 161, 25, 0.2);

/* 3D GRADIENT BUTTON */

font-size: 14px;

<a href="manage-authors.php" class="btn-back">
<i class="fa fa-arrow-left"></i> Back to Authors

<h4 class="header-line">Edit Author Profile</h4>

<div class="panel-heading">Update Author Details</div>
<label>Full Author Name</label>
$sql = "SELECT * FROM tblauthors WHERE id=:athrid";
<input class="form-control" type="text" name="author" value="<?php echo
htmlentities($result->AuthorName);?>" required />

<button type="submit" name="update" class="btn btn-update">
<i class="fa fa-refresh"></i> Save Changes

```

9.Edit Book

```
$author = $_POST['author'];  
$price = $_POST['price'];  
$bookid = intval($_GET['bookid']);  
$bqty = $_POST['bqty'];
```

```
$sql = "UPDATE tblbooks SET BookName=:bookname, CatId=:category,  
AuthorId=:author, BookPrice=:price, bookQty=:bqty WHERE id=:bookid";  
$query->bindParam(':category', $category, PDO::PARAM_STR);  
$query->bindParam(':author', $author, PDO::PARAM_STR);  
$query->bindParam(':bookid', $bookid, PDO::PARAM_STR);  
$query->bindParam(':bqty', $bqty, PDO::PARAM_STR);
```

```
$_SESSION['msg'] = "Book updated successfully";  
header('location:manage-books.php');  
exit;  
<title>LMS | Edit Book Details</title>
```

```
/* === 1. NAVIGATION (ADMIN DASHBOARD SPEC) === */
```

```
/* box-shadow: var(--panel-shadow) !important; Fixed Floating Shadow per your spec */
```

```
.card-container { max-width: 850px; margin: 0 auto; }
```

```
background: rgba(255, 255, 255, 0.2);
```

```
border: 1px solid #fff;
```

```
padding: 8px 22px;
```

```
font-weight: 600;
```

```
.btn-back:hover { background: #fff; color: #8c6411; transform: translateX(-5px); }
```

```
padding: 30px;
```

```
.panel-body { padding: 45px !important; }
```

```
h4 { color: #8c6411; font-weight: 700; margin-top: 25px; }
```

```
label { color: #555; font-weight: 600; text-transform: uppercase; font-size: 12px; }
```

```
border-radius: 12px;
```

```
background: #fdfdfd;
```

```
background: linear-gradient(to bottom, #8c6411, rgb(225, 161, 25)) !important;  
margin-top: 30px;
```

```
.book-img-styled {  
border-radius: 15px;  
box-shadow: 0 8px 20px rgba(0,0,0,0.15);  
border: 4px solid #fff;  
max-width: 160px;
```

```
<div class="card-container">  
<a href="manage-books.php" class="btn-back">  
<i class="fa fa-arrow-left"></i> Back to Catalog
```

```
<div class="panel-heading">Edit Book Information</div>  
$sql = "SELECT tblbooks.*, tblcategory.CategoryName, tblcategory.id as cid,  
tblauthors.AuthorName, tblauthors.id as athrid  
FROM tblbooks  
JOIN tblcategory ON tblcategory.id=tblbooks.CatId  
JOIN tblauthors ON tblauthors.id=tblbooks.AuthorId  
WHERE tblbooks.id=:bookid";  
$result=$query->fetch(PDO::FETCH_OBJ);
```

```
  
<p style="margin-top: 15px;"><a href="change-booking.php?bookid=<?php echo $result-  
>id;?>" class="btn btn-xs btn-default" style="border-radius: 10px; padding: 5px  
12px;">Change Cover Image</a></p>
```

```
<h4><i class="fa fa-book"></i> Book Basics</h4>
```

```

<hr />
<label>Book Name</label>
<input class="form-control" type="text" name="bookname" value="<?php echo
htmlentities($result->BookName);?>" required />

<div class="col-md-6">
<label>Category</label>
<option value="<?php echo htmlentities($result->cid);?>"><?php echo htmlentities
($result->CategoryName);?></option>
$sql1 = "SELECT * from tblcategory";
$query1 = $dbh->prepare($sql1);
$query1->execute();

$results1=$query1->fetchAll(PDO::FETCH_OBJ);
foreach($results1 as $row1) {
if($result->CategoryName == $row1->CategoryName) continue;
echo "<option value=".".htmlentities($row1->id).".">".htmlentities($row1->
CategoryName)."</option>";

<label>Author</label>
<option value="<?php echo htmlentities($result->athrid);?>"><?php echo
htmlentities($result->AuthorName);?></option>
$sql2 = "SELECT * from tblauthors";
$query2 = $dbh->prepare($sql2);
$query2->execute();

$results2=$query2->fetchAll(PDO::FETCH_OBJ);
foreach($results2 as $row2) {
if($result->AuthorName == $row2->AuthorName) continue;
echo "<option value=".".htmlentities($row2->id).".">".htmlentities($row2->
AuthorName)."</option>";

<h4><i class="fa fa-tag"></i> Pricing & Stock</h4>
<div class="col-md-4">
<label>ISBN</label>
<input class="form-control" type="text" value="<?php echo htmlentities($result-
>ISBNNumber);?>" readonly style="background:#f5f5f5;" />
<label>Price</label>
<input class="form-control" type="text" name="price" value="<?php echo
htmlentities($result->BookPrice);?>" required />
<label>Quantity</label>

```

```
<input class="form-control" type="number" name="bqty" value="<?php echo  
htmlentities($result->bookQty);?>" required />
```

```
<i class="fa fa-refresh"></i> Update Book Details
```

10. Edit Category

```
$category=$_POST['category'];  
$status=$_POST['status'];  
$catid=intval($_GET['catid']);  
$sql="update tblcategory set CategoryName=:category,Status=:status where id=:catid";  
$query->bindParam(':catid',$catid,PDO::PARAM_STR);  
$_SESSION['updatemsg']="Category updated successfully";  
<title>OLMS | Edit Category</title>
```

```
/* ===== 1. CORE RESET & ADMIN NAV ===== */
```

```
/* box-shadow: var(--panel-shadow) !important; Standardized floating shadow */
```

```
/* ===== 2. GOLDEN CONTENT AREA ===== */
```

```
/* ===== 3. PANEL & 3D BUTTON ===== */
```

```
background: #fdfdfd !important;
```

```
outline: none !important;
```

```
background: linear-gradient(to bottom, rgb(225, 161, 25), #8c6411);
```

```
.btn-back:hover {  
color: #8c6411;  
text-decoration: none;
```

```
<a href="manage-categories.php" class="btn-back">
<i class="fa fa-arrow-left"></i> Back To Categories
<h4 class="header-line">Edit Category</h4>
```

```
<div class="panel panel-default">
<div class="panel-heading">Update Details</div>
<div class="panel-body" style="padding: 30px;">
$sql="SELECT * from tblcategory where id=:catid";
$query=$dbh->prepare($sql);
$query->bindParam(':catid',$catid, PDO::PARAM_STR);
```

```
<label>Category Name</label>
<input class="form-control" type="text" name="category" value="<?php echo
htmlentities($result->CategoryName);?>" required />
```

```
<label>Status</label>
<div>
<label class="radio-inline">
<input type="radio" name="status" value="1" <?php if($result->Status==1) echo
"checked";?>> <span class="text-success" style="font-weight:600">Active</span>
</label>
<input type="radio" name="status" value="0" <?php if($result->Status==0) echo
"checked";?>> <span class="text-danger" style="font-weight:600">Inactive</span>
<?php }} ?>
```

```
<button type="submit" name="update" class="btn-update">
<i class="fa fa-refresh"></i> Update Changes
```

11. Get Book

```
if(!empty($_POST["bookid"])) {
    $bookid = $_POST["bookid"];

    // Query to get book details and calculate availability
    $sql = "SELECT
tblbooks.BookName,
tblcategory.CategoryName,
tblauthors.AuthorName,
tblbooks.ISBNNumber,
tblbooks.BookPrice,
tblbooks.id as bookid,
tblbooks.bookImage,
tblbooks.bookQty,

COUNT(tblissuedbookdetails.id) AS totalIssued,
COUNT(CASE WHEN tblissuedbookdetails.ReترونStatus IS NOT NULL AND
tblissuedbookdetails.ReترونStatus != " THEN 1 END) AS totalReturned
LEFT JOIN tblissuedbookdetails ON tblissuedbookdetails.BookId = tblbooks.id
LEFT JOIN tblauthors ON tblauthors.id = tblbooks.AuthorId
LEFT JOIN tblcategory ON tblcategory.id = tblbooks.CatId
WHERE (tblbooks.ISBNNumber = :bookid OR tblbooks.BookName LIKE :bookname)
GROUP BY tblbooks.id";

    $bookSearch = "%$bookid%";
    $query->bindParam(':bookname', $bookSearch, PDO::PARAM_STR);
    $results = $query->fetchAll(PDO::FETCH_OBJ);

    echo '<div class="row" style="margin-top:20px;">';
    foreach ($results as $result) {

        // Calculate Availability
```

```

$totalIssuedActive = $result->totalIssued - $result->totalReturned;
$availableQty = $result->bookQty - $totalIssuedActive;
<div class="col-md-4 text-center" style="border: 1px solid #eee; padding: 15px; border-
radius: 10px;">

<p><strong><?php echo htmlentities($result->BookName); ?></strong><br />
<small><?php echo htmlentities($result->AuthorName); ?></small></p>

<p style="font-size: 12px;">
Stock: <?php echo htmlentities($result->bookQty); ?>
|
Available: <span class="badge"><?php echo $availableQty; ?></span>
</p>

<?php if($availableQty <= 0): ?>
<p style="color:red; font-weight:bold;">Out of Stock</p>
<?php else: ?>

<input type="radio" name="bookid" value="<?php echo htmlentities
($result->bookid); ?>" required> Select Book
<input type="hidden" name="aqty" value="<?php echo $availableQty; ?>">
<?php endif; ?>
echo '</div>';

echo "<script>$('#submit').prop('disabled',false);</script>";
echo '<p style="color:red;">Record not found. Please try again.</p>';
echo "<script>$('#submit').prop('disabled',true);</script>";

```

12. Get Student

```
if(!empty($_POST["studentid"])) {
    $studentid = strtoupper($_POST["studentid"]);

    $sql = "SELECT FullName, Status, MobileNumber FROM tblstudents
    WHERE StudentId = :studentid";

    $query->bindParam(':studentid', $studentid, PDO::PARAM_STR);

    if($result->Status == 0) {

        // Case: Student is Blocked

        echo "<span style='color:red; font-weight:bold;'> <i class='fa fa-times-circle'></i> Student
        ID Blocked</span><br />";
        echo "<b>Name:</b> " . htmlentities($result->FullName);
        echo "<script>$('#submit').prop('disabled', true);</script>";

        // Case: Student is Valid & Active

        echo "<span style='color:green; font-weight:bold;'>
        <i class='fa fa-check-circle'></i> Valid Student</span><br />";
        echo "<b>Name:</b> " . htmlentities($result->FullName) . "<br />";
        echo "<b>Mobile:</b> " . htmlentities($result->MobileNumber);

        echo "<script>$('#submit').prop('disabled', false);</script>";

        // Case: ID not found

        echo "<span style='color:red;'> <i class='fa fa-warning'></i> Invalid Student ID. Please try
        again.</span>";
```

13. Issue Book

```
error_reporting(E_ALL);
if(isset($_POST['issue'])) {
    $studentid = strtoupper($_POST['studentid']);
    $bookid = $_POST['bookid'];
    $aremark = $_POST['aremark'];
    $aqty = isset($_POST['aqty']) ? $_POST['aqty'] : 0;

    if($aqty > 0) {
        $sql = "INSERT INTO tblissuedbookdetails(StudentID, BookId, remark)
        VALUES(:studentid, :bookid, :aremark)";
        $query->bindParam(':aremark', $aremark, PDO::PARAM_STR);
        $_SESSION['msg'] = "Book issued successfully";
        header('location:manage-issued-books.php');
        $_SESSION['error'] = "Something went wrong. Please try again";
        $_SESSION['error'] = "Book Not available in stock";
        <title>OLMS | Issue New Book</title>
        html, body { height: 100%; margin: 0; padding: 0; background-color: #ffffff !important; }

        /* === 2. NAVIGATION & HEADER (FIXED ALIGNMENT) === */

        padding: 10px 0 !important;
        min-height: 90px !important; /* Extra height to prevent logo cutting */

        .navbar-header { padding: 0 !important; }

        .logo-img {
            height: 65px;
            width: auto;
            object-fit: contain;

            /* box-shadow: var(--panel-shadow) !important; Standard deep shadow */

            /* Nav item centering */
            #menu-top {
```

```
font-size: 13px !important;
margin: 5px !important;
line-height: 1.5;
```

```
#menu-top li a:hover,
#menu-top li a.menu-top-active {
```

```
padding: 60px 0 !important;
```

```
.panel-info {
```

```
.panel-info > .panel-heading {
font-weight: 800 !important;
font-size: 20px !important;
```

```
label {
margin-bottom: 10px;
```

```
background: #fff8eb !important;
box-shadow: none !important;
```

```
.btn-custom-issue {
box-shadow: 0 8px 20px rgba(0,0,0,0.2) !important;
transition: all 0.3s ease !important;
```

```
.btn-custom-issue:hover {
transform: translateY(-5px) !important;
box-shadow: 0 12px 25px rgba(0,0,0,0.3) !important;
```

```
function getstudent() {
$("#loaderIcon").show();
jQuery.ajax({
url: "get_student.php",
data: 'studentid=' + $("#studentid").val(),
$("#get_student_name").html(data);
$("#loaderIcon").hide();
```

```

function getbook() {
url: "get_book.php",
data: 'bookid=' + $("#bookid").val(),
$("#get_book_name").html(data);

<h4 class="header-line">Issue a New Book</h4>
<div class="panel panel-info">
<div class="panel-heading">
<i class="fa fa-book"></i> Issue Entry Form
<label>Student ID <span style="color:red;">*</span></label>
<input class="form-control" type="text" name="studentid" id="studentid"
onBlur="getstudent()" placeholder="Enter Student ID" autocomplete="off" required />
<div id="get_student_name" style="margin-top:8px; font-size:13px; font-
weight:600;"></div>

<label>ISBN or Book Title <span style="color:red;">*</span></label>
<input class="form-control" type="text" name="bookid" id="bookid" onBlur="getbook()"
placeholder="Enter ISBN or Title" required />
<div id="get_book_name" style="margin-top:8px; font-size:13px; font-weight:600;"></div>

<label>Remark / Notes <span style="color:red;">*</span></label>
<textarea class="form-control" name="aremark" id="aremark" style="height: 100px
!important; padding: 12px !important;" placeholder="Add any condition remarks"
required></textarea>

<button type="submit" name="issue" id="submit" class="btn-custom-issue">
<i class="fa fa-send"></i> Confirm Issue

<div id="loaderIcon" class="text-center" style="display:none; margin-top:15px;">
<i class="fa fa-spinner fa-spin fa-2x" style="color: var(--gold-dark);"></i>

```

14. Logout

```
session_destroy();  
header("location:../index.php");
```

15. Manage Author

```
if(isset($_GET['del'])) {  
    $id=$_GET['del'];  
    $sql = "delete from tblauthors WHERE id=:id";  
    $query -> bindParam(':id',$id, PDO::PARAM_STR);  
    $query -> execute();  
    $_SESSION['delmsg']="Author deleted";  
    exit();  
<title>OLMS | Manage Authors</title>  
<link href="assets/js/dataTables/dataTables.bootstrap.css" rel="stylesheet" />
```

```
/* === 2. NAVIGATION (FIXED ALIGNMENT & LOGO) === */
```

```
min-height: 90px !important; /* Prevents logo cutting */  
.logo-img { height: 65px; width: auto; object-fit: contain; display: block; }  
/* box-shadow: var(--panel-shadow) !important; Deep floating shadow */  
#menu-top { display: flex; align-items: center; margin: 0; }
```

```
/* === 3. CONTENT AREA (GOLDEN GRADIENT) === */
```

```
/* === 4. PANEL & TABLE STYLING === */
```

```
.table thead th {  
    background-color: #f8fafa;  
    color: var(--gold-dark);  
    border-bottom: 2px solid #eee !important;
```

```
.table td {  
    vertical-align: middle !important;
```

```
/* 3D GRADIENT BUTTONS */
```

```
.btn-edit-3d, .btn-del-3d {
```

```
.btn-edit-3d {  
background: linear-gradient(to bottom, #3498db, #2980b9);  
box-shadow: 0 4px 0 #1c5e85;
```

```
.btn-del-3d {  
background: linear-gradient(to bottom, #e74c3c, #c0392b);  
box-shadow: 0 4px 0 #8e2a1e;
```

```
.btn-edit-3d:hover, .btn-del-3d:hover {
```

```
/* ===== INPUTS & GOLDEN FOCUS ===== */
```

```
.form-group {
```

```
transition: all 0.3s ease-in-out; /* Smooth transition for the glow */
```

```
<h4 class="header-line">Manage Authors</h4>
```

```
<div class="panel-heading">Authors Listing</div>
```

```
<div class="table-responsive">
```

```
<table class="table table-striped table-bordered table-hover" id="dataTables-example">
```

```
<thead>
```

```
<tr>
```

```
<th>#</th>
```

```
<th>Author Name</th>
```

```
<th>Creation Date</th>
```

```
<th>Updation Date</th>
```

```
<th>Action</th>
```

```
</tr>
```

```
</thead>
```

```
<tbody>
```

```
$cnt=1;
```

```
<td><?php echo htmlentities($cnt);?></td>
```

```
<td><?php echo htmlentities($result->AuthorName);?></td>
```

```
<td><?php echo htmlentities($result->creationDate);?></td>
```

```

<td><?php echo htmlentities($result->UpdationDate);?></td>
<td>

<a href="edit-author.php?athrid=<?php echo htmlentities($result->id);?>">
<button class="btn-edit-3d"><i class="fa fa-edit"></i> Edit</button>
<a href="manage-authors.php?del=<?php echo htmlentities($result->id);?>" onclick=
"return confirm('Are you sure you want to delete?');">

<button class="btn-del-3d"><i class="fa fa-trash"></i> Delete</button>
</td>
<?php $cnt=$cnt+1; } } ?>
</tbody>
</table>

<script src="assets/js/dataTables/jquery.dataTables.js">
</script>

<script src="assets/js/dataTables/dataTables.bootstrap.js">
</script>

$(document).ready(function () {
$('#dataTables-example').dataTable();

```

16. Manage books

```
include('../includes/config.php');
```

```
// Handle Deletion Logic
```

```
$id = $_GET['del'];
```

```
$sql = "SELECT bookImage, digital_file FROM tblbooks WHERE id=:id";
```

```
$query->bindParam(':id', $id, PDO::PARAM_STR);
```

```
$results = $query->fetch(PDO::FETCH_OBJ);
```

```
if($results) {
```

```
if(!empty($results->bookImage) && file_exists("booking/".$results->bookImage)) {
```

```
unlink("booking/".$results->bookImage);
```

```
if(!empty($results->digital_file) && file_exists("bookfiles/".$results->digital_file)) {
```

```
unlink("bookfiles/".$results->digital_file);
```

```
$sql = "DELETE FROM tblbooks WHERE id=:id";
```

```
$_SESSION['msg'] = "Book and files deleted successfully";
```

```
<title>LMS | Manage Catalog</title>
```

```
<link href="../assets/css/bootstrap.css" rel="stylesheet" />
```

```
<link href="../assets/css/font-awesome.css" rel="stylesheet" />
```

```
<link href="../assets/js/dataTables/dataTables.bootstrap.css" rel="stylesheet" />
```

```
body { display: flex; flex-direction: column; }
```

```
min-height: 80px !important;
```

```
margin-top: 0 !important;
```

```
.logo-img { height: 60px; width: auto; object-fit: contain; }
```

```
/* === 4. DATA TABLE PANEL === */
```

```
.book-cover {
```

```
width: 45px; height: 65px; object-fit: cover; border-radius: 4px;
border: 1px solid #ddd; box-shadow: 0 2px 5px rgba(0,0,0,0.1);
```

```
.table td { vertical-align: middle !important; }
```

```
/* 3D Action Buttons */
```

```
.btn-circle {
width: 35px; height: 35px; border-radius: 50%; display: inline-flex;
align-items: center; justify-content: center; color: white !important;
transition: 0.3s; border: none;
box-shadow: 0 3px 6px rgba(0,0,0,0.2);
.btn-edit { background: #3498db; box-shadow: 0 3px 0 #2980b9; }
.btn-del { background: #e74c3c; box-shadow: 0 3px 0 #c0392b; }
```

```
.btn-circle:hover {
box-shadow: 0 5px 10px rgba(0,0,0,0.3);
```

```
<div class="container-fluid" style="padding: 0 40px;">
<h2 class="header-line">Advanced Inventory Manager</h2>
<table class="table table-hover" id="dataTables-example">
<th>Book & Cover</th>
<th>Category</th>
<th>Author</th>
<th>ISBN</th>
<th>Price</th>
<th>PDF</th>
<th>Actions</th>
$sql = "SELECT tblbooks.*, tblcategory.CategoryName, tblauthors.AuthorName FROM
tblbooks

LEFT JOIN tblauthors ON tblauthors.id = tblbooks.AuthorId";
<td><?php echo $cnt;?></td>
<div style="display:flex; align-items:center; gap:10px;">

<span style="font-weight:700; color:#333;"><?php echo htmlentities($result-
>BookName);?></span>
<td><?php echo htmlentities($result->CategoryName);?></td>
```

```

<td><code><?php echo htmlentities($result->ISBNNumber);?></code></td>
<td><strong><?php echo htmlentities($result->BookPrice);?></strong></td>
<td class="text-center">

<?php if(!empty($result->digital_file)): ?>
<a href="bookfiles/<?php echo htmlentities($result->digital_file);?>" target="_blank">

<i class="fa fa-file-pdf-o" style="color:#e74c3c; font-size:20px;"></i>
<i class="fa fa-times text-muted"></i>

<div style="display:flex; gap:8px;">
<a href="edit-book.php?bookid=<?php echo $result->id;?>" class="btn-circle btn-edit"
title="Edit"><i class="fa fa-pencil"></i></a>

<a href="manage-books.php?del=<?php echo $result->id;?>" onclick="return
confirm('Delete this book permanently?');" class="btn-circle btn-del" title="Delete"><i
class="fa fa-trash-o"></i></a>
<?php $cnt++; } ?>

<footer class="footer-section">
&copy; <?php echo date('Y');?> Online Library Management System | Admin Dashboard
</footer>

<script src="../assets/js/jquery-1.10.2.js"></script>
<script src="../assets/js/bootstrap.js"></script>

<script src="../assets/js/dataTables/jquery.dataTables.js"></script>

<script src="../assets/js/dataTables/dataTables.bootstrap.js"></script>
$('#dataTables-example').dataTable({
"pageLength": 10

```

17. Manage Categories

```
$sql = "delete from tblcategory WHERE id=:id";  
$_SESSION['delmsg']="Category deleted successfully";  
<title>OLMS | Manage Categories</title>
```

```
/* ===== 1. CORE LAYOUT & FONTS ===== */
```

```
padding: 0;  
/* Preference: Deep floating shadow variable */  
--panel-shadow: 0 15px 35px rgba(0,0,0,0.2), 0 5px 15px rgba(0,0,0,0.1);
```

```
/* ===== 2. NAVIGATION (ADMIN SPEC) ===== */
```

```
/* Explicitly removed shadow per request */
```

```
/* ===== 3. GOLDEN CONTENT AREA ===== */
```

```
/* ===== 4. TABLES & PANELS ===== */
```

```
/* Preference: Applied deep floating shadow */
```

```
/* Status Labels */
```

```
.label-success { background-color: #27ae60 !important; border-radius: 10px; padding: 5px 12px; }
```

```
.label-danger { background-color: #e74c3c !important; border-radius: 10px; padding: 5px 12px; }
```

```
/* ===== 5. 3D ACTION BUTTONS (25PX RADIUS) ===== */
```

```
/* ===== 6. FORMS & INPUTS ===== */
```

```
/* ===== 7. FOOTER ===== */
```

```
/* ===== 2. FIXED HEADER (LOGO & NAV) ===== */
```

```
padding: 0 !important;
```

```
.navbar-header {  
padding: 15px 0 !important;
```

```
height: 60px;
```

```
/* This forces the menu to touch the logo area with zero gap */
```

```
box-shadow: none !important; /* Explicitly removed shadow */
```

```
/* Navigation Buttons - Matching your Image 1 & 2 */
```

```
/* Hover & Active States (The Golden Box) */
```

```
/* box-shadow: 0 4px 12px rgba(0,0,0,0.15) !important; */
```

```
/* Dropdown Customization */
```

```
.dropdown-menu {  
border-top: 4px solid rgb(225, 161, 25) !important;  
box-shadow: 0 10px 25px rgba(0,0,0,0.1) !important;
```

```
border-radius: 0 0 8px 8px !important;
```

```
.dropdown-menu > li > a {  
font-weight: 600 !important;
```

```
/* Gradient matches the background of your dashboard screenshot */
```

```
<h4 class="header-line">Manage Categories</h4>
```

Categories Listing

```
<th>Status</th>
$sql = "SELECT * from tblcategory";
$query = $dbh -> prepare($sql);
<tr class="odd gradeX">
<td><strong><?php echo htmlentities($result->CategoryName);?></strong></td>
<?php if($result->Status==1) { ?>

<span class="label label-success">Active</span>

<?php } else { ?>

<span class="label label-danger">Inactive</span>
<td><?php echo htmlentities($result->CreationDate);?></td>

<a href="edit-category.php?catid=<?php echo htmlentities($result->id);?>">
<a href="manage-categories.php?del=<?php echo htmlentities($result->id);?>"
onclick="return confirm('Are you sure?');">
```

18. Manage issued books

```
// ===== 1. ONE-CLICK RETURN LOGIC =====
```

```
if(isset($_GET['returnid'])) {  
    $rid = intval($_GET['returnid']);  
    $currDate = date('Y-m-d H:i:s');  
    $sql = "UPDATE tblissuedbookdetails SET ReturnDate=:returndate, fine=0, RetrurnStatus=1  
    WHERE id=:rid";  
    $query->bindParam(':rid', $rid, PDO::PARAM_INT);  
    $query->bindParam(':returndate', $currDate, PDO::PARAM_STR)  
    if($query->execute()) {  
        $_SESSION['msg'] = "Book marked as Returned (Fine: ₹0)!";  
    }  
}
```

```
// ===== 2. ONE-CLICK UNDO =====
```

```
if(isset($_GET['undoid'])) {  
    $rid = intval($_GET['undoid']);  
    $sql = "UPDATE tblissuedbookdetails SET ReturnDate=NULL, fine=NULL,  
    RetrurnStatus=0 WHERE id=:rid";  
}
```

```
$_SESSION['msg'] = "Status reset. Fine cleared."  
<title>OLMS | Manage Issued Books</title>
```

```
/* === 1. CORE LAYOUT & VARIABLES === */
```

```
/* === 2. NAVIGATION (ADMIN SPEC) === */
```

```
.navbar-inverse { background-color: #ffffff !important; border: none !important; margin-  
bottom: 0 !important; padding: 10px 0 !important; min-height: 80px !important; display:  
flex; align-items: center; }  
padding: 15px 20px !important;
```

```
/* === 4. PANELS & TABLES === */
```

```
.panel-default {  
.panel-heading { background:#fff !important; color: var(--gold-dark) !important; font-  
weight:800; text-align:center; padding: 20px; text-transform: uppercase; }
```

```
/* === 5. ACTION BUTTONS (3D STYLE) === */
```

```
.btn-action { border-radius: 25px; font-weight: 700; text-transform: uppercase; font-size: 10px; padding: 8px 16px; transition: 0.3s; border: none; color: #fff !important; margin: 2px; display: inline-block; }
.btn-return { background: linear-gradient(to bottom, #2ecc71, #27ae60); box-shadow: 0 4px #1e8449; }

.btn-undo { background: linear-gradient(to bottom, #f39c12, #e67e22); box-shadow: 0 4px #a04000; }
.btn-edit { background: linear-gradient(to bottom, #3498db, #2980b9); box-shadow: 0 4px #1a5276; }
.btn-action:hover { transform: translateY(-3px); filter: brightness(1.1); box-shadow: 0 6px rgba(0,0,0,0.2); text-decoration: none; }
.status-badge { padding: 5px 12px; border-radius: 15px; font-size: 11px; font-weight: bold; display: inline-block; }

.fine-amount { font-weight: 800; color: #c0392b; font-size: 14px; }
```

```
/* === 6. FOOTER === */
```

```
<div class="col-md-12"><h4 class="header-line">Manage Issued Books</h4></div>
<?php if(isset($_SESSION['msg']) && $_SESSION['msg']!="") { ?>
<div class="alert alert-success" style="border-radius:20px;">
<strong>Success:</strong> <?php echo htmlentities($_SESSION['msg']);
$_SESSION['msg']=""; ?>
<div class="panel-heading">Master Issue Records</div>
<th>Student Name</th>
<th>Book Name</th>
<th>Issued Date</th>
<th>Return Date</th>
<th>Fine (INR)</th>

$sql = "SELECT tblstudents.FullName,tblbooks.BookName,tblissuedbookdetails
.IssuesDate,tblissuedbookdetails.ReturnDate,tblissuedbookdetails.fine,
tblissuedbookdetails.id as rid from tblissuedbookdetails join tblstudents on
tblstudents.StudentId=tblissuedbookdetails.StudentId join tblbooks on
tblbooks.id=tblissuedbookdetails.BookId order by tblissuedbookdetails.id desc";
<td style="text-align:center;"><?php echo $cnt;?></td>
<td><?php echo htmlentities($result->FullName);?></td>
<td><?php echo htmlentities($result->BookName);?></td>
```

```

<td style="text-align:center;"><?php echo htmlentities($result->IssuesDate);?></td>
<td style="text-align:center;">

<?php if(empty($result->ReturnDate)) {
echo '<span class="status-badge" style="background:#f9ebeb; color:#c0392b;">NOT
RETURNED</span>';

echo '<span class="status-badge" style="background:#eafaf1;
color:#27ae60;">' . htmlentities($result->ReturnDate).'</span>';

<td style="text-align:center; vertical-align: middle;">

<span class="fine-amount">
if(($result->fine === NULL || $result->fine === "")) && empty($result->ReturnDate)) {
echo '<span style="color:#999;">---</span>';
echo "₹" . htmlentities($result->fine);
<?php if(empty($result->ReturnDate)) { ?>

<a href="manage-issued-books.php?returnid=<?php echo $result->rid;?>" onclick="return
confirm('Mark as returned?');">

<button class="btn-action btn-return"><i class="fa fa-check"></i> Return</button>
<a href="manage-issued-books.php?undoid=<?php echo $result->rid;?>" onclick="return
confirm('Undo return?');">

<button class="btn-action btn-undo"><i class="fa fa-undo"></i> Undo</button>

<a href="update-issue-bookdetails.php?rid=<?php echo $result->rid;?>">

<button class="btn-action btn-edit"><i class="fa fa-edit"></i> Edit</button>
<?php $cnt++; } } ?>

$(document).ready(function(){

```

19. Register Students

// Code for blocking student

```
if(isset($_GET['inid'])) {  
    $id = intval($_GET['inid']);  
    $status = 0;  
    $sql = "UPDATE tblstudents SET Status=:status WHERE id=:id";  
    $query->bindParam(':id', $id, PDO::PARAM_INT);  
    $query->bindParam(':status', $status, PDO::PARAM_INT);  
    header('location:reg-students.php');
```

// Code for activating student

```
if(isset($_GET['id'])) {  
    $id = intval($_GET['id']);  
    $status = 1;  
<title>OLMS | Manage Registered Students</title>
```

/* ===== 1. CORE LAYOUT & VARIABLES ===== */

/* ===== 2. NAVIGATION (ADMIN DASHBOARD SPEC) ===== */

/* Applying requested floating shadow */

```
border-top: 4px solid var(--gold-primary) !important;  
.dropdown-menu > li > a { padding: 12px 20px !important; font-weight: 600 !important; }  
.container { width: 95% !important; max-width: none !important; }
```

/* ===== 4. PANEL & TABLE STYLING ===== */

```
.table th { background: #f1f5f9; color: #333; text-align: center; }
```

/* 3D Transform on Action Buttons */

```
.btn-xs {  
    padding: 6px 18px;  
    box-shadow: 0 3px 6px rgba(0,0,0,0.1);  
    .btn-xs:hover { transform: translateY(-3px); box-shadow: 0 6px 12px rgba(0,0,0,0.2);  
        filter: brightness(1.1); }
```

```
/* ===== 5. FOOTER ===== */
```

```
<h4 class="header-line">Manage Registered Students</h4>
```

```
<div class="panel-heading">Student Listings</div>
```

```
<th>Student ID</th>
```

```
<th>Mobile Number</th>
```

```
<th>Reg Date</th>
```

```
$sql = "SELECT * from tblstudents";
```

```
<td style="text-align:center;"><?php echo htmlentities($cnt);?></td>
```

```
<td><?php echo htmlentities($result->StudentId);?></td>
```

```
<td><?php echo htmlentities($result->MobileNumber);?></td>
```

```
<td style="text-align:center;"><?php echo htmlentities($result->RegDate);?></td>
```

```
<?php if($result->Status==1): ?>
```

```
<span class="label label-success" style="border-radius:10px;">Active</span>
```

```
<span class="label label-danger" style="border-radius:10px;">Blocked</span>
```

```
<a href="reg-students.php?inid=<?php echo htmlentities($result->id);?>" onclick="return  
confirm('Block this student?');">
```

```
<button class="btn btn-danger btn-xs">Block</button>
```

```
<a href="reg-students.php?id=<?php echo htmlentities($result->id);?>" onclick="return  
confirm('Activate this student?');">
```

```
<button class="btn btn-primary btn-xs">Unblock</button>
```

```
<a href="student-history.php?stdid=<?php echo htmlentities($result->StudentId);?>">
```

```
<button class="btn btn-success btn-xs" style="background:#2ecc71;">History</button>
```

```
"language": { "infoFiltered": "" } }
```

20. Student History

// Logic for blocking/activating from this page if needed

```
$id=$_GET['inid'];
$status=0;
$sql = "update tblstudents set Status=:status WHERE id=:id";
$query->bindParam(':id',$id, PDO::PARAM_STR);
$query->bindParam(':status',$status, PDO::PARAM_STR);
$id=$_GET['id'];
$status=1;
```

<title>Online Library Management System | Student History</title>

/* Global Background */

```
html { background: linear-gradient(135deg, #1e3c72, #2a5298); min-height: 100%; }
body { background: transparent; font-family: 'Open Sans', sans-serif; }
```

/* Layout Fixes */

```
.content-wrapper { margin-top: 40px; }
.header-line { color: #fff; font-weight: 700; text-transform: uppercase; border-bottom: 2px
solid rgba(255,255,255,0.2); padding-bottom: 10px; }
```

```
box-shadow: 0 10px 30px rgba(0,0,0,0.3);
width: 100% !important; /* Full width fix */
```

```
background: #f8f9fa !important;
color: #1e3c72 !important;
border-bottom: 1px solid #ddd;
```

/* Table Text Fixes */

```
th, td { white-space: nowrap; text-align: center; vertical-align: middle !important;
```

/* ADDED FOR BACK BUTTON VISIBILITY */

```
.back-btn-container { margin-bottom: 15px; }
color: #1e3c72;
transform: translateX(-5px);
```

```
/* ===== 1. CORE RESET & GAP PREVENTER ===== */
```

```
/* Using white as base so any tiny sub-pixel gaps match the header
```

```
/* ===== 4. ENHANCED DASHBOARD CARDS ===== */
```

```
padding: 40px 20px !important;  
box-shadow: 0 10px 30px rgba(0,0,0,0.2) !important;
```

```
.back-widget-set:hover {  
transform: translateY(-10px) scale(1.02);  
box-shadow: 0 20px 40px rgba(0,0,0,0.3) !important;
```

```
/* Icon Colors */
```

```
.icon-books { color: #2ecc71 !important; }  
.icon-issued { color: #3498db !important; }  
.icon-returned { color: #f1c40f !important; }  
.icon-users { color: #e74c3c !important; }
```

```
.back-widget-set h3 { font-weight: 800; font-size: 36px; margin: 15px 0 5px 0; color: #333;  
}  
.back-widget-set p { font-weight: 700; color: #777; text-transform: uppercase; font-size:  
12px; }
```

```
/* ===== 5. BLACK STICKY FOOTER ===== */
```

```
flex-shrink: 0;  
.footer-section a { color: rgb(225, 161, 25) !important; font-weight: 600; }
```

```
<div class="row back-btn-container">  
<a href="reg-students.php" class="btn-back">  
<i class="fa fa-arrow-left"></i> Back
```

```
<div class="row pad-botm">  
<?php $sid=$_GET['stdid']; ?>  
<h4 class="header-line">#<?php echo htmlentities($sid);?> Book Issued History</h4>
```

```

<div class="panel-heading">Details for Student: <?php echo htmlentities($sid);?></div>
<th>Issued Book</th>
<th>Returned Date</th>
<th>Fine</th>

```

```

$sql = "SELECT tblstudents.StudentId, tblstudents.FullName, tblbooks.BookName,
tblissuedbookdetails.IssuesDate, tblissuedbookdetails.ReturnDate, tblissuedbookdetails.fine
FROM tblissuedbookdetails
JOIN tblstudents ON tblstudents.StudentId=tblissuedbookdetails.StudentId
JOIN tblbooks ON tblbooks.id=tblissuedbookdetails.BookId
WHERE tblstudents.StudentId=:sid";

```

```

$query->bindParam(':sid', $sid, PDO::PARAM_STR);
<td><?php echo htmlentities($result->IssuesDate);?></td>
<?php if($result->ReturnDate=="") {
echo '<span class="label label-warning">Not returned yet</span>';
echo htmlentities($result->ReturnDate);
echo "N/A";
echo "₹ " . htmlentities($result->fine);

```

```

"language": {
"info": "Showing _TOTAL_ entries",
"infoEmpty": "Showing 0 entries",
"infoFiltered": ""

```

21.Update issue book details

```
if(isset($_POST['return'])) {  
$rid = intval($_GET['rid']);  
$fine = $_POST['fine'];  
$rstatus = 1;
```

```
// Fixed: Combined SQL and added missing closing quote
```

```
$sql = "UPDATE tblissuedbookdetails SET fine=:fine, RetrurnStatus=:rstatus,  
ReturnDate=NOW() WHERE id=:rid;  
UPDATE tblbooks SET isIssued=0 WHERE id=:bookid";
```

```
$query->bindParam(':fine', $fine, PDO::PARAM_STR);  
$query->bindParam(':rstatus', $rstatus, PDO::PARAM_INT);  
$query->bindParam(':bookid', $bookid, PDO::PARAM_INT);
```

```
$_SESSION['msg'] = "Book Returned successfully. Fine: ₹$fine";  
<title>OLMS | Issued Book Details</title>
```

```
/* ===== 1. CORE RESET & VARIABLES ===== */
```

```
/* ===== 2. NAVIGATION (ADMIN STYLE) ===== */
```

```
/* box-shadow: var(--panel-shadow) !important; Your requested deep shadow */
```

```
/* ===== 3. GOLDEN CONTENT AREA & BUTTONS ===== */
```

```
padding: 40px 0 !important;
```

```
background: rgba(255,255,255,0.2);
```

```
font-size: 12px;
```

```
.btn-back:hover { background: #fff; color: var(--gold-dark); transform: translateX(-5px); }
```

```
border:none;
```

```
border-bottom: 1px solid #eee;
```

```
.btn-info {  
.btn-info:hover { transform: translateY(-5px) !important; box-shadow: 0 12px 25px  
rgba(0,0,0,0.3) !important; }
```

```
/* ===== 4. SPECIAL UI ELEMENTS ===== */
```

```
.fine-box {  
background: #fff8eb;  
.fine-value { font-size: 32px; font-weight: 800; color: #c0392b; }
```

```
.form-control:focus { border-color: var(--gold-primary); box-shadow: none; }
```

```
<a href="manage-issued-books.php" class="btn-back"><i class="fa fa-arrow-left"></i>  
Back to records</a>
```

```
<div class="panel-heading">RETURN PROCESSING</div>
```

```
$rid=intval($_GET['rid']);
```

```
$sql = "SELECT tblstudents.FullName, tblbooks.BookName, tblbooks.id as bid,  
tblissuedbookdetails.IssuesDate, tblissuedbookdetails.ReRunStatus  
WHERE tblissuedbookdetails.id=:rid";
```

```
$issueDate = new DateTime($result->IssuesDate);
```

```
$today = new DateTime();
```

```
$daysKept = $issueDate->diff($today)->days;
```

```
$allowedDays = 15;
```

```
$overdueDays = ($daysKept > $allowedDays) ? ($daysKept - $allowedDays) : 0;
```

```
<input type="hidden" name="bookid" value="<?php echo htmlentities($result->bid);?>">
```

```
<h4 style="color:var(--gold-dark); font-weight:800;"><i class="fa fa-user"></i> <?php echo  
htmlentities($result->FullName);?></h4>
```

```
<p><b>Book:</b> <?php echo htmlentities($result->BookName);?></p>
```

```
<p><b>Issued On:</b> <?php echo htmlentities($result->IssuesDate);?></p>
```

```
<hr>
```

```
<label>Set Fine Rate (INR)</label>
```

```
<select class="form-control" id="fineRate" onchange="calculateFine()">
```

```
<option value="0">Free (₹0/day)</option>
```

```
<option value="2">₹2 per day</option>
```

```
<option value="5" selected>₹5 per day</option>
```

```
<option value="10">₹10 per day</option>
```

```
<div class="fine-box">
```

```
<label>System Calculated Fine</label><br>
```

```
<span class="fine-value" id="displayFine">₹<?php echo ($overdueDays * 5); ?></span>
```

```
<p style="margin-top:10px;">
```

```
<span class="label label-danger" style="font-size: 12px; border-radius: 8px;"><?php echo $overdueDays; ?> Overdue Days</span>
```

```
<div class="form-group" style="margin-top:20px;">
```

```
<label>Final Fine to Charge (Adjustable)</label>
```

```
<input class="form-control" type="number" name="fine"
```

```
id="finalFine" value="<?php echo ($overdueDays * 5); ?>" required />
```

```
<?php if($result->RetrunStatus == 0): ?>
```

```
<button type="submit" name="return" class="btn btn-info">Complete Return</button>
```

```
<div class="alert alert-success" style="border-radius:15px; text-align:center; font-weight:700; margin-top:20px;">
```

```
<i class="fa fa-check-circle"></i> This book has already been returned.
```

```
function calculateFine() {
```

```
var overdueDays = <?php echo isset($overdueDays) ? $overdueDays : 0; ?>;
```

```
var rate = document.getElementById('fineRate').value;
```

```
var total = overdueDays * rate;
```

```
document.getElementById('displayFine').innerHTML = "₹" + total;
```

```
document.getElementById('finalFine').value = total;
```

22. User Dashboard

```
if(strlen($_SESSION['login'])==0) {
$sid = $_SESSION['stdid'];

// Fetch total books

$sql1 = "SELECT id from tblbooks";
$listdbbooks = $query1->rowCount();

// Fetch books issued to this student

$sql2 = "SELECT id from tblissuedbookdetails where StudentID=:sid";
$query2->bindParam(':sid', $sid, PDO::PARAM_STR);
$issuedbooks = $query2->rowCount();
<meta name="viewport" content="width=device-width, initial-scale=1" />
<title>OLMS | Student Dashboard</title>
<link href='https://fonts.googleapis.com/css?family=Poppins:300,400,600,700'
rel='stylesheet' type='text/css' />

/* ===== GLOBAL THEME & BACKGROUND ===== */

html {
background: linear-gradient(135deg, rgb(225, 161, 25), #8c6411) fixed !important;
background-size: cover !important;
font-family: 'Poppins', sans-serif !important;
min-height: 100vh;

/* ===== 1. LOGO SECTION ===== */

.logo-section {
padding: 15px 0;
text-align: left;
.logo-section img {
max-height: 60px;
```

```
/* ===== 2. NAVBAR CONTAINER (INDEX STYLE) ===== */
```

```
.navbar {  
border-bottom: 4px solid rgb(225, 161, 25) !important;  
box-shadow: 0 4px 15px rgba(0,0,0,0.1) !important;  
border-radius: 0 !important;  
padding: 5px 0 !important;  
min-height: 70px !important;
```

```
/* ===== 3. NAVIGATION BUTTONS (ROUNDED BOX STYLE) ===== */
```

```
font-size: 14px !important;  
padding: 25px 25px !important;  
transition: all 0.3s cubic-bezier(0.4, 0, 0.2, 1) !important;  
/* display: inline-block !important; */
```

```
/* Hover & Active State: Dark Gold Box with White Text */
```

```
box-shadow: 0 4px 12px rgba(0,0,0,0.2) !important;  
transform: translateY(-2px) !important;
```

```
/* Dropdown Styling */
```

```
.dropdown-menu > li > a:hover {  
background-color: rgb(225, 161, 25) !important;
```

```
/* ===== 4. CONTENT WRAPPER & DASHBOARD CARDS ===== */
```

```
padding-top: 40px !important;  
padding-bottom: 60px;
```

```
/* Update this section in your <style> block */
```

```
font-weight: 300; /* Change this to 300 (Light) */  
letter-spacing: 2px;  
text-shadow: 0 2px 4px rgba(0,0,0,0.2);
```

```
/* Add this to make the strong tag actually work */
```

```
.header-line strong {  
font-weight: 800 !important; /* Extra Bold */  
border-bottom: 2px solid rgba(255,255,255,0.5);
```

```
/* Optional: adds a nice underline */
```

```
.dash-card {  
background: rgba(255, 255, 255, 0.95);  
box-shadow: 0 10px 30px rgba(0,0,0,0.15);  
transition: all 0.4s ease;  
padding: 35px 20px;  
.dash-card:hover { transform: translateY(-8px); background: #fff; }  
.dash-card h3 { font-size: 34px; font-weight: 700; color: #333; margin: 0; }  
.dash-card p { color: #8c6411; font-weight: 600; text-transform: uppercase; font-size: 11px;  
margin-top: 10px; }
```

```
.icon-featured-green { color: #27ae60; font-size: 45px; margin-bottom: 15px; }  
.icon-featured-yellow { color: #f1c40f; font-size: 45px; margin-bottom: 15px; }  
.icon-featured-blue { color: #3498db; font-size: 45px; margin-bottom: 15px; }
```

```
/* Book Card Styles */
```

```
.book-card {  
position: relative; background: #fff; border-radius: 15px; overflow: hidden;  
margin-bottom: 30px; box-shadow: 0 8px 20px rgba(0,0,0,0.1); transition: 0.3s;  
.badge-floating {  
position: absolute; top: 12px; right: 12px; z-index: 10;  
padding: 5px 12px; border-radius: 50px; font-size: 10px;  
font-weight: 700; text-transform: uppercase; color: #fff;  
.label-new { background: #27ae60; }  
.label-pop { background: #3498db; }  
.book-image-box { height: 200px; display: flex; align-items: center; justify-content: center;  
padding: 15px; }  
.book-image-box img { max-height: 100%; transition: 0.5s; }  
.book-info { padding: 15px; text-align: center; }  
.btn-primary {  
background: #8c6411 !important;  
border: none !important; border-radius: 8px; font-weight: 600; padding: 10px;
```

```

.home-footer {
background: #111 !important; color: #eee !important;
padding: 30px 0; border-top: 5px solid rgb(225, 161, 25) !important;

/* ===== ELITE INTERACTIVE CARD ANIMATIONS ===== */

/* 1. Dashboard Stats Cards */

border-radius: 24px;
box-shadow: 0 15px 35px rgba(140, 100, 17, 0.1); /* Subtle gold shadow */
padding: 40px 20px;
z-index: 1;
/* Smooth, spring-like transition */
/* transition: all 0.5s cubic-bezier(0.23, 1, 0.32, 1); */
border: 1px solid rgba(255, 255, 255, 0.8);

.dash-card:hover {
transform: translateY(-15px) scale(1.03);
box-shadow: 0 30px 60px rgba(0,0,0,0.25);

/* 2. Featured Book Cards (3D Tilt Effect) */

box-shadow: 0 10px 25px rgba(0,0,0,0.1);
transition: all 0.6s cubic-bezier(0.165, 0.84, 0.44, 1);
perspective: 1000px; /* Prepares for 3D tilt */

.book-card:hover {
transform: translateY(-12px) rotateX(4deg) rotateY(-2deg);
box-shadow: 0 40px 70px rgba(0,0,0,0.3);

/* 3. Image "Pop-Out" Animation */

.book-image-box {

.book-image-box img {
max-height: 100%;
transition: transform 0.8s cubic-bezier(0.2, 1, 0.3, 1);

.book-card:hover .book-image-box img {
transform: scale(1.15) translateZ(20px); /* Brings image "forward" */

```

```
/* 4. Professional Glass Shimmer (Light Streak) */
```

```
.dash-card::before, .book-card::before {  
  content: "";  
  top: 0;  
  left: -150%;  
  background: linear-gradient(  
    120deg,  
    transparent,  
    rgba(255, 255, 255, 0.4),  
    transparent  
  );  
  transition: all 0.8s ease;  
  z-index: 2;
```

```
.dash-card:hover::before, .book-card:hover::before {  
  left: 150%;
```

```
/* 5. Icon Pulse on Stats */
```

```
.dash-card:hover i {  
  animation: pulseIcon 1.5s infinite ease-in-out;
```

```
@keyframes pulseIcon {  
  0% { transform: scale(1); }  
  50% { transform: scale(1.15); text-shadow: 0 0 15px rgba(140, 100, 17, 0.4); }  
  100% { transform: scale(1); }
```

```
<div class="logo-section">  
<a href="dashboard.php">  

```

```
<nav class="navbar navbar-default">  
<div class="navbar-header">  
<button type="button" class="navbar-toggle collapsed" data-toggle="collapse" data-  
target="#main-nav">  
<span class="icon-bar" style="background: rgb(225, 161, 25)">  
</span>
```

```
<div class="collapse navbar-collapse" id="main-nav">
```

```

<ul id="menu-top" class="nav navbar-nav navbar-right">
<li><a href="dashboard.php" class="menu-top-active">Dashboard</a></li>
<li><a href="listed-books.php">explore books</a></li>
<li><a href="issued-books.php">My History</a></li>
<li class="dropdown">
<a href="#" class="dropdown-toggle" data-toggle="dropdown"> my Account <i class="fa fa-angle-down"></i></a>
<ul class="dropdown-menu">
<li><a href="my-profile.php">Profile</a></li>
<li><a href="change-password.php">Security</a></li>
<li class="divider"></li>
<li><a href="logout.php" style="color:#e74c3c !important;">Sign Out</a></li>
</ul>
</li>
</nav>

```

```

<h4 class="header-line"> ✨ welcome to <strong>student dashboard</strong>
</h4>
</div>

```

```

<div class="col-md-4 col-sm-6">
<a href="listed-books.php" class="dash-card">
<i class="fa fa-book icon-featured-green"></i>
<h3><?php echo htmlentities($listdbooks);?></h3>
<p>Books Available</p>
<a href="#featured" class="dash-card">
<i class="fa fa-star icon-featured-yellow"></i>
<h3>Featured</h3>
<p>Handpicked Books</p>
<a href="issued-books.php" class="dash-card">
<i class="fa fa-history icon-featured-blue"></i>
<h3><?php echo htmlentities($issuedbooks);?></h3>
<p>Books Issued</p>

```

```

<div class="row" id="featured" style="margin-top:40px;">
<h4 class="header-line"> ✨ <strong style="font-weight: 900 !important;">Featured
Collection </strong></h4>
</div>

```

```

$sqlFeatured = "(SELECT id, BookName, bookImage, 'New' as label FROM tblbooks

```

```
ORDER BY id DESC LIMIT 3)
UNION
(SELECT b.id, b.BookName, b.bookImage, 'Popular' as label
FROM tblbooks b
LEFT JOIN tblissuedbookdetails i ON i.BookId = b.id
GROUP BY b.id ORDER BY COUNT(i.id) DESC LIMIT 3)";
```

```
$queryFeatured = $dbh->prepare($sqlFeatured);
$queryFeatured->execute();
$featuredBooks = $queryFeatured->fetchAll(PDO::FETCH_OBJ);
```

```
foreach($featuredBooks as $fBook) { ?>
<div class="book-card">
<span class="badge-floating <?php echo ($fBook->label == 'New') ? 'label-new' : 'label-
pop'; ?>">
<?php echo $fBook->label; ?>
<div class="book-image-box">

<div class="book-info">

<h5><?php echo htmlentities($fBook->BookName); ?></h5>
<a href="preview.php?bookid=<?php echo htmlentities($fBook->id); ?>" class="btn btn-
primary btn-block">
VEIW  PREVIEW
```

```
<footer class="home-footer">
&copy; <?php echo date("Y"); ?> Online Library Management System | User Dashboard
```

23. Admin Login

// 1. Set Error Reporting to see why it hangs (White Screen)

```
ini_set('display_errors', 1);
```

// 2. Clear existing admin sessions safely

```
if(isset($_SESSION['alogin']) && $_SESSION['alogin'] != ""){
```

```
$_SESSION['alogin'] = "";
```

```
if(isset($_POST['login']))
```

```
{
```

// 3. Basic sanitization

```
$username = trim($_POST['username']);
```

```
$password = md5($_POST['password']);
```

// 4. Using SELECT with specific columns is faster than SELECT *

```
$sql = "SELECT UserName, Password FROM admin WHERE UserName=:username  
AND Password=:password";
```

```
$query->bindParam(':username', $username, PDO::PARAM_STR);
```

```
$query->bindParam(':password', $password, PDO::PARAM_STR);
```

```
if($query->rowCount() > 0)
```

```
$_SESSION['alogin'] = $username;
```

// 5. SUCCESS: Redirect and EXIT immediately to stop server load

```
echo "<script type='text/javascript'> document.location ='admin/dashboard.php';  
</script>";
```

```
echo "<script>alert('Invalid Details');</script>";
```

// 6. FAILURE: Redirect back to reset POST data and EXIT

```
echo "<script type='text/javascript'> document.location ='adminlogin.php'; </script>";
```

```
<title>Online Library Management System | Admin Login</title>
```

```
<link href='http://fonts.googleapis.com/css?family=Open+Sans' rel='stylesheet'  
type='text/css' />
```

```
<h4 class="header-line">ADMIN LOGIN FORM</h4>
```

```
<div class="panel-heading">LOGIN FORM</div>
```

```
<label>Enter Username</label>
```

```
<input class="form-control" type="text" name="username" autocomplete="off" required />
```

```
<label>Password</label>
```

```
<input class="form-control" type="password" name="password" autocomplete="off"  
required />
```

```
<button type="submit" name="login" class="btn btn-info">LOGIN </button>
```

```
<script src="assets/js/custom.js"></script>
```

24. Change Password

```
$password=$_POST['password'];
$newpassword=$_POST['newpassword'];
$email=$_SESSION['login'];
$sql ="SELECT Password FROM tblstudents WHERE EmailId=:email AND
Password=:password";
$query-> bindParam(':email', $email, PDO::PARAM_STR);

$con="update tblstudents set Password=:newpassword where EmailId=:email";
$chngpwd1-> bindParam(':email', $email, PDO::PARAM_STR);
echo "<script>alert('Your Password successfully changed');</script>";
echo "<script>alert('Your current password is wrong');</script>";
```

```
.logo-section img { max-height: 60px; }
```

```
/* ===== 2. NAVBAR ===== */
```

```
/* ===== 3. CONTENT & CARD ===== */
```

```
.content-wrapper { padding: 40px 0; }
font-weight: 300;
.header-line strong { font-weight: 800 !important; }
```

```
box-shadow: 0 20px 40px rgba(0,0,0,0.3);
background: rgba(255, 255, 255, 0.98);
```

```
/* ===== 4. INPUTS & GOLDEN GLOW ===== */
```

```
.form-group label { color: #8c6411; font-weight: 600; font-size: 13px; }
```

```
box-shadow: 0 0 12px rgba(225, 161, 25, 0.3) !important;
```

```
.btn-change {
background: #8c6411;
```

letter-spacing: 1px;

```
.btn-change:hover {  
background: rgb(225, 161, 25);  
box-shadow: 0 6px 20px rgba(140, 100, 17, 0.3);
```

margin-top: 50px;

```
<script type="text/javascript">  
alert("New Password and Confirm Password Field do not match !!");
```

```
<a href="dashboard.php"></a>
```

```
<li><a href="dashboard.php">Dashboard</a></li>
```

```
<li><a href="listed-books.php">Explore Books</a></li>
```

```
<a href="#" class="dropdown-toggle" data-toggle="dropdown">Account <i class="fa fa-angle-down"></i></a>
```

```
<li><a href="change-password.php" class="menu-top-active">Security</a></li>
```

```
<h4 class="header-line"><img alt="lock icon" data-bbox="358 478 378 498"/> <strong>Change Password</strong></h4>
```

```
<div class="panel-heading">Update Credentials</div>
```

```
<form name="chngpwd" method="post" onSubmit="return valid();">
```

```
<input class="form-control" type="password" name="newpassword" autocomplete="off"  
required />
```

```
<label>Confirm New Password</label>
```

```
<input class="form-control" type="password" name="confirmpassword"  
autocomplete="off" required />
```

```
<button type="submit" name="change" class="btn btn-change">Update Password  
</button>
```

25. Check Availability

```
// 1. Ensure the script stops immediately if the email field is empty

if(!empty($_POST["emailid"])) {

$email = trim($_POST["emailid"]);

// 2. Validate email format first


if (filter_var($email, FILTER_VALIDATE_EMAIL) === false) {
echo "error : You did not enter a valid email.";
exit; // Stop execution
else {

// 3. OPTIMIZATION: Only select 1 column for existence check


$sql = "SELECT EmailId FROM tblstudents WHERE EmailId=:email";

$query->bindParam(':email', $email, PDO::PARAM_STR);


// 4. Use rowCount() directly (No need for fetchAll)

echo "<span style='color:red'> Email already exists.</span>";

echo "<span style='color:green'> Email available for Registration.</span>";
```

26. Index

```
if($_SESSION['login']!=""){
$_SESSION['login']="";
$email=$_POST['emailid'];
```

```
$sql ="SELECT EmailId>Password,StudentId>Status FROM tblstudents WHERE
EmailId=:email and Password=:password";
```

```
$_SESSION['stdid']=$result->StudentId;
```

```
if($result->Status==1) {
$_SESSION['login']=$_POST['emailid'];
echo "<script type='text/javascript'> document.location = 'dashboard.php'; </script>";
echo "<script>alert('Your Account Has been blocked. Please contact admin');</script>";
<title>Online Library Management System</title>
```

```
<link href='https://fonts.googleapis.com/css?family=Poppins:400,600,700' rel='stylesheet'
type='text/css' />
```

```
/* ===== FORCED WHITE NAVBAR ===== */
```

```
/* This targets the container and ensures no dark background exists */
```

```
.navbar-inverse, .navbar-default, .navbar {
background-image: none !important; /* Removes Bootstrap gradients */
```

```
/* Navbar Brand/Logo */
```

```
.navbar-brand {
font-size: 22px !important;
```

```
/* Professional Nav Links (Home, Login, Signup, Help) */
```

```
.navbar-
> li > a {
color: rgb(225, 161, 25) !important; /* Changed from #333 to Golden */
```

```

font-weight: 600 !important;
padding: 20px 20px !important;

/* Global Hovering Effect */

.navbar-nav > li > a:hover,
.navbar-nav > li.active > a,

.navbar-nav > li.open > a {
color: #8c6411 !important; /* Darker gold on hover for readability */
/
background-color: #f9f9f9 !important; /* Very subtle light bg */

/* ===== HELP DROPDOWN FIX ===== */

color: rgb(225, 161, 25) !important;

/* Dropdown text also gold */

padding: 12px 20px !important;
font-weight: 500 !important;
transition: all 0.2s ease !important;

/* Dropdown Hover State */

color: #ffffff !important; /* Text turns white on gold background */

padding-left: 25px !important; /* Smooth slide effect */

/* Fix for the little arrow (caret) */

.caret {
border-top-color: #333 !important;

.navbar-nav > li > a:hover .caret {
border-top-color: rgb(225, 161, 25) !important;

/* ===== CAROUSEL ===== */

.carousel {
margin: 40px auto;

```

```

border: 6px;
box-shadow: 0 25px 50px rgba(0,0,0,0.3);
.carousel-inner img { height: 450px !import

ant; object-fit: cover; width: 100%;
}
.carousel-control { background-image: none !important; width: 8%; display: flex; align-
items: center; justify-content: center; opacity: 0.8; text-shadow: none;
}
.carousel-control:hover { opacity: 1;
}
.carousel-control .fa {
color: rgb(225, 161, 25);
width: 50px; height: 50px; line-height: 50px;

border-radius: 50%; font-size: 20px; text-align: center;

box-shadow: 0 4px 10px rgba(0,0,0,0.2);

/* ===== CONTENT CARD ===== */

.content {
padding: 40px;

box-shadow: 0 15px 35px rgba(0,0,0,0.2);
margin-bottom: 60px;

.content h3 { color: rgb(225, 161, 25); font-weight: 700; border-bottom: 2px solid #eee;
padding-bottom: 15px; margin-bottom: 20px;
}

/* ===== FOOTER ===== */

background: #111; color: #eee; padding: 50px 0 20px;
border-top: 5px solid rgb(225, 161, 25);

.home-footer-box h4 { color: rgb(225, 161, 25); font-weight: 700; margin-bottom: 20px;
font-size: 16px;
}

```

```

.home-footer-bottom { margin-top: 30px;

padding-top: 20px; border-top: 1px solid #333; text-align: center; color: rgb(225, 161, 25);
font-size: 12px;
}

/* ===== 1. GLOBAL THEME ===== */

/* ===== 2. NAVBAR CONTAINER ===== */

.navbar, .navbar-inverse, .navbar-default, .menu-section {
background-image: none !important;
border-bottom: none !important;

/* Clean look: no bottom line */

/* Top-weighted shadow for depth */

box-shadow: 0 -5px 15px rgba(0,0,0,0.1), 0 2px 10px rgba(0,0,0,0.05) !important;
display: flex !important;
align-items: center !important;

/* Center navigation links vertically */

.navbar-nav, #menu-top {
margin: 0 !important;
height: 100% !important;

/* ===== 3. NAVIGATION BUTTONS (BASE STATE) ===== */

#menu-top li a,
.navbar-nav li a,
padding: 22px 25px !important;

margin: 0px !important;

border-radius: 12px !important;

/* The rounded box shape */

```

```
display: inline-block !important;
opacity: 1 !important;
visibility: visible !important;
```

```
/* ===== 4. THE HOVER BOX (ACTIVE & HOVER STATE) ===== */
```

```
.navbar-nav li a:hover,

.navbar-nav li.active > a,
.navbar-nav li.open > a,
.menu-top-active {
background-color: #8c6411 !important;
```

```
/* Darker Bronze */
```

```
color: #ffffff !important; /* White text on hover */
```

```
transform: translateY(-1px);
```

```
/* ===== 5. DROPDOWN STYLING ===== */
```

```
border-top: 4px solid #8c6411 !important;
```

```
box-shadow: 0 8px 20px rgba(0,0,0,0.15) !important;
```

```
border-radius: 0 0 10px 10px !important;
```

```
margin-top: 0px !important;
```

```
padding: 0 !important; /* This removes the top/bottom white space */
min-width: 180px !important;
```

```
.dropdown-menu li {
margin: 0 !important;
```

```
/* CRITICAL: Remove any margin between items */
```

```
padding: 14px 20px !important;
```

```
display: block !important; /* Forces the link to take up the full width */
```

```

width: 100% !important; /* Extra insurance for full width */

border-radius: 0 !important; /* Removes inner rounding that causes gaps */
text-align: left !important;

padding-left: 28px !important; /* Elegant slide effect */
.dropdown-menu > li {
padding: 0 !important; /* Ensures no internal padding in the list item */

/* Remove the border from the last item so it looks clean */

.dropdown-menu > li:last-child > a {
border-bottom: none !important;

/* ===== 6. UI ELEMENTS (CARET/ICONS) ===== */

margin-left: 5px !important;

/* Make caret white when the parent button is hovered/darkened */

#menu-top li a:hover .caret,

.navbar-nav li.open > a .caret {
border-top-color: #ffffff !important;

background: #111;
color: #eee;

padding: 50px 0 20px;
text-align: center; /* This centers all text within footer boxes */

.home-footer-box {

.home-footer-box h4 {

.home-footer-bottom {
padding-top: 20px;
border-top: 1px solid #333;

```

/* 2. LABELS (Professional Dark Charcoal) */

```
color: #444 !important;
text-transform: uppercase; /* Adds a modern dashboard look */
```

/* 3. REGISTRATION BUTTON (Signature Gold Gradient) */

```
.btn-signup {
border-radius: 30px;

background: linear-gradient(135deg, rgb(225, 161, 25), #8c6411) !important;
padding: 12px;
```

```
.btn-signup:hover {
box-shadow: 0 5px 15px rgba(140, 100, 17, 0.3);
```

/* 4. INTERACTIVE ELEMENTS (Eye Icons & Bottom Link) */

```
color: #8c6411 !important; /* Bronze color for the eye icon */
```

```
.login-link-area {
color: #666; /* Subtle grey for "Already have an account?" */
```

```
.login-link-area a {
color: #8c6411 !important; /* Signature Deep Bronze for the link */
```

```
.login-link-area a:hover {
text-decoration: underline;
```

```
<div id="main-slider" class="carousel slide" data-ride="carousel">
<div class="carousel-inner">
```

```
<div class="item active"></div>
<div class="item"></div>
```

```
<a class="left carousel-control" href="#main-slider" data-slide="prev"><i class="fa fa-
chevron-left"></i></a>
```

<i class="fa fa-chevron-right"></i>

<div class="content">

<h3>Explore, Learn, and Grow</h3>

<p>Welcome to the next generation of library management. Our system is designed to provide students and faculty with seamless access to a vast array of physical and digital collections. Whether you are conducting research, preparing for exams, or simply seeking your next great read, our modern interface makes it easier than ever to manage your books and discover new knowledge.</p>

<div class="col-md-4 home-footer-box">

<h4>ABOUT LIBRARY</h4>

<p>A comprehensive platform dedicated to enhancing the educational experience through streamlined resource management.</p>

<h4>VISIT US</h4>

<p>Flat NO.2,1st floor,Ultra C.H.S Ltd,Hari Shankar Road,next to Madhuras Hall, Krishna Colony,Dahisar(E),Mumbai-400068</p>

<h4>SUPPORT</h4>

<p>Help Desk: +91 98765 43210
bookmate.starlibrary@gmail.com</p>

<div class="home-footer-bottom">

© <?php echo date("Y"); ?> Online Library Management System | Built with care

27. Issued Books

```
} else { ?>
<title>OLMS | Issued Books History</title>

/* ===== STICKY FOOTER LAYOUT ===== */

min-height: 100vh; /* Full viewport height */

/* ===== 3. CONTENT AREA (Flex Grow pushes footer down) ===== */

flex: 1 0 auto; /* This pushes the footer to the bottom */

/* ===== 4. TABLE CONTAINER CARD ===== */

.table-container-card {

.main-table thead th {
.book-name-cell { font-size: 15px; font-weight: 700; color: #8c6411; }
.isbn-code { background: #f8f9fa; border: 1px solid #ddd; padding: 2px 6px; border-radius:
4px; font-family: monospace; color: #333; }
.label-returned { background-color: #27ae60 !important; padding: 6px 12px; border-radius:
50px; font-size: 10px; font-weight: 700; }
.label-not-returned { background-color: #e74c3c !important; padding: 6px 12px; border-
radius: 50px; font-size: 10px; font-weight: 700; }
.fine-text { font-weight: 700; color: #e74c3c; font-size: 14px; }
/* Golden Glow Focus */

/* ===== 5. FOOTER (FIXED STYLE) ===== */

flex-shrink: 0; /* Prevents footer from shrinking */
color: #eee !important;
padding: 30px 0;
<li><a href="issued-books.php" class="menu-top-active">My History</a></li>
<h4 class="header-line">📖 Your <strong>Issued Books History</strong></h4>
<div class="table-container-card">
<table class="table main-table" id="dataTables-example">
<th width="50">#</th>
<th>Book Information</th>
<th>Return Status</th>
```

```

<th class="text-center">Fine (INR)</th>
$sid=$_SESSION['stdid'];
$sql="SELECT
tblbooks.BookName,tblbooks.ISBNNumber,tblissuedbookdetails.IssuesDate,tblissuedbookd
etails.ReturnDate,tblissuedbookdetails.id as rid,tblissuedbookdetails.fine from
tblissuedbookdetails join tblstudents on
tblstudents.StudentId=tblissuedbookdetails.StudentId join tblbooks on
tblbooks.id=tblissuedbookdetails.BookId where tblstudents.StudentId=:sid order by
tblissuedbookdetails.id desc";
$query-> bindParam(':sid', $sid, PDO::PARAM_STR);
<td><?php echo $cnt++;?></td>

<td><span class="book-name-cell"><?php echo htmlentities($result-
>BookName);?></span></td>

<td><span class="isbn-code"><?php echo htmlentities($result-
>ISBNNumber);?></span></td>

<td style="color: #666; font-weight: 500;"><?php echo htmlentities($result-
>IssuesDate);?></td>

<?php if($result->ReturnDate=="") { ?>
<span class="label label-not-returned"><i class="fa fa-clock-o"></i> NOT RETURNED
YET</span>

<span class="label label-returned"><?php echo htmlentities($result->ReturnDate);
?></span>

<td class="fine-text text-center">

<?php echo ($result->fine == "" || $result->fine == "0") ? '<span style="color:#bbb;">—
</span>' : "₹".htmlentities($result->fine);?>

"order": [[ 0, "desc" ]],

```

28. Listed Books

```
<title>OLMS | Books Catalog</title>
```

```
/* ===== 2. NAVBAR (FIXED TO MATCH DASHBOARD) ===== */
```

```
/* ===== 3. CONTENT AREA ===== */
```

```
.book-title-cell { font-size: 15px; font-weight: 700; color: #8c6411; }
```

```
.isbn-pill { background: #f8f9fa; border: 1px solid #eee; padding: 2px 8px;
```

```
border-radius: 4px; font-family: monospace; }
```

```
.btn-details {  
padding: 8px 18px;
```

```
.btn-details:hover {  
box-shadow: 0 4px 12px rgba(140, 100, 17, 0.3);
```

```
.status-badge { padding: 6px 12px; border-radius: 50px; font-size: 10px; font-weight:  
700; }
```

```
margin-top: 40px;
```

```
<a href="dashboard.php"></a>
```

```
<li><a href="listed-books.php" class="menu-top-active">Explore Books</a></li>
```

```
<a href="#" class="dropdown-toggle" data-toggle="dropdown">My Account <i class="fa  
fa-angle-down"></i></a>
```

```
<h4 class="header-line">📖 Library <strong>Books Catalog</strong></h4>
```

```
<th width="80">Cover</th>
```

```
<th width="140" class="text-center">Action</th>
```

```
$sql = "SELECT tblbooks.id, tblbooks.BookName, tblauthors.AuthorName,  
tblbooks.ISBNNumber,  
tblbooks.bookQty, tblbooks.bookImage,
```

```

COUNT(tblissuedbookdetails.id) AS issuedBooks,
SUM(CASE WHEN tblissuedbookdetails.ReترونStatus = 1 THEN 1 ELSE 0 END) AS
returnedbook
GROUP BY tblbooks.id
ORDER BY tblbooks.BookName ASC";

```

```



```

```

<span class="book-title-cell"><?php echo htmlentities($result->BookName);?></span>
<td style="color: #555; font-weight: 500;"><?php echo htmlentities($result-
>AuthorName);?></td>
<td><span class="isbn-pill"><?php echo htmlentities($result-
>ISBNNumber);?></span></td>

```

```

$available = $result->bookQty - ($result->issuedBooks - $result->returnedbook);
if($available > 0) {
echo '<span class="label label-success status-badge">'. $available. ' IN STOCK</span>';

```

```

echo '<span class="label label-danger status-badge">Out Of Stock </span>';
<a href="preview.php?bookid=<?php echo htmlentities($result->id);?>" class="btn-
details">

```

```

<i class="fa fa-search"></i> VIEW
"pageLength": 10,
"order": [[ 1, "asc" ]]

```

29. Login

```
/* Prevent browser caching */

header("Cache-Control: no-store, no-cache, must-revalidate, max-age=0");
header("Cache-Control: post-check=0, pre-check=0", false);
header("Pragma: no-cache");

header("Expires: 0");

if(isset($_POST['login'])) {

// Trim inputs to handle accidental spaces from different keyboards/browsers

$password = trim($_POST['password']);
$type = $_POST['type'];

if($type == "admin") {
    $adminPassword = md5($password);
    $sql = "SELECT UserName, Password FROM admin WHERE UserName=:username and
    Password=:password";
    $query= $dbh->prepare($sql);

    $query->bindParam(':password', $adminPassword, PDO::PARAM_STR);
    echo "<script>alert('Invalid Admin Details');</script>";

// Use StudentId for the lookup

    $sql = "SELECT StudentId, Password, Status FROM tblstudents WHERE
    StudentId=:studentid";
    $query->bindParam(':studentid', $username, PDO::PARAM_STR);
    $result = $query->fetch(PDO::FETCH_OBJ);

// Securely verify the hashed password

    if (password_verify($password, $result->Password)) {
        if($result->Status == 1) {
            $_SESSION['stdid'] = $result->StudentId;
            $_SESSION['login'] = $username;
            echo "<script>alert('Invalid Password');</script>";
        }
    }
}
```

```

echo "<script>alert('Invalid Student ID');</script>";
<html>
<title>Online Library Management System | Login</title>

/* ===== 1. GLOBAL THEME (MATCHES INDEX) ===== */

min-height: 80vh;
#menu-top li a, .navbar-nav li a {
padding: 15px 25px !important;

/* ===== 3. LOGIN CARD ===== */

box-shadow: 0 25px 60px rgba(0,0,0,0.3);
padding: 40px 10px 10px 10px !important;
font-size: 26px;
color: #8c6411 !important; /* Bronze Title */
.panel-body { padding: 30px 40px 40px 40px !important; }

/* ===== 4. FORM INPUTS ===== */

color: #555;
height: 52px;
transition: all 0.3s;

/* Eye Icon & Select Arrow */

.toggle-password, .select-arrow {
right: 18px;
bottom: 16px;
z-index: 10;

/* ===== 5. LOGIN BUTTON (GOLD) ===== */

.btn-login {
background: linear-gradient(to right, rgb(225, 161, 25), #8c6411) !important;
box-shadow: 0 4px 15px rgba(140, 100, 17, 0.3);
.btn-login:hover {
box-shadow: 0 6px 20px rgba(140, 100, 17, 0.4);
filter: brightness(1.1);

/* Signup Link */

```

```
.signup-link {
.signup-link:hover {
.navbar-nav > li > a {
background-color: #f9f9f9 !important;
```

```
padding-left: 25px !important;
```

```
padding: 40px 0 30px !important;
text-align: center !important;
width: 100% !important;
```

```
margin-top: 50px !important;
```

```
#menu-top li a, .navbar-nav li a, .navbar-brand {
.navbar-nav li.open > a {
<div class="col-md-6 col-sm-8 col-xs-12 col-md-offset-3 col-sm-offset-2">
```

```
<label>User ID / Student ID</label>
```

```
<input type="text" class="form-control" name="username" required autocomplete="off">
<input id="password" class="form-control" type="password" name="password" required
autocomplete="off">
```

```
<label>Login Type</label>
<select class="form-control" name="type" required>
```

```
<option value="student">Student</option>
<option value="admin">Admin</option>
```

```
<button type="submit" name="login" class="btn btn-login">LOGIN NOW</button>
<div style="text-align:center; margin-top:20px;">
```

```
Not registered? <a href="signup.php" style="color:#8c6411; font-weight:700;">Signup
Here</a>
```

```
&copy; <?php echo date("Y"); ?> Online Library Management System | Build with care
var x = document.getElementById(inputId);
if (x.type === "password") {
x.type = "text";
x.type = "password"
```

30. Logout

```
$_SESSION = array();

if (ini_get("session.use_cookies")) {
    $params = session_get_cookie_params();

    setcookie(session_name(), "", time() - 42000,
        $params["path"], $params["domain"],
        $params["secure"], $params["httponly"]
        header("location:index.php");
}
```

31. My Profile

```
$fname=$_POST['fullanme'];
$mobileno=$_POST['mobileno'];
$sql="update tblstudents set FullName=:fname,MobileNumber=:mobileno where
StudentId=:sid";
$query->bindParam(':sid',$sid,PDO::PARAM_STR);
$query->bindParam(':fname',$fname,PDO::PARAM_STR);

$query->bindParam(':mobileno',$mobileno,PDO::PARAM_STR);
echo '<script>alert("Your profile has been updated")</script>';
<title>OLMS | Student Profile</title>

/* ===== GLOBAL THEME & BACKGROUND (Matched) ===== */

/* ===== 3. NAVIGATION BUTTONS ===== */

/* ===== 4. CONTENT WRAPPER ===== */

/* ===== 5. PROFILE CARD ===== */

max-width: 600px;
.panel-body { padding: 35px !important; }

/* Info Box Style */

info-box {
```

```
background: #fdfaf3;
border: 1px solid #f3e8d2;
justify-content: space-between;
.info-item label {
color: #999;
```

```
margin-bottom: 2px;
```

```
.info-item span {
color: #444;
```

```
/* Form Controls */
```

```
.form-group label {
```

```
/* Buttons */
```

```
.status-badge {
padding: 5px 12px;
border-radius: 50px;
.active-bg { background: #e6f4ea; color: #1e7e34;
}
```

```
/* ===== 6. FOOTER ===== */
```

```
<li><a href="my-profile.php" class="menu-top-active">Profile</a></li>
```

```
<h4 class="header-line">  <strong>My Profile</strong></h4>
```

```
<div class="panel-heading">Student Information</div>
```

```
<form name="signup" method="post">
```

```
$sql="SELECT StudentId,FullName,MobileNumber,RegDate,Status
from tblstudents where StudentId=:sid ";
```

```
<div class="info-box">
```

```
<div class="info-item">
```

```
<label>Student ID</label>
```

```
<span><?php echo htmlentities($result->StudentId);?></span>
```

```

<div class="info-item" style="text-align:center;">
<label>Member Since</label>

<span><?php echo htmlentities($result->RegDate);?></span>

<div class="info-item" style="text-align:right;">

<span class="status-badg <?php echo ($result->Status==1) ? 'active-bg' :
'blocked-bg'; ?>">

<?php echo ($result->Status==1) ? '● Active' : '● Blocked'; ?>
<label><i class="fa fa-user"></i> Full Name</label>

<input class="form-control" type="text" name="fullanme" value="<?php echo
htmlentities($result->FullName);?>" required />

<label><i class="fa fa-phone"></i> Mobile Number</label>

<input class="form-control" type="text" name="mobilenno" maxlength="10" value="<?php
echo htmlentities($result->MobileNumber);?>" required />

<button type="submit" name="update" class="btn btn-update">Save Profile
Changes</button>

```

32. Preview

```
$sql = "SELECT digital_file, BookName FROM tblbooks WHERE id=:bookid";
if(!$result || $result->digital_file == "") {
    die("Preview not available for this book.");
<title>Preview: <?php echo $result->BookName; ?></title>
<script src="https://cdnjs.cloudflare.com/ajax/libs/pdf.js/2.16.105/pdf.min.js"></script>

body { background: #333; margin: 0; color: white; font-family: sans-serif;
}
.toolbar {
position: fixed; top: 0; width: 100%; background: #1a1a1a; padding: 15px; text-align:
center; z-index: 10; box-shadow: 0 2px 10px rgba(0,0,0,0.5); }
#pdf-container
{
margin-top: 80px; display: flex; flex-direction: column; align-items:
center; padding-bottom: 50px;
}
canvas { margin-bottom: 20px; box-shadow: 0 0 20px rgba(0,0,0,0.6); max-width: 90%;
}
.limit-msg
{
background: white; color: #333; padding: 40px; border-radius: 8px;
text-align: center; max-width: 500px; margin-top: 20px;
}
<div class="toolbar">
<strong>Reading: <?php echo htmlentities($result->BookName); ?></strong>
<span style="margin-left: 20px;">(Free 12-Page Preview)</span>

<div id="pdf-container"></div>
const url = 'admin/bookfiles/<?php echo $result->digital_file; ?>';

const pdfjsLib = window['pdfjs-dist/build/pdf'];

pdfjsLib.GlobalWorkerOptions.workerSrc =
'https://cdnjs.cloudflare.com/ajax/libs/pdf.js/2.16.105/pdf.worker.min.js';
pdfjsLib.getDocument(url).promise.then(pdf =>
{
const container = document.getElementById('pdf-container');
```

```

// Limit to 12 pages

const pagesToShow = Math.min(pdf.numPages, 12);

for (let i = 1; i <= pagesToShow; i++) {
  pdf.getPage(i).then(page => {
    const scale = 1.5;
    const viewport = page.getViewport({ scale });

    const canvas = document.createElement('canvas');

    const context = canvas.getContext('2d');

    canvas.height = viewport.height;

    canvas.width = viewport.width;

    container.appendChild(canvas);
    page.render({ canvasContext: context, viewport: viewport });

    // After 12 pages, show the "Buy/Borrow" message

    if (pdf.numPages > 12)
    {
      const msg = document.createElement('div');
      msg.className = 'limit-msg';
      msg.innerHTML = `<h3>Want to keep reading?</h3>

      <p>This is just a 12-page preview. Please visit the library to borrow the full book.</p>`;
      container.appendChild(msg);
    }
  });
}

```

33. Sign up

```
if(isset($_POST['signup'])) {

// 1. Collect and trim inputs

$fname=$_POST['fullname'];
$email=$_POST['email'];

// 2. Hash the password securely

$hashedPassword = password_hash($password, PASSWORD_DEFAULT);

// 3. Generate Student ID

$sql_count = "SELECT id FROM tblstudents";
$query_count = $dbh->prepare($sql_count);
$query_count->execute();

$studentId = "SID" . str_pad($query_count->rowCount() + 1, 3, '0', STR_PAD_LEFT);

// 4. Fixed SQL: Insert :hashedPassword (not :password)

$sql="INSERT INTO
tblstudents(StudentId,FullName,MobileNumber,EmailId>Password,Status)
VALUES(:studentId,:fname,:mobilenumber,:email,:hashedPassword,1)";
$query->bindParam(':studentId',$studentId,PDO::PARAM_STR);
$query->bindParam(':email',$email,PDO::PARAM_STR);

// Bind to the hashed version so login.php can read it

$query->bindParam(':hashedPassword',$hashedPassword,PDO::PARAM_STR);
echo '<script>alert("Success! Your ID is '.$studentId.'")</script>';
echo "<script>window.location.href='index.php'</script>";
echo "<script>alert('Error. Please try again.');"
<title>OLMS | User Signup</title>

/* ===== GLOBAL THEME ===== */

html { background: linear-gradient(135deg, rgb(225, 161, 25), #8c6411) fixed !important;
}
```

```
body { margin: 0; font-family: 'Poppins', sans-serif; background: transparent !important;
min-height: 100vh;
}
```

```
/* ===== SIGNUP CARD ===== */
```

```
border-radius: 16px !important;
box-shadow: 0 25px 60px rgba(0,0,0,0.25);
```

```
padding: 30px 10px 10px 10px !important;
font-size: 24px;
color: #8c6411 !important; /* Professional Bronze Heading */
.panel-body { padding: 30px !important; }
```

```
/* 2. THE LABELS (Professional Dark Charcoal) */
```

```
/* ===== INPUTS & EYE POSITIONING ===== */
```

```
.form-control::-ms-reveal, .form-control::-ms-clear { display: none !important; }
```

```
/* 4. INTERACTIVE ELEMENTS (Eye Icons) */
```

```
color: #8c6411 !important; /* Bronze Eye Icon */
.toggle-password:hover { color: rgb(225, 161, 25); }
```

```
/* 3. THE REGISTRATION BUTTON (Signature Gold Gradient) */
```

```
/* 4. INTERACTIVE ELEMENTS (Bottom Link) */
```

```
color: #666;
color: #8c6411 !important; /* Signature Deep Bronze link */
```

```
/* ===== NAVBAR STYLING ===== */
```

```
#menu-top li a:hover, .navbar-nav li a:hover {
```

```
/* ===== FOOTER STYLING ===== */
```

```
.caret { border-top-color: rgb(225, 161, 25) !important; }
.not-matched {
box-shadow: 0 0 12px rgba(225, 161, 25, 0.4) !important;
```

```

.matched {
border-color: #2ecc71 !important;

box-shadow: 0 0 12px rgba(46, 204, 113, 0.4) !important;
<div class="panel-heading">USER SIGNUP</div>

<form name="signup" method="post" onSubmit="return valid();">
<label>Full Name</label>

<input class="form-control" type="text" name="fullname" required autocomplete="off" />
<label>Mobile Number</label>

<input class="form-control" type="text" name="mobilenumber" maxlength="10" required
autocomplete="off" />

<label>Email ID</label>
<input class="form-control" type="email" name="email" required autocomplete="off" />

<button type="submit" name="signup" class="btn btn-signup">REGISTER NOW
</button>

<div class="login-link-area">

Already have an account? <a href="login.php">Login Here</a>

if(document.signup.password.value != document.signup.confirmpassword.value) {
document.signup.confirmpassword.focus();

```

34. User forgot Password

```
$email = $_POST['email'];
$mobile = $_POST['mobile'];
$newpassword = md5($_POST['newpassword']);

// Check if user exists

$sql = "SELECT EmailId FROM tblstudents WHERE EmailId=:email and
MobileNumber=:mobile";
$query->bindParam(':mobile', $mobile, PDO::PARAM_STR);

$con = "UPDATE tblstudents SET Password=:newpassword WHERE EmailId=:email
and MobileNumber=:mobile";

$chngpwd1->bindParam(':email', $email, PDO::PARAM_STR);
$chngpwd1->bindParam(':mobile', $mobile, PDO::PARAM_STR);

$chngpwd1->bindParam(':newpassword', $newpassword, PDO::PARAM_STR);

echo "<script>alert('Your Password successfully
changed');document.location='index.php';</script>";

echo "<script>alert('Email id or Mobile no is invalid');</script>";
<meta name="description" content="" />

<meta name="author" content="" />
<title>Online Library Management System | Password Recovery </title>

<!-- BOOTSTRAP CORE STYLE -->

<!-- FONT AWESOME STYLE -->

<!-- CUSTOM STYLE -->

<!-- GOOGLE FONT -->

function valid()
if(document.chngpwd.newpassword.value!= document.chngpwd.confirmpassword.value)
```

<!--MENU SECTION START-->

<!-- MENU SECTION END-->

<h4 class="header-line">User Password Recovery</h4>

<!--LOGIN PANEL START-->

<div class="col-md-6 col-sm-6 col-xs-12 col-md-offset-3" >

LOGIN FORM

<form role="form" name="chngpwd" method="post" onSubmit="return valid();">

<label>Enter Reg Email id</label>

<label>Enter Reg Mobile No</label>

<input class="form-control" type="text" name="mobile" required autocomplete="off" />

<input class="form-control" type="password" name="newpassword" required
autocomplete="off" />

<label>ConfirmPassword</label>

<input class="form-control" type="password" name="confirmpassword" required
autocomplete="off" />

<button type="submit" name="change" class="btn btn-info">Chnage Password</button>

| Login

<!--LOGIN PABNEL END-->

<!-- CONTENT-WRAPPER SECTION END-->

<!-- FOOTER SECTION END-->

<!-- BOOTSTRAP SCRIPTS -->

<!-- CUSTOM SCRIPTS -->

35. Video

```
<title>Project Video</title>
background: linear-gradient(135deg, #f5f7fa, #e4ecf7);

font-family: 'Segoe UI', sans-serif;
.video-container {
box-shadow: 0 10px 30px rgba(0,0,0,0.1);

.page-title {
color: #2c3e50;
.back-btn {
font-weight: 500;
transition: 0.3s ease;

.back-btn:hover {
background-color: #0056b3;

video {
<div class="video-container">
<h2 class="text-center page-title">

Library Management System Video
</h2>

<!-- Back Button Top Left -->

<div style="margin-bottom:20px;">

<a href="index.php" class="btn btn-primary back-btn">
← Back to Home
<video width="85%" controls>

<source src="assets/help/video.mp4" type="video/mp4">
</video>
```

36. View Help

```
// LOGIC: Determine which PDF to show based on the URL parameter
$view = isset($_GET['view']) ? $_GET['view'] : 'intro';

if ($view == 'doc') {
    $pdfFile = "blackbook.pdf";

    $pageTitle = "PROJECT DOCUMENTATION";

    $pdfFile = "presentation_final.pdf";
    $pageTitle = "TEAM INTRODUCTION";
    <title>Library | <?php echo $pageTitle; ?></title>

    /* Variables based on your Admin Dashboard requirements */

    --panel-shadow: 0 10px 30px rgba(0,0,0,0.25), 0 15px 45px rgba(0,0,0,0.18);

    /* 1. GLOBAL THEME & BACKGROUND */

    background: linear-gradient(135deg, var(--gold-primary) 0%,
    var(--gold-dark) 100%) fixed !important;

    /* 2. NAVBAR: White background + 5px Golden Bottom Border */

    .navbar, .menu-section {

    /* 3. CONTENT AREA: PDF PANEL & SHADOWS */

    .page-header {
    color: #ffffff;

    border-bottom: 3px solid var(--gold-dark);
    padding-bottom: 12px;

    text-shadow: 2px 2px 4px rgba(0,0,0,0.2);

    .pdf-container {
    margin: 30px 0;
```

```
.pdf-viewer {  
height: 80vh;  
  
border-radius: 8px;  
<h4 class="page-header"><?php echo $pageTitle; ?></h4>  
  
<div class="col-md-12 text-center">  
<div class="pdf-container">  
  
<iframe src="<?php echo $pdfFile; ?>" class="pdf-viewer">  
  
<p>Your browser does not support embedded PDFs.  
<a href="<?php echo $pdfFile; ?>">Download the PDF</a>  
</iframe>  
  
&copy; <?php echo date("Y"); ?> Online Library Management System | Built with Care
```

37. Header File (students)

```
<div class="navbar navbar-inverse set-radius-zero">
  <div class="container">
    <div class="navbar-header">
      <button type="button" class="navbar-toggle" data-toggle="collapse" data-
target=".navbar-collapse">
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
      </button>
      <a class="navbar-brand">
        
      </a>
    </div>
  </div>
</div>

<section class="menu-section">
  <div class="container">
    <div class="row">
      <div class="col-md-12">
        <div class="navbar-collapse collapse">
          <ul id="menu-top" class="nav navbar-nav navbar-right">

            <?php if (isset($_SESSION['login']) && $_SESSION['login']) { ?>
              <li><a href="dashboard.php">DASHBOARD</a></li>
              <li><a href="listed-books.php">Explore Books</a></li>
              <li><a href="issued-books.php">Issued Books</a></li>
              <li class="dropdown">
                <a href="#" class="dropdown-toggle" id="ddlmenuItem" data-
toggle="dropdown">Account <i class="fa fa-angle-down"></i></a>
                <ul class="dropdown-menu">
                  <li><a href="my-profile.php">My Profile</a></li>
                  <li><a href="change-password.php">Change Password</a></li>
                  <li class="divider"></li>
                  <li><a href="logout.php" style="color:#f5576c !important;"><i
class="fa fa-power-off"></i> Logout</a></li>
                </ul>
              </li>
            </ul>
          </div>
        </div>
      </div>
    </div>
  </div>
</section>
```

```

        <?php } else { ?>
            <li><a href="index.php">Home</a></li>
            <li><a href="login.php">Login</a></li>
            <li><a href="signup.php">User Signup</a></li>
        <?php } ?>

        <li class="dropdown">
            <a href="#" class="dropdown-toggle" data-toggle="dropdown">HELP <b
class="caret"></b></a>
            <ul class="dropdown-menu">
                <li>
                    <a href="view-help.php?view=intro">
                        <i class="fa fa-file-pdf-o"></i> Introduction
                    </a>
                </li>
                <li>
                    <a href="assets/videos/user-guide.mp4" target="_blank">
                        <i class="fa fa-video-camera"></i> User Guide
                    </a>
                </li>
                <li>
                    <a href="view-help.php?view=doc">
                        <i class="fa fa-file-text-o"></i> Documentation
                    </a>
                </li>
            </ul>
        </li>
    </div>
</div>
</div>
</div>
</div>
</section>

```

38.Header File(Admin)

```
<div class="navbar navbar-inverse set-radius-zero">
  <div class="container">
    <div class="navbar-header">
      <button type="button" class="navbar-toggle" data-toggle="collapse" data-
target=".navbar-collapse">
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
      </button>
      <a class="navbar-brand" href="dashboard.php">
        
      </a>
    </div>

    <div class="right-div">
      <a href="logout.php" class="btn btn-danger pull-right">LOG OUT</a>
    </div>
  </div>

</div>

<section class="menu-section">
  <div class="container">
    <div class="row">
      <div class="col-md-12">
        <div class="navbar-collapse collapse">
          <ul id="menu-top" class="nav navbar-nav navbar-right">
            <li><a href="dashboard.php" class="<?php echo
(basename($_SERVER['PHP_SELF']) == 'dashboard.php' ? 'menu-top-active' : '');
?>">DASHBOARD</a></li>

            <li class="dropdown">
              <a href="#" class="dropdown-toggle" data-
toggle="dropdown">CATEGORIES <i class="fa fa-angle-down"></i></a>
              <ul class="dropdown-menu">
                <li><a href="add-category.php">Add Category</a></li>
                <li><a href="manage-categories.php">Manage Categories</a></li>
              </ul>
            </li>
          </ul>
        </div>
      </div>
    </div>
  </div>
</section>
```

```

        <li class="dropdown">
            <a href="#" class="dropdown-toggle" data-
toggle="dropdown">AUTHORS <i class="fa fa-angle-down"></i></a>
            <ul class="dropdown-menu">
                <li><a href="add-author.php">Add Author</a></li>
                <li><a href="manage-authors.php">Manage Authors</a></li>
            </ul>
        </li>

        <li class="dropdown">
            <a href="#" class="dropdown-toggle" data-toggle="dropdown">BOOKS
<i class="fa fa-angle-down"></i></a>
            <ul class="dropdown-menu">
                <li><a href="add-book.php">Add Book</a></li>
                <li><a href="manage-books.php">Manage Books</a></li>
            </ul>
        </li>

        <li class="dropdown">
            <a href="#" class="dropdown-toggle" data-toggle="dropdown">ISSUE
BOOKS <i class="fa fa-angle-down"></i></a>
            <ul class="dropdown-menu">
                <li><a href="issue-book.php">Issue New Book</a></li>
                <li><a href="manage-issued-books.php">Manage Issued
Books</a></li>
            </ul>
        </li>

        <li><a href="reg-students.php" class="<?php echo
(basename($_SERVER['PHP_SELF']) == 'reg-students.php' ? 'menu-top-active' : '');
?>">REG STUDENTS</a></li>
        <li><a href="change-password.php" class="<?php echo
(basename($_SERVER['PHP_SELF']) == 'change-password.php' ? 'menu-top-active' : '');
?>">CHANGE PASSWORD</a></li>
    </ul>
</div>
</div>
</div>
</div>
</section>

```



39. Footer File

```
<footer class="home-footer">
  <div class="container">
    &copy; <?php echo date("Y"); ?> Online Library Management System | User
    Dashboard
  </div>
</footer>
```

37. Config.php

```
<?php
// DB credentials.
define('DB_HOST','127.0.0.1');
define('DB_USER','root');
define('DB_PASS','');
define('DB_NAME','library');
// Establish database connection.
try
{
$dbh = new PDO("mysql:host=".DB_HOST.";dbname=".DB_NAME,DB_USER,
DB_PASS,array(PDO::MYSQL_ATTR_INIT_COMMAND => "SET NAMES 'utf8'"));
}
catch (PDOException $e)
{
exit("Error: " . $e->getMessage());
}
?>
```

DATABASE



localhost / 127.0.0.1 / library / tblbooks

localhost/phpmyadmin/index.php?route=/sql&pos=0&db=library&table=tblbooks

Server: 127.0.0.1 Database: library Table: tblbooks

Browse Structure SQL Search Insert Export Import Privileges Operations Triggers

SELECT * FROM `tblbooks`

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all Number of rows: 25 Filter rows: Search this table Sort by key: None

Extra options

	id	BookName	CatId	AuthorId	ISBNNumber	digital_file	BookPrice	bookimage	isIssued	RegDate	UpdateDate	bookQty
☐	1	PHP And MySQL programming	5	1	222333	NULL	20.00	1efecc0ca822e40b7b673cd0d79ae943f.jpg	0	2024-01-02 06:53:03	2026-03-07 02:07:52	1
☐	3	physics	6	4	1111	NULL	15.00	dd8267b57e0e4fee5911cb1e1a03a79.jpg	0	2024-01-02 06:53:03	2026-03-07 20:59:33	10
☐	5	Murach's MySQL	5	1	9350237695	NULL	455.00	5939d64655b4d2ae443830d73abc35b6.jpg	NULL	2024-01-02 06:53:03	2025-01-13 16:41:01	20
☐	6	WordPress for Beginners 2022: A Visual Step-by-Ste...	5	10	B019MO3WCM	NULL	100.00	144ab706ba1cb9f6c23fd9ae9c0502b3.jpg	NULL	2024-01-02 06:53:03	2025-01-13 16:35:35	15
☐	7	WordPress Mastery Guide: Rich Dad Poor Dad Teach Their Kids ...	5	11	B09NKWH7NP	NULL	53.00	90083a56014186e88fca10286172e64.jpg	NULL	2024-01-02 06:53:03	2025-01-13 16:35:39	14
☐	8	What the Rich The Girl Who Drank the	8	12	B07C7M8SX9	NULL	120.00	52411b2bd2a6b2e0df3eb10943a5b640.jpg	NULL	2024-01-02 06:53:03	2025-01-13 16:35:41	5
☐	9	Drank the	8	13	1848126476	NULL	200.00	f05cd198ac9335245e1dfdfa793207a7.jpg	NULL	2024-01-02 06:53:03	2026-02-26 14:01:40	0

Console [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

localhost / 127.0.0.1 / library / tblcategory

localhost/phpmyadmin/index.php?route=/sql&pos=0&db=library&table=tblcategory

Server: 127.0.0.1 Database: library Table: tblcategory

Browse Structure SQL Search Insert Export Import Privileges Operations Triggers

Showing rows 0 - 6 (7 total, Query took 0.0054 seconds)

SELECT * FROM `tblcategory`

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all Number of rows: 25 Filter rows: Search this table Sort by key: None

Extra options

	id	CategoryName	Status	CreationDate	UpdateDate
☐	4	Romantic	0	2025-01-01 12:53:03	2026-03-07 22:11:48
☐	5	Technology	1	2025-01-01 12:53:03	2025-01-07 11:49:21
☐	6	Science	1	2025-01-01 12:53:03	2025-01-07 11:49:21
☐	7	Management	1	2025-01-01 12:53:03	2025-01-07 11:49:21
☐	8	General	1	2025-01-01 12:53:03	2025-01-07 11:49:21
☐	9	Programming	1	2025-01-01 12:53:03	2025-01-07 11:49:21
☐	13	novel	1	2026-03-29 12:50:29	0000-00-00 00:00:00

Check all With selected: Edit Copy Delete Export

Show all Number of rows: 25 Filter rows: Search this table Sort by key: None

Query results operations

Print Copy to clipboard Export Display chart Create view

Console

localhost / 127.0.0.1 / library / tblissuedbookdetails

Server: 127.0.0.1 > Database: library > Table: tblissuedbookdetails

Showing rows 0 - 3 (4 total, Query took 0.0068 seconds)

SELECT * FROM `tblissuedbookdetails`

Number of rows: 25 Filter rows: Search this table Sort by key: None

	id	BookId	StudentId	IssuesDate	ReturnDate	RetrunStatus	fine	remark
☐	8	3	SID001	2026-01-07 20:56:25	2026-03-29 13:03:17	1	325	issued on 7/1/26
☐	9	13	SID002	2026-03-07 20:58:53	NULL	NULL	NULL	issued on 7/3/26
☐	11	5	SID002	2026-03-10 13:51:38	NULL	NULL	NULL	issued on 10/3/26
☐	13	16	SID003	2026-03-29 12:57:38	NULL	NULL	NULL	issued on 29/3/2025

Query results operations: Print, Copy to clipboard, Export, Display chart, Create view

localhost/phpmyadmin/index.php?route=/sql&pos=0&db=library&table=tblstudents

Server: 127.0.0.1 > Database: library > Table: tblstudents

Showing rows 0 - 5 (6 total, Query took 0.0005 seconds)


SELECT * FROM `tblstudents`

Number of rows: 25 Filter rows: Search this table Sort by key: None

	id	StudentId	FullName	EmailId	MobileNumber	Password	Status	RegDate	UpdationDate
☐	1	SID002	Anuj kumar	anujk@gmail.com	9865472555	827ccb0ea8a706c4c34a16891f84e7b	1	2024-01-03 12:53:03	2026-03-13 00:04:38
☐	4	SID005	sdfs	csfsd@dfstfs.com	8569710025	92228410fc8b872914e023160cf4ae8f	1	2024-01-03 12:53:03	2025-01-07 11:50:36
☐	8	SID009	test	test@gmail.com	2359874527	f925916e2754e5e03f75dd58a5733251	1	2024-01-03 12:53:03	2025-01-07 11:50:36
☐	9	SID010	Amit	amit@gmail.com	8585856224	f925916e2754e5e03f75dd58a5733251	1	2024-01-03 12:53:03	2025-01-07 11:50:36
☐	10	SID011	Sarita Pandey	sarita@gmail.com	4672423754	f925916e2754e5e03f75dd58a5733251	1	2024-01-03 12:53:03	2025-01-07 11:50:36
☐	11	SID012	John Doe	john@test.com	1234569870	f925916e2754e5e03f75dd58a5733251	1	2024-01-03 12:53:03	2025-01-07 11:50:36


6.2 VALIDATION

1.Login Validation-Empty Fields




A screenshot of a web browser showing a login form at `localhost/library/login.php`. The form is titled "LOGIN FORM" and has a gold background. It contains three input fields: "USER ID / STUDENT ID" with the value "SID002", "PASSWORD" which is empty and highlighted with a red border, and "LOGIN TYPE" with a dropdown menu showing "Student". A red error message box with an exclamation mark icon says "Please fill out this field." and points to the password field. Below the fields is a gold "LOGIN NOW" button. At the bottom, it says "Not registered? [Signup Here](#)".

2.Login Validation- Invalid Credentials




SIGNUP VALIDATION

3.Registration Value-Required Fields



A screenshot of a web browser displaying a 'USER SIGNUP' form. The browser's address bar shows 'localhost/library/signup.php'. The form is titled 'USER SIGNUP' and contains five input fields: 'FULL NAME', 'MOBILE NUMBER', 'EMAIL ID', 'PASSWORD', and 'CONFIRM PASSWORD'. The 'MOBILE NUMBER' field is highlighted with a red border and a tooltip that says 'Please fill out this field.' The 'FULL NAME' field is also highlighted with a red border. The 'EMAIL ID', 'PASSWORD', and 'CONFIRM PASSWORD' fields are empty. The form is set against a dark blue background.

4.Registration Value-Invalid Email Format



A screenshot of a web browser displaying the 'USER SIGNUP' form. The browser's address bar shows 'localhost/library/signup.php'. The form is titled 'USER SIGNUP' and contains five input fields: 'FULL NAME', 'MOBILE NUMBER', 'EMAIL ID', 'PASSWORD', and 'CONFIRM PASSWORD'. The 'FULL NAME' field contains the text 'Angel'. The 'MOBILE NUMBER' field contains the text '234523445'. The 'EMAIL ID' field contains the text 'abcmmail'. A red border highlights the 'EMAIL ID' field, and a tooltip message says 'Please include an '@' in the email address. 'abcmmail' is missing an '@'. The 'PASSWORD' and 'CONFIRM PASSWORD' fields are empty. At the bottom of the form is a red button labeled 'REGISTER NOW'. The form is set against a dark blue background.

BOOK MANAGEMENT VALIDATION

5.Add Book Validation-Empty Field

localhost/library/admin/add-book.php

ADD NEW BOOK

ENTER BOOK INFORMATION

BOOK NAME*	ISBN NUMBER*
	<button>Auto Generate</button>
CATEGORY*	AUTHOR*
Please fill out this field. Select Category	Select Author
PRICE*	COVER IMAGE*
	Choose File No file chosen
	DIGITAL BOOK (PDF)*
	Choose File No file chosen

+ ADD BOOK TO LIBRARY

6.Add Book Validation-Duplicate Entry

localhost/library/admin/add-book.php

ADD NEW BOOK

ENTER BOOK INFORMATION

BOOK NAME*	ISBN NUMBER*
PHP And MySql programming	222333 <button>Auto Generate</button>
	ISBN already exists with another book .
CATEGORY*	AUTHOR*
Technology	Anuj kumar
PRICE*	COVER IMAGE*
	Choose File No file chosen
	DIGITAL BOOK (PDF)*
	Choose File No file chosen

+ ADD BOOK TO LIBRARY

PASSWORD VALIDATION

7.Password Validation-Incorrect Old Password


A screenshot of a web browser window with the address bar showing `localhost/library/admin/change-password.php`. The page has a solid orange background. In the center is a white rounded rectangle titled "UPDATE CREDENTIALS". Inside this rectangle, there is a pink error message box that says "Your current password is wrong". Below this are three input fields labeled "CURRENT PASSWORD", "NEW PASSWORD", and "CONFIRM PASSWORD", each with a toggle icon on the right. At the bottom of the white rectangle is an orange button labeled "UPDATE PASSWORD".

8.Password Validation-Password Mismatch


A screenshot of a web browser window with the address bar showing `localhost/library/admin/change-password.php`. The page has a solid dark brown background. A white modal dialog box is open in the center, titled "localhost says" with the message "Passwords do not match!". The dialog has a blue "OK" button. Behind the dialog, the "UPDATE CREDENTIALS" form is visible but dimmed. It includes the same three input fields ("CURRENT PASSWORD", "NEW PASSWORD", "CONFIRM PASSWORD") and the "UPDATE PASSWORD" button. The input fields now contain masked characters (dots).

USER PROFILE UPDATE

9.User Test Case-Update Profile Information



10.User Test Case-Change Password Successfully



7. System Testing (Quality Assurance)

7.1 Description about Quality Assurance

System testing is the performance-based, end-to-end software testing of an entire system. This end-to-end testing includes aspects of functional testing, non-functional testing, interface testing and recovery testing. It is the process of evaluating and verifying that a software application meets specified requirements, functions correctly and is free of defects. It involves executing the software under controlled conditions to identify bugs, ensure security, validate performance and enhance overall quality.

Objectives of Software & Website Testing

1. Bug Detection and Prevention

Identify defects early in the Software Development Life Cycle (SDLC) to reduce cost and effort of fixing them. Ensure that both functional (features) and non-functional (performance, security, usability) aspects are validated.

2. Requirement Validation

- Confirm that the software or website meets business requirements and user expectations. Ensure that all functional specifications (e.g., login, payment gateway) and non-functional requirements (e.g., speed, scalability) are satisfied.

3. Quality Assurance

- Deliver a stable, reliable, and user-friendly product. Maintain consistency across browsers, devices, and operating systems (critical for websites).

4. Risk Minimization

- Reduce risks related to security vulnerabilities, data loss, and downtime.

5. Performance & Scalability

- Test for speed, responsiveness, and load handling.Ensure the system can scale with increasing users and data.

6. Cost & Time Efficiency

- Detecting bugs early saves time and money compared to fixing them post-release. Streamlined testing reduces maintenance costs and improves development efficiency.

7. Security Assurance

- Ensure secure handling of sensitive information (e.g., passwords, payment details).

8. User Experience (UX) Validation

- Test navigation, accessibility, and responsiveness.

Types Of Testing

White Box Testing

White Box Testing, also known as structural testing or clear-box testing, is a software testing technique in which internal structure, logic, and source code of the application are tested. In this method, the tester examines the internal working of the program to ensure that the code functions correctly.

Advantages of White Box Testing

Here are the Advantages of White Box Testing:

- **Thorough Testing:** White box testing is thorough as the entire code and structures are tested.
- **Code Optimization:** It results in the optimization of code removing errors and helps in removing extra lines of code.

- **Early Detection of Defects:** It can start at an earlier stage as it doesn't require any interface as in the case of black box testing.
- **Integration with SDLC:** White box testing can be easily started in Software Development Life Cycle.
- **Detection of Complex Defects:** Testers can identify defects that cannot be detected through other testing techniques.
- **Comprehensive Test Cases:** Testers can create more comprehensive and effective test cases that cover all code paths.

Disadvantages of White Box Testing

Here are the Disadvantages of White Box Testing:

- **Programming Knowledge and Source Code Access:** Testers need to have programming knowledge and access to the source code to perform tests.
- **Overemphasis on Internal Workings:** Testers may focus too much on the internal workings of the software and may miss external issues.
- **Bias in Testing:** Testers may have a biased view of the software since they are familiar with its internal workings.
- **Test Case Overhead:** Redesigning code and rewriting code needs test cases to be written again.
- **Dependency on Tester Expertise:** Testers are required to have in-depth knowledge of the code and programming language as opposed to black-box testing.

Black Box Testing

Black Box Testing, also known as functional testing, is a software testing technique in which the tester evaluates the functionality of a system without having any knowledge of its internal code, structure, or implementation. In this method, the tester focuses only on the inputs provided to the system and the outputs generated by it, ensuring that the software behaves according to the specified requirements.


Advantages of Black Box Testing

- The tester does not need to have more functional knowledge or programming skills to implement the Black Box Testing.
- It is efficient for implementing the tests in the larger system.
- Tests are executed from the user's or client's point of view.
- Test cases are easily reproducible.
- It is used to find the ambiguity and contradictions in the functional specifications.

Disadvantages of Black Box Testing


- There is a possibility of repeating the same tests while implementing the testing process.
- Without clear functional specifications, test cases are difficult to implement.
- It is difficult to execute the test cases because of complex inputs at different stages of testing.
- Sometimes, the reason for the test failure cannot be detected.
- Some programs in the application are not tested.
- It does not reveal the errors in the control structure.
- Working with a large sample space of inputs can be exhaustive and consumes a lot of time.

7.2 Screenshot of Testing



The screenshot shows a web browser window displaying a login form. The form is centered on a white background with a gold border, set against a solid gold background. The form contains the following elements:

- LOGIN FORM**: The title of the form in bold gold text.
- USER ID / STUDENT ID**: A label above a text input field containing the value "SID002".
- PASSWORD**: A label above a password input field with a toggle icon on the right.
- LOGIN TYPE**: A label above a dropdown menu showing "Student". A tooltip with an orange exclamation mark icon and the text "Please fill out this field." is visible over the dropdown.
- LOGIN NOW**: A large, rounded gold button.
- Not registered? [Signup Here](#)**: A link at the bottom of the form.



8 . IMPLEMENTATION

8.1 Installation steps :

Here's a comprehensive guide to install a PHP-based Library Management System:

Prerequisites - Software Requirements

1. XAMPP or WAMP Server (includes Apache, MySQL, PHP, phpMyAdmin)
 - Download from: xampp.org or wampserver.com
 - Recommended: XAMPP 8.x with PHP 7.4+ and MySQL 5.7+
2. Web Browser (Chrome, Firefox, Edge, etc.)
3. Text Editor (optional, for modifications)
 - VS Code, Sublime Text, or Notepad++

Step-by-Step Installation Process

Step 1: Install Local Server

- Download and install XAMPP/WAMP on your system
- Install it in the default directory (C:\xampp or C:\wamp)

Step 2: Download the Source Code

- Download the Library Management System ZIP file from your preferred source
- Extract the ZIP file to a temporary location

Step 3: Copy Project Files

- Copy the extracted project folder
- Paste it into:
 - XAMPP: C:\xampp\htdocs\
 - WAMP: C:\wamp\www\
- Rename the folder to something simple like library (optional)

Step 4: Start Server Services

- Open XAMPP/WAMP Control Panel
- Start Apache service
- Start MySQL service
- Ensure both show "Running" status

Step 5: Create Database

1. Open your browser and go to: <http://localhost/phpmyadmin>
2. Click on "Databases" tab
3. Create a new database (usually named library or as specified in the SQL file)
4. Leave collation as default (utf8_general_ci)

Step 6: Import Database

1. Click on the newly created database name
2. Click on the "Import" tab
3. Click "Choose File" button
4. Navigate to your project folder and select the .sql file (library.sql)

5. Click "Go" at the bottom
6. Wait for success message

Step 7: Configure Database Connection

- Open the project folder
- Look for configuration files like:
 - config.php
 - db.php
 - dbconnection.php
- Update these settings if needed:

```
$servername = "localhost";  
$username = "root";  
$password = ""; // leave empty for XAMPP  
$dbname = "library"; // your database name
```

Step 8: Access the Application

For User/Student Panel:

- URL: <http://localhost/library/>
- Default credentials (check readme.txt):
 - Username: test@gmail.com
 - Password: Test@123

For Admin Panel:

- URL: <http://localhost/library/admin/>
- Default credentials:
 - Username: admin
 - Password: Test@123

Common Issues & Solutions

Database Connection Error:

- Verify database name matches in config file
- Check if MySQL service is running
- Ensure username is "root" and password is empty (XAMPP default)

Page Not Found (404):

- Check folder name matches the URL
- Ensure files are in htdocs (XAMPP) or www (WAMP)

Blank Page:

- Enable error reporting in PHP
- Check if all database tables were imported correctly
- Verify Apache is running

Port 80 Already in Use:

- Close Skype or other applications using port 80
- Or change Apache port in XAMPP/WAMP config

Important Notes

- The system typically includes features for book management, user registration, book issuing/returning, and reporting
- Always check the readme.txt file included in the download for specific instructions
- This is for educational/learning purposes only

8.2 User Guide for BOOKMATE

Introduction

Welcome to **BOOKMATE**, a web-based Library Management System designed to simplify and automate library operations. The system helps administrators efficiently manage books, students, and book transactions.

BOOKMATE allows administrators to add and manage books, register students, issue and return books, and track fines for late returns. The system also includes a **student login module** through which students can view available books and monitor their issued books. This user guide explains how to navigate and use the system effectively.

Application Overview

BOOKMATE consists of two main modules:

- **Admin Module**
- **Student Module**

The **Admin Module** allows administrators to manage books, students, and library transactions. The **Student Module** allows students to view books, check issued books, and track return dates.

1. Admin Login

To access the administrative functions, the administrator must log in to the system.

Steps to Login:

- Open the BOOKMATE login page.
- Enter the **admin username and password**.
- Click on the **Login** button.
- After successful authentication, the admin is redirected to the **Admin Dashboard**.

The dashboard provides access to all library management features.

2. Admin Dashboard

The **Admin Dashboard** serves as the main control panel of the system. It provides quick

access to different modules and displays summary information such as:

- Total number of books
- Registered students
- Issued books
- Returned books

From the dashboard, the administrator can easily navigate to other sections of the system.

4. Book Management

The **Book Management module** allows the administrator to manage library books. Functions include:

- **Add Book** – Enter details such as book title, author, category, ISBN number, and quantity.
- **Manage Books** – View, edit, or delete existing book records.
- **Book Listing** – Display all books available in the library database.

This module ensures that the library maintains an organized digital record of all books.

5. Student Management

The **Student Management module** helps the administrator maintain student records. Key features include:

- **Student Registration** – Add new students to the system.
- **Manage Students** – View, update, or delete student information.
- **Student List** – Display all registered students.

This module helps maintain accurate records of all library users.

6. Book Issue, Return & Fine Management

The **Book Issue module** allows the administrator to issue books to registered students. **Book Issue Process:**

- Select the student ID.
- Enter the book ISBN number.
- Confirm the issue transaction.

When a book is returned, the administrator records the return in the system. If the book is returned after the due date, the system applies **fine management**, where a fine amount is recorded for the delayed return.

This feature ensures proper tracking of book circulation and encourages timely book returns.

7. Student Login

Students can access the system through the **Student Login Module**. After logging in, students can:

- View available books in the library.
- Check the list of books issued to them.
- Monitor return dates and fines for delayed returns.

This feature allows students to track their borrowing activity easily.

8. Password Management

For security purposes, both **administrators and students can change their passwords**. Users can update their password by:

- Accessing the **Change Password** option.
- Entering the current password.
- Entering a new password and confirming it.

9. Navigation Menu

The navigation menu provides quick access to different sections of the system. Main menu options include:

- **Dashboard** – Displays system overview.

- **Books** – Add or manage books.
- **Students** – Register and manage students.
- **Issue Book** – Issue books to students.
- **Manage Issued Books** – Track issued and returned books.
- **Change Password** – Update account password.
- **Logout** – Exit the system securely.

9 . Conclusion

The **BOOKMATE – Library Management System** was developed to simplify and digitalize the management of library records and operations. The system allows the administrator to manage books, student details, and book transactions such as issuing and returning books in an efficient and organized manner. By replacing manual record-keeping with a computerized system, the project improves accuracy, saves time, and reduces the chances of errors.

The project successfully implements key features such as **admin login authentication, book management, student registration, issuing and returning books, and fine calculation**. It uses **PHP for server-side programming, MySQL for database management, and HTML/CSS for the user interface**, ensuring that the system is functional and user-friendly. The use of **PDO prepared statements and session management** also enhances security and protects the system from unauthorized access.

Through the development of this project, practical knowledge of **web application development, database management, CRUD operations, and secure login systems** was gained. This project demonstrates how technology can improve efficiency in library management and provide a structured way to store and retrieve information.

In conclusion, the **BOOKMATE system provides an effective solution for managing library operations digitally while offering valuable learning experience in developing real-world web applications.**

10. Future Enhancements

Although the **BOOKMATE – Library Management System** successfully manages books, students, and book transactions, there is still scope for further improvement to make the system more advanced and efficient.

In the future, additional features such as a **cart or wishlist module** can be introduced, allowing students to save or shortlist books they are interested in borrowing later. This would improve user convenience and help the library understand students' reading preferences.

The system can also be enhanced by implementing **barcode or QR code scanning** to make the process of issuing and returning books faster and more accurate. Integration of **email or SMS notifications** can remind students about due dates, overdue books, or fines, improving communication between the library and users.

Another important enhancement could be the integration of **Artificial Intelligence (AI)**. AI can recommend books to students based on their reading history or interests and help administrators analyze book demand and library usage patterns.

These improvements can make BOOKMATE a more intelligent, user-friendly, and modern library management system in the future.

11 . List of Reference

Bibliography

1. PHP and MySQL Web Development.
Luke Welling and Laura Thomson, *PHP and MySQL Web Development*, 4th Edition, Addison-Wesley Professional. This book was used as a reference for understanding PHP programming, database connectivity, and web application development.
2. PHP Official Documentation.
PHP Manual. Available at: <https://www.php.net/manual/en/> – Used for understanding PHP functions, sessions, and database interaction using PDO.
3. MySQL Official Documentation.
MySQL Documentation. Available at: <https://dev.mysql.com/doc/> – Used as a reference for database design, queries, and table management.