

Jahangirnagar University

Department of Computer Science and Engineering 3rd Year 1st Semester B.Sc. (Hons.) Final Examination -2020

Assignment for Final Examination Total Page#

Course Information										
Course Title:	Web Design and Programming									
Course Code:	CSE-305		Marks:	10		Deadline:	10 th August 2021			

Student Information											
Name of the Student:	Fatama Jannat Tisha										
Class Roll No.:	1	3	1								
Examination Roll No.:	1	8	0	6	5	()				
Registration No.:		6	1	2	6						
Academic Session:	2	0	1	7		2	2 (0 /	1	8	
Date:	1	0	/	0	8	/	2	0	2	1	

Instructions

- 1. Don't copy from other's assignment. Copying from others will be punished severely.
- 2. The student must submit the assignment **online** (**Google classroom/email/google form etc.**) as the course-teacher prescribes.
- 3. You must use **your name# your EXAM ID** only for naming your submitted file.


Introduction

The name of the website is **FashionFix**. It is a e-commarce based website.


Features

- 1.Sign-up
- 2.Login
- 3. Amazing Collection of dresses and shoes.
- 4. Choose desire product and make payment. To make payment customer must provide their address.
- 5.MySQL database are used to store all information.
- 6.Log-out.

1.Sign-up



2.Login



After sign-up/login this page will be showed up.



FashionFix Home Profile Shop Blog Logout

Our Trending Product









FashionFix

Product name ★★★☆☆ \$9.49

Product name









Home Profile Shop Blog Logout



Product name ★★☆☆ \$12.49



★★☆☆ \$10.49



★★☆☆ \$22.29




Product name Activs19.49indows


4. Make payment

FashionFix

Home Profile Shop Blog Logout

Make Payment






[Cart is showed as a demo.Not connected with the database.]


This is the footer of the website



- 5.MySQL database: In our database there are two table.
 - a. usertable: all user information are stored here



b. payment: Stored all information about customer payment.




6.Logout

After clicking logout, it will take us to the login page(index.php)






Our Trending Product



Make Payment





Here the all the files are given below:

1.index.php (Login page)

```
<!DOCTYPE html>
<html lang="en">
  <meta charset="utf-8">
   <title>FashionFix</title>
   <link rel="stylesheet" href="style.css">
</head>
<body>
  <nav class="navbar">
     <div class="max-width">
        <div class="logo"><a href="#">Fashion<span>Fix</span></a></div>
        <a href="signup.html">Signup</a>
           <a href="#">Login</a>
        </div>
  </nav>
   <div class="container">
     <div class="side">
        <h1 style="text-align: center;">Hi there!</h1>
        Welcome to our website.<br> Create an account to buy our amazing prod
ucts. <br>Fix your fashion.
        <hr>>
        <hr class="two">
     </div>
     <div class="wrapper">
        <div class="title">
           Login Form
        </div>
        <form method="POST">
           <div class="field">
              <input type="text" name="email" required>
              <label>Email Address</label>
           </div>
           <div class="field">
              <input type="password" name="password" required>
```

```
<label>Password</label>
   </div>
   <div class="content">
      <div class="checkbox">
         <input type="checkbox" id="remember-me">
         <label for="remember-me">Remember me</label>
      </div>
     <div class="pass-link">
         <a href="#">Forgot password?</a>
      </div>
   </div>
   <div class="field">
      <input type="submit" name="submit" value="Login">
   <div class="signup-link">
     Not a member? <a href="signup.php">Signup now</a>
</form>
<?php
   session_start();
   $servername = "localhost";
   $username = "root";
   $password = "";
   $dbname = "user";
   $conn = mysqli_connect($servername, $username, $password, $dbname);
   if (!$conn) {
   die("Connection failed: ". mysqli_connect_error());
if(isset($_POST['email'])){
   $email=$_POST['email'];
   else{
      echo "";
if(isset($_POST['password'])){
     $password=$_POST['password'];
  else{
```

```
echo "";
            if(isset($_POST["submit"]))
               $q="select * from usertable where email = '$email' && password = '
$password'";
               $res =mysqli_query($conn,$q);
               mysqli_query($conn,$res);
               $num = mysqli_num_rows($res);
               if($num==1){
                  header('location:home.php');
               else
                  header('location:index.php');
               echo"done";
               while($row=mysqli_fetch_assoc($res))
                  $_SESSION['name']=$row['name'];
      </div>
   </div>
</body>
```

2.signup.php

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="utf-8">
  <title>ServiceFix</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>
  <nav class="navbar">
     <div class="max-width">
       <div class="logo"><a href="#">Service<span>Fix</span></a></div>
       <a href="#">Signup</a>
          <a href="index.html">Login</a>
       </div>
  </nav>
  <div class="container">
     <div class="side">
        <h1 style="text-align: center;">Hi there!</h1>
        ucts. <br>Fix your fashion.
       <hr>>
       <hr class="two">
     </div>
     <div class="wrapper">
       <div class="title">
          Sign Up
       </div>
       <form method="POST">
          <div class="field">
             <input type="text" name="name" required>
             <label>Full Name</label>
          </div>
          <div class="field">
             <input type="text" name="email" required>
             <label>Email Address</label>
          </div>
          <div class="field">
```

```
<input type="password" name="password" required>
      <label>Password</label>
   </div>
   <div class="field">
      <input type="password" name="cpassword" required>
      <label>Confirm Password</label>
   </div>
   <div class="field">
      <input type="submit" name="submit" value="Sign Up">
   <div class="signup-link">
      Already member? <a href="index.php">Login now</a>
</form>
<?php
session_start();
$servername = "localhost";
$username = "root";
$password = "";
$dbname = "user";
$conn = mysqli connect($servername, $username, $password, $dbname);
if (!$conn) {
   die("Connection failed: " . mysqli_connect_error());
if (isset($_POST['name'])) {
   $name = $_POST['name'];
} else {
   echo "";
if (isset($_POST['email'])) {
   $email = $_POST['email'];
} else {
   echo "";
if (isset($_POST['password'])) {
   $password = $_POST['password'];
} else {
   echo "";
```

```
if (isset($_POST['cpassword'])) {
           $cpassword = $_POST['cpassword'];
        } else {
           echo "";
        if (isset($_POST["submit"]) && $password==$cpassword) {
           $q="select * from usertable where email = '$email'";
           $res=mysqli_query($conn,$q);
           $num=mysqli_num_rows($res);
           if($num==1)
              echo"Use another email";
           else
              $_SESSION['name']=$name;
            $que = "INSERT INTO usertable (name, email, password) values('$name'
 '$email', '$password')";
             if (mysqli_query($conn, $que)) {
                 header('location: home.php');
              echo"worked";
        else{
           //echo "pass not matched";
     </div>
  </div>
</body>
```

5.style.css

```
@import url('https://fonts.googleapis.com/css?family=Poppins:400,500,600,700&disp
lay=swap');
@import url('https://fonts.googleapis.com/css2?family=Lobster&display=swap');
@import url('https://fonts.googleapis.com/css2?family=Poppins:wght@400;500;600;70
0&family=Ubuntu:wght@400;500;700&display=swap');
:root {
  --text-color: #cc3399;
  --primary-color:#000066;
 --white-color:#fff;
  --black-color:black;
 margin: 0;
  padding: 0;
 box-sizing: border-box;
  font-family: 'Poppins', sans-serif;
html,body{
  display: grid;
 height: 100%;
 width: 100%;
 place-items: center;
  background: #f2f2f2;
.navbar{
 position: fixed;
 width: 100%;
 padding: 20px 0;
  z-index: 999;
 font-family: 'Ubuntu','sans-serif';
  transition: all 0.3s ease;
```

```
.max-width{
 max-width: 1300px;
 padding: 0 80px;
 margin: auto;
.navbar .max-width{
 display: flex;
 align-items: center;
 justify-content: space-between;
.navbar .logo a{
 color: var(--primary-color);
 font-size: 37px;
 font-weight: 600;
 text-decoration: none;
.navbar .logo a span{
 color: var(--text-color);
 transition: all 0.3s ease;
.navbar .menu li{
 list-style-type: none;
 display: inline-block;
.navbar .menu li a{
 color: var(--text-color);
 font-size: 18px;
 font-weight: 500;
 margin-left: 25px;
 transition: color 0.3s ease;
 text-decoration: none;
 border: 1px var(--text-color) solid;
 padding: 7px;
 border-radius: 15px;
.navbar .menu li a:hover{
 color: var(--primary-color);
```

```
.container
 background-image: url('background2.jpg');
 width: 100%;
 height: 100vh;
::selection{
 background: #4158d0;
  color: #fff;
.side{
 float: left;
 margin: 170px 0 0 100px;
 text-align: center;
.side h1{
 width: 50%;
 font-size: 50px;
 font-family: 'Lobster','sans-serif';
 margin-left: 90px;
  color: #000066;
.side hr{
 height: 5px;
 background-color: #cc3399;
 border-radius: 30%;
.side hr.two{
 height: 5px;
 background-color: #cc3399;
 border-radius: 30%;
 width: 90%;
```

```
.wrapper{
 width: 380px;
 background: #fff;
  border-radius: 15px;
 box-shadow: 0px 15px 20px rgba(0,0,0,0.1);
  margin: 80px 0 0 720px;
.wrapper .title{
 font-size: 35px;
  font-weight: 600;
  text-align: center;
 line-height: 100px;
  color: #fff;
  user-select: none;
 border-radius: 10px 10px 0 0;
  background: linear-gradient(-130deg, #cc3399, #000066);
.wrapper form{
 padding: 10px 30px 50px 30px;
.wrapper form .field{
 height: 45px;
 width: 100%;
 margin-top: 20px;
  position: relative;
.wrapper form .field input{
 height: 100%;
 width: 100%;
 outline: none;
  font-size: 17px;
  padding-left: 20px;
  border: 1px solid lightgrey;
  border-radius: 25px;
  transition: all 0.3s ease;
.wrapper form .field input:focus,
form .field input:valid{
 border-color: #4158d0;
.wrapper form .field label{
 position: absolute;
 top: 50%;
 left: 20px;
```

```
color: #999999;
  font-weight: 400;
  font-size: 17px;
  pointer-events: none;
  transform: translateY(-50%);
  transition: all 0.3s ease;
form .field input:focus ~ label,
form .field input:valid ~ label{
  top: 0%;
  font-size: 16px;
  color: #4158d0;
  background: #fff;
  transform: translateY(-50%);
form .content{
  display: flex;
  width: 100%;
  height: 50px;
  font-size: 16px;
  align-items: center;
  justify-content: space-around;
form .content .checkbox{
  display: flex;
  align-items: center;
  justify-content: center;
form .content input{
  width: 15px;
  height: 15px;
  background: red;
form .content label{
  color: #262626;
  user-select: none;
  padding-left: 5px;
form .content .pass-link{
  color: "";
form .field input[type="submit"]{
  color: #fff;
  border: none;
  padding-left: 0;
```

```
margin-top: -10px;
  font-size: 20px;
  font-weight: 500;
  cursor: pointer;
  background: linear-gradient(-130deg, #cc3399, #000066);
  transition: all 0.3s ease;
form .field input[type="submit"]:active{
  transform: scale(0.95);
form .field input[type="submit"]:hover{
  transform: scale(0.95);
 background: linear-gradient(-130deg, #000066, #cc3399);
form .signup-link{
 color: #262626;
 margin-top: 20px;
 text-align: center;
form .pass-link a,
form .signup-link a{
 color: #4158d0;
 text-decoration: none;
form .pass-link a:hover,
form .signup-link a:hover{
  text-decoration: underline;
```

4.home.php

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet" href="style2.css">
    <script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>
    <script src="https://cdnjs.cloudflare.com/ajax/libs/typed.js/2.0.12/typed.min</pre>
.js"></script>
    <script src="https://cdnjs.cloudflare.com/ajax/libs/waypoints/4.0.1/jquery.wa</pre>
ypoints.js"></script>
    <script src="https://use.fontawesome.com/releases/v5.13.0/js/all.js" data-</pre>
auto-replace-svg="nest"></script>
    <title>FashionFix</title>
    <style>
        .home .max-width .home-content a {
            display: inline-block;
            color: var(--white-color);
            background: none;
            font-size: 30px;
            padding: 10px 30px;
            margin-top: 20px;
            border-radius: 6px;
            border: 2px solid var(--text-color);
            transition: all 0.3s ease;
        .home .home-content a:hover {
            background: var(--text-color);
            color: var(--white-color);
        footer .row .logo a {
            color: var(--text-color);
            font-size: 35px;
            font-weight: 600;
        footer .row .col-25 .icon i{
            margin:30px 5px;
            padding: 10px;
            background-color: rgb(99, 96, 96);
            display: inline-block;
            border-radius: 50%;
```

```
</style>
</head>
<body>
   <nav class="navbar">
       <div class="max-width">
           <div class="logo"><a href="#">Fashion<span>Fix</span></a></div>
           <a href="#">Home</a>
               <a href="#">Profile</a>
               <a href="#product">Shop</a>
               <a href="#">Blog</a>
               <a href="logout.php">Logout</a>
           </div>
   </nav>
   <section class="home" id="home">
       <div class="max-width">
           <div class="home-content">
               <div class="text-1">Welcome </div>
               <div class="text-2"><?php echo $_SESSION['name']; ?></div>
               Lorem ipsum dolor sit amet, consectetur adipisicing elit. Quid
em atque, rerum minima vero libero, 
               tempora culpa quas hic doloribus consequatur temporibus Lorem
ipsum dolor, sit amet consec .
               <a href="#">Shop now</a>
           </div>
       </div>
   </section>
   <section class="product">
       <h1>Our Trending Product </h1>
       <div class="row">
           <div class="column">
               <div class="card">
                  <img src="img/item2.jpg" alt="">
                  <h3>Product name</h3>
                  <i class="fas fa-star"></i> <i class="fas fa-
star"></i> <i class="fas fa-star"></i> <i class="fas fa-star-half-</pre>
alt"></i> <i class="far fa-star"></i>
```

```
<ins>$9.49</ins>
               </div>
           </div>
           <div class="column">
               <div class="card">
                   <img src="img/item7.jpg" alt="">
                   <h3>Product name</h3>
                   <i class="fas fa-star"></i> <i class="fas fa-
star"></i> <i class="fas fa-star"></i> <i class="fas fa-star-half-
alt"></i> <i class="far fa-star"></i>
                   <ins>$12.90</ins>
               </div>
           </div>
           <div class="column">
               <div class="card">
                   <img src="img/shoes.jpg" alt="">
                   <h3>Product name</h3>
                   <i class="fas fa-star"></i> <i class="fas fa-
star"></i> <i class="fas fa-star"></i> <i class="fas fa-star-half-
alt"></i> <i class="far fa-star"></i>
                   <ins>$6.49</ins>
               </div>
           </div>
           <div class="column">
               <div class="card">
                   <img src="img/shoes.jpg" alt="">
                   <h3>Product name</h3>
                   <i class="fas fa-star"></i> <i class="fas fa-
star"></i> <i class="fas fa-star"></i> <i class="fas fa-star-half-
alt"></i> <i class="far fa-star"></i>
                   <ins>$22.49</ins>
               </div>
           </div>
       </div>
       <div class="row">
           <div class="column">
               <div class="card">
                   <img src="img/item4.jpg" alt="">
                   <h3>Product name</h3>
                   <i class="fas fa-star"></i> <i class="fas fa-
star"></i> <i class="fas fa-star"></i> <i class="fas fa-star-half-
alt"></i> <i class="far fa-star"></i>
```

```
<ins>$12.49</ins>
               </div>
           </div>
           <div class="column">
               <div class="card">
                   <img src="img/item2.jpg" alt="">
                   <h3>Product name</h3>
                   <i class="fas fa-star"></i> <i class="fas fa-
star"></i> <i class="fas fa-star"></i> <i class="fas fa-star-half-
alt"></i> <i class="far fa-star"></i>
                   <ins>$10.49</ins>
               </div>
           </div>
           <div class="column">
               <div class="card">
                   <img src="img/item6.jpg" alt="">
                   <h3>Product name</h3>
                   <i class="fas fa-star"></i> <i class="fas fa-
star"></i> <i class="fas fa-star"></i> <i class="fas fa-star-half-
alt"></i> <i class="far fa-star"></i>
                   <ins>$22.29</ins>
               </div>
           </div>
           <div class="column">
               <div class="card">
                   <img src="img/shoes.jpg" alt="">
                   <h3>Product name</h3>
                   <i class="fas fa-star"></i> <i class="fas fa-
star"></i> <i class="fas fa-star"></i> <i class="fas fa-star-half-
alt"></i> <i class="far fa-star"></i>
                   <ins>$19.49</ins>
               </div>
           </div>
       </div>
       <!--payment-->
   </section>
   <section class="payment">
       <h1>Make Payment </h1>
       <div class="row">
           <div class="col-75">
```

```
<div class="container">
                     <form method="post">
                         <div class="row">
                              <div class="col-50">
                                  <h3 style="padding: 20px;color:#cc3399">Billing A
ddress</h3>
                                  <label for="fname"><i class="fa fa-</pre>
user"></i> Full Name</label>
                                  <input type="text" id="fname" name="name" placeho</pre>
lder="Julia Higgins" require>
                                  <label for="email"><i class="fa fa-</pre>
envelope"></i> Email</label>
                                  <input type="text" id="email" name="email" placeh</pre>
older="julia123@example.com" require>
                                  <label for="adr"><i class="fas fa-map-marker-</pre>
alt"></i> Address</label>
                                  <input type="text" id="adr" name="address" placeh</pre>
older="822 Y. 19th Street" require>
                                  <label for="zip">Zip</label>
                                  <input type="text" id="zip" name="zip" placeholde</pre>
r="10001" require>
                                  <label for="prname">Product Name</label>
                                  <input type="text" id="prname" name="prname" plac</pre>
eholder="Product Name" require>
                              </div>
                              <div class="col-50">
                                  <h3 style="padding: 20px;color:#cc3399">Payment
                                  <label for="fname">Accepted Cards</label>
                                  <div class="icon-container">
                                      <i class="fab fa-cc-
visa" style="color:navy"></i>
                                      <i class="fab fa-cc-
paypal" style="color:blue;"></i>
                                      <i class="fab fa-cc-
mastercard" style="color:red;"></i></i>
                                      <i class="fab fa-cc-
discover" style="color:orange;"></i></i></or>
                                  </div>
                                  <label for="cname">Name on Card</label>
                                  <input type="text" id="cname" name="cardname" pla</pre>
ceholder="Julia Higgins">
                                  <label for="ccnum">Credit card number</label>
```

```
<input type="text" id="ccnum" name="cardnumber" p</pre>
laceholder="xxxx-yyyy-zzzz-wwww" require>
                                 <label for="cvv">CVV</label>
                                 <input type="text" id="cvv" name="cvv" placeholde</pre>
r="172" require>
                                 <label for="quantity">Quantity</label>
                                 <input type="text" id="quantity" name="quantity"</pre>
placeholder="4" require>
                             </div>
                             <label>
                                 <input type="checkbox" name="sameadr"> Shipping a
ddress same as billing
                             </label>
                         </div>
                         <input type="submit" name="submit" value="Checkout" class</pre>
="btn">
                     </form>
                     <?php
                     $servername = "localhost";
                     $username = "root";
                     $password = "";
                     $dbname = "user";
                    $conn = mysqli_connect($servername, $username, $password, $db
name);
                     if (!$conn) {
                         die("Connection failed: " . mysqli_connect_error());
                    if (isset($_POST['name'])) {
                         $name = $_POST['name'];
                     } else {
                         echo "";
                     if (isset($_POST['email'])) {
                         $email = $_POST['email'];
                     } else {
                         echo "";
```

```
if (isset($_POST['address'])) {
                        $address = $ POST['address'];
                    } else {
                        echo "";
                    if (isset($_POST['zip'])) {
                        $zip = $_POST['zip'];
                    } else {
                        echo "";
                    if (isset($ POST['cardname'])) {
                        $cardname = $_POST['cardname'];
                    } else {
                        echo "";
                    if (isset($_POST['cardnumber'])) {
                        $cardnumber = $_POST['cardnumber'];
                    } else {
                        echo "";
                    if (isset($_POST['cvv'])) {
                        $cvv = $_POST['cvv'];
                    } else {
                        echo "";
                    if (isset($_POST['prname'])) {
                        $prname = $_POST['prname'];
                    } else {
                        echo "";
                    if (isset($_POST['quantity'])) {
                        $quantity = $_POST['quantity'];
                    } else {
                        echo "";
                    if (isset($_POST["submit"])) {
                        $que = "INSERT INTO payment (name, email, address, zip, c
ardname, cardnumber, cvv, prname, quantity) values('$name', '$email', '$address',
'$zip','$cardname','$cardnumber','$cvv','$prname','$quantity')";
                        if (mysqli_query($conn, $que)) {
                            echo "";
                    } else {
```

```
mysqli_close($conn);
               </div>
           </div>
           <div class="col-25">
               <div class="container2">
                   <h4 style="font-
size: 20px;padding:20px 10px 20px 50px">Cart <span class="price" style="color:bla
ck"><i class="fa fa-shopping-
cart" style="color:#cc3399"></i> <b>4</b></span></h4>
                   <a href="#">Product 1</a> <span class="price">$10.49</span
>
                   <a href="#">Product 2</a> <span class="price">$10.49</span</p>
>
                   <a href="#">Product 3</a> <span class="price">$6.49</span>
<a href="#">Product 4</a> <span class="price">$6.49</span>
Total <span class="price" style="color:black"><b>$33.96</b>
></span>
           </div>
       </div>
   </section>
    <!--footer section-->
    <footer class=".footer">
       <div class="row">
           <div class="col-25 col" >
               <h1 style="padding-bottom: 10px;">Information</h1>
               <div>
                   <a href="#">About us</a>
               </div>
```

```
<div>
                    <a href="#">Returns & Refunds</a>
                </div>
                <div>
                    <a href="#">Terms & Conditions</a>
                </div>
                <div>
                    <a href="#">My Wishlist</a>
                </div>
            </div>
            <div class="col-25 col">
                <h1 style="padding-bottom: 10px;">Need Help</h1>
                <div>
                    <a href="#">Privacy Policy</a>
                </div>
                <div>
                    <a href="#">Customer Service</a>
                </div>
                <div>
                    <a href="#">Service</a>
                </div>
                <div>
                    <a href="#">Discount Info</a>
                </div>
            </div>
            <div class=col-25>
                <div class="logo"><a href="#">Fashion<span style="color: white;">
Fix</span></a></div>
                <div class="icon">
                <a href="#"><i class="fab fa-
facebook" style="color: black;" aria-hidden="true"></i></a>
                    <a href="#"><i class="fab fa-
twitter" style="color: black;" aria-hidden="true"></i></a>
                    <a href="#"><i class="fab fa-
github" style="color: black;" aria-hidden="true"></i></a>
```

5.style2.css

```
@import url('https://fonts.googleapis.com/css?family=Poppins:400,500,600,700&disp
lay=swap');
@import url('https://fonts.googleapis.com/css2?family=Lobster&display=swap');
@import url('https://fonts.googleapis.com/css2?family=Poppins:wght@400;500;600;70
0&family=Ubuntu:wght@400;500;700&display=swap');
:root {
  --text-color: #cc3399;
  --primary-color:#000066;
  --white-color:#fff;
  --black-color:black;
    margin: 0;
    padding: 0;
    box-sizing: border-box;
    text-decoration: none;
    font-family: 'Ubuntu', 'sans-serif';
html
```

```
scroll-behavior: smooth;
/*navbar*/
.navbar{
   position: fixed;
   width: 100%;
   padding: 30px 0;
   z-index: 999;
   font-family: 'Ubuntu', 'sans-serif';
   transition: all 0.3s ease;
.navbar.sticky{
   padding: 15px 0;
   background: var(--white-color);
.max-width{
   max-width: 1300px;
   padding: 0 80px;
   margin: auto;
.navbar .max-width{
   display: flex;
   align-items: center;
   justify-content: space-between;
.navbar .logo a{
   color: var(--text-color);
   font-size: 35px;
   font-weight: 600;
.navbar .logo a span{
   color: var(--white-color);
.navbar.sticky .logo a{
   color: var(--primary-color);
```

```
.navbar.sticky .logo a span{
   color: var(--text-color);
.navbar .menu li{
   list-style: none;
   display: inline-block;
.navbar .menu li a{
   color: var(--white-color);
   font-size: 18px;
   font-weight: 500;
   margin-left: 25px;
   transition: color 0.3s ease;
.navbar .menu li a:hover{
   color: var(--text-color);
.navbar.sticky .menu li a{
   color: var(--black-color);
.navbar.sticky .menu li a:hover{
   color: var(--primary-color);
.home{
   display: flex;
   background: url("./img/banner.jpg") no-repeat center;
   height: 100vh;
   object-fit: contain;
   color: var(--white-color);
   min-height: 500px;
   font-family: 'Ubuntu', 'sans-serif';
.home .max-width{
   margin: auto 0 auto 40px;
.home .home-content .text-1{
   font-size: 27px;
```

```
.home .home-content .text-2{
   font-size: 75px;
   font-weight: 600;
   margin-left: -3px;
.product h1{
   margin-top: 50px;
   font-size: 35px;
   padding: 25px;
   text-align: center;
   color: var(--text-color);
.product .row
   margin: auto;
.product .row .column {
   float: left;
   width: 25%;
   padding: 0 10px;
   align-items: center;
.product .row .column img{
     height: 300px;
     width: 280px;
.product .row .column h3,p{
   text-align: center;
.product .row {
     margin: 50px;
```

```
.product .row .column i{
   color: var(--text-color);
.product .row:after {
   content: "";
   display: table;
   clear: both;
/*payment*/
.payment .row {
   display: flex;
   flex-wrap: wrap;
   margin: 30px;
.col-25 {
   -ms-flex: 25%;
   flex: 25%;
.col-50 {
   -ms-flex: 50%;
   flex: 50%;
.col-75 {
   -ms-flex: 75%;
   flex: 75%;
  .col-25,
  .col-50,
  .col-75 {
  padding: 0 16px;
```

```
.payment .container {
   background-color: #f2f2f2;
   padding: 5px 20px 15px 20px;
   border: 1px solid lightgrey;
   border-radius: 3px;
 .payment input[type=text] {
   width: 100%;
   margin-bottom: 20px;
   padding: 12px;
   border: 1px solid #ccc;
   border-radius: 3px;
 .payment label {
   margin-bottom: 10px;
   display: block;
 .payment .icon-container {
   margin-bottom: 20px;
   padding: 7px 0;
   font-size: 24px;
.payment .btn {
   background-color: var(--white-color);
   color: var(--text-color);
   font-weight: 500;
   padding: 12px;
   margin: 10px 0;
   border: 2px var(--text-color) solid;
   width: 50%;
   border-radius: 5px;
   cursor: pointer;
   font-size: 17px;
   margin: 0 240px;
 .payment .btn:hover {
   background-color: var(--text-color);
   color: var(--white-color);
```

```
.payment form a {
    color: var(--text-color);
  .payment hr {
   border: 1px solid lightgrey;
  .payment span.price {
   float: right;
   color: grey;
  .payment .container2 {
   background-color: #f2f2f2;
   padding: 20px 20px 15px 20px;
   border: 1px solid lightgrey;
   border-radius: 3px;
   height: 100%;
  .payment .container2 p{
      padding: 10px;
      margin-left: 10px;
  .payment h1{
   margin-top: 50px;
   font-size: 35px;
   padding: 25px;
    text-align: center;
    color: var(--text-color);
/*footer section*/
footer{
    background: var(--black-color);
    padding: 20px 23px;
```

```
color: var(--white-color);
    text-align: center;
footer span a{
   color: var(--text-color);
    text-decoration: none;
footer span a:hover{
   text-decoration: underline;
footer .row
   display: flex;
footer .row .col-25{
   padding: 20px;
   width: 25%;
footer .row .logo a{
   color: var(--text-color);
   font-size: 35px;
   font-weight: 600;
.footer .row .logo a span{
    color: var(--white-color);
.footer .row .col-25 li{
    list-style-type: none;
   display: inline-block;
footer .row .col-25.col a
    padding: 5px 0 0 0;
   text-decoration: none;
   display: block;
```

```
color: rgb(153, 149, 149);
}
```

6.script.js

```
$(document).ready(function()
{
    $(window).scroll(function(){
        if(this.scrollY>20)
        {
            $('.navbar').addClass("sticky");
        }
        else{
            $('.navbar').removeClass("sticky");
        }
    });
});
```

7.logout.php

```
<?php

session_start();
session_destroy();

header('location:index.php');
?>
```