```
import pandas as pd
import seaborn as sns
import matplotlib.pyplot as plt

sns.set_style('whitegrid')
```


```
titanic = sns.load_dataset('titanic')
```

```
titanic.head()
```


	survived	pclass	sex	age	sibsp	parch	fare	embarked	class	who	adult_male	deck	embark_town	alive	alone
0	0	3	male	22.0	1	0	7.2500	S	Third	man	True	NaN	Southampton	no	False
1	1	1	female	38.0	1	0	71.2833	C	First	woman	False	C	Cherbourg	yes	False
2	1	3	female	26.0	0	0	7.9250	S	Third	woman	False	NaN	Southampton	yes	True
3	1	1	female	35.0	1	0	53.1000	S	First	woman	False	C	Southampton	yes	False
4	0	3	male	35.0	0	0	8.0500	S	Third	man	True	NaN	Southampton	no	True

Sonraki adımlar: `titanic` ile kod oluşturun | New interactive sheet


```
sns.jointplot(data=titanic, x='fare', y='age')
plt.show()
```




```
sns.histplot(data=titanic, x='fare', color='lightcoral')
plt.show()
```





```
sns.boxplot(data=titanic, x='class', y='age')
plt.show()
```





```
sns.swarmplot(data=titanic, x='class', y='age')
plt.show()
```

```
/usr/local/lib/python3.13/dist-packages/seaborn/categorical.py:3399: UserWarning: 15.2% of the points cannot be placed; you may
  warnings.warn(msg, UserWarning)
```





```
sns.countplot(data=titanic, x='sex')
plt.show()
```




```
corr = titanic.select_dtypes(
    include=['number', 'bool']
).corr()

sns.heatmap(corr, cmap='coolwarm')
plt.show()
```




```
sns.displot(data=titanic, x='age', col='sex')
plt.show()
```

