Duration: 6 m 0.596 s Start: Apr 26, 1:01:50.265 AM End: Apr 26, 1:07:50.861 AM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 5 6 40 50 60 40 50 60 40 50 60 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 100

Feature	Feature			nario					
Name	Duration	T	P	F	S	T	P	F	S
Login Test	6 m 0.596 s	1	0	1	0	6	0	1	5


Tag	Scenario		Featu			re		
Name	T	P	F	S	T	P	F	S
@Failed	1	0	1	0	1	0	1	0
@FailedScenario	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration
1	<u>Login Test</u>	1	0	1	0	6 m 0.596 s

SCENARIOS SUMMARY -- 5 --




:	#	Feature Name	Scenario Name	T	P	F	S	Duration
	1	Login Test	Positive Login Failed Test	6	0	1	5	6 m 0.592 s

DETAILED SECTION -- 6 --

Login Test

FAILED	DURATION - 6 m 0.596 s	Scenarios		Steps	
		Total - 1		Total - 6	
/ 1:01:50.265 AM // 1	:07:50.861 AM /	Pass - 0	1	Pass - 0	6
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 5	

Positive Login Failed Test



#	Step / Hook Details	Status	Duration
1	Given user goes to homepage	FAILED	3 m 0.532 s
	io.cucumber.core.exception.CucumberException: Failed to instantiate class ondia.stepdefinitions.ContactList_stepdefinitions		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)		
	at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:62)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:86)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:77)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		

	Step / Hook Details	Status	Duration
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:147)		
	at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:162)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:145)		
	at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:229)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		
	at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)		
	at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)		
	at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)		
	at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)		
	at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232)		
	at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55)		
	aused by: java.lang.reflect.InvocationTargetException		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:74)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)		
	46 more Caused by: org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid		
ad	dress of the remote server or browser start-up failure. Host info: host: 'POSTACI', ip: '192.168.1.121'		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:563)		
	at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:245)		
	at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:174)</init>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:152) at ondia.utils.Driver.getDriver(Driver.java:72) at ondia.pages.ContactListLoginPage.<init>(ContactListLoginPage.java:16) at ondia.stepdefinitions.ContactList_stepdefinitions.<init>(ContactList_stepdefinitions.java:13) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) 49 more Caused by: org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.31.0', revision: '1ef9f18787'' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: driver.version: Driver at org.openqa.selenium.remote.http.jdk.Jdk.HttpClient.execute(Jdk.HttpClient.java:424) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:89) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:187) at org.openqa.selenium.remote.RemoteWebDriver.execute(PttpCommandExecutor.java:187) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:53) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) 56 more Caused by: java.util.concurrent.TimeoutException at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:572) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:572) at java.base/java.util.concurrent.ThreadPoolExecutor\$ScheduledFutureTask.run(ScheduledThreadPoolExecutor.java:304) at java.base/java.util.concurrent.ThreadPoolExecutorsScheduledFutureTask.run(ScheduledThreadPoolExecutor.java:304) at java.base/java.util.concurrent.ThreadPoolExecutorsWorker(ThreadPoolExecutor.java:1144) at java.base/java.util.concurrent.ThreadPoolExecutorsWorker.run(ThreadPoolExecutor.java:642) at java.base/ja</init></init></init>		
2	When user enters email	SKIPPED	0.000 s
3	And user enters password	SKIPPED	0.000 s
4	And user clicks on submit	SKIPPED	0.000 s
5	Then user validates error message	SKIPPED	0.000 s
6	And user closes the browser	SKIPPED	0.000 s
	AFTER - ondia.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	3 m 0.020 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'POSTACI', ip: '192.168.1.121' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:563) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:245) at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:174) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:152) at ondia.utils.Driver.getDriver(Driver.java:72) at ondia.hooks.Hooks.tearDown(Hooks.java:28) Caused by: org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: driver.version: Driver</init></init>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:424)		
	at org.openqa.selenium.remote.tracing.TracedHttpClient.execute(TracedHttpClient.java:54)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:89)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:187)		
	at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:53)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)		
	5 more Caused by: java.util.concurrent.TimeoutException		
	at java.base/java.util.concurrent.CompletableFuture\$Timeout.run(CompletableFuture.java:2920)		
	at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:572)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)		
	at java.base/java.util.concurrent.ScheduledThreadPoolExecutor\$ScheduledFutureTask.run(ScheduledThreadPoolExecutor.java:304)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)		
	at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642)		
	at java.base/java.lang.Thread.run(Thread.java:1583)		