
Corner or Center

rect() — four numbers, two jobs

```
rect(x, y, width, height);
```


The first two say **where**. The last two say **how big**. They are not another corner.

> **To find the edges, add:**
> `rect(100, 120, 200, 150)`
> right edge = 100 + 200 = **300**
> bottom edge = 120 + 150 = **270**




rectMode() — what the first two numbers mean

`rectMode(CORNER)`



the dot is the corner — this is the default

`rectMode(CENTER)`



the dot is the middle


> Both pictures are `rect(100, 100, 60, 60)`. Only the mode changed. Put `rectMode(CENTER);` in `setup()` once — every `rect()` after it obeys.

Round shapes

```
ellipse(x, y, width, height);
circle(x, y, diameter);
```

Same four numbers as `rect`, but **x, y is the center**. `circle` is the shortcut for when width and height are equal.

> Ellipses have a mode too, and it is already `CENTER` — which is why they have always behaved the way you expected.



the dot is the center of each

Other things you already know

CALL	WHAT IT DOES
`triangle(x1,y1, x2,y2, x3,y3)`	three corners, closes itself
`line(x1,y1, x2,y2)`	two points, start and end
`fill(gray)`	one number, 0–255
`fill(r, g, b)`	three numbers, each 0–255
`noStroke()`	no outline on shapes
`background(r, g, b)`	repaints the whole canvas

> `fill()` and `rectMode()` are **settings**. They apply to everything drawn after them, until you change them again. One `fill()` and four shapes gives you four shapes the same color.

Order matters. Later shapes cover earlier ones. Read your `draw()` top to bottom — that is the order things get painted, which is the same as distance from the viewer.