






Cloud Computing: Cordys Process Factory





Bachelorvoorlichtingsdag: Informatiekunde

SOAP Web Client - Windows Internet Explorer

http://www.soapclient.com/soapclient?template=%2Fclientform.html&fn=soapform&SoapTemplate=%2FSoapResult.html&SoapWSDL=http%3A%2F%2Ffreek.vdberg.us%2Fwebservice%2Fsoap-server.php%2F

SOAP Web Client

phonenumber:

message:

Show: Response Format: XML Invoke

SOAP Method : tSendMail

ServerAddress: http://freek.vdberg.us/webservice/soap-server.php

email:

subject:

message:

Show: Response Format: XML Invoke

SOAP Method : tSendToLog

ServerAddress: http://freek.vdberg.us/webservice/soap-server.php

message:

Show: Response Format: XML Invoke

SOAP Method : tPostcodeToCity

ServerAddress: http://freek.vdberg.us/webservice/soap-server.php

postcode:

number:

Internet | Protected Mode: Off 100%



Cordys Explorer - Windows Internet Explorer

http://www.tpf demos.com/olc/

Google

Favorites | Suggested Sites | Web Slice Gallery

Cordys Explorer

MashApps[®] COMPOSER

Change Application

Welcome Freek van de Berg! [Change Profile](#) | 06/04/2010 | [Log Out](#)

[Help](#) [Support](#) [Setup](#)

MashApps[®] COMPOSER

Enabling small and medium-sized businesses to **build, customize, and use Mashup Applications.**
Model your business processes on demand and start using them right away.

What can I do with Composer ?

```
graph TD; A[Build Process Flows] --> B[Build UI & Process Mashups]; B --> C[Build Reports & Charts]; C --> D[Publish App to start using]; D --> E[Build Forms]; E --> A;
```

- ☒ **Create a new application**
Give the name of the application and image and proceed to the modeling environment.
Application Name*
Description*
Image* 
- ☐ **Modify an existing application**
- ☐ **Copy an application**
- ☐ **Import an application**

[Getting Started](#) | [Frequently Asked Questions](#) | [Tutorials](#)

[Privacy Policy](#) | [Terms and Conditions](#)

Copyright © 2000-2009 cordys. All rights reserved

Internet | Protected Mode: Off

100%



Freek van den Berg

Bachelorvoorlichtingsdag: Informatiekunde

Cordys Explorer - Windows Internet Explorer

http://www.tpf demos.com/olc/

Google

Favorites | Suggested Sites | Web Slice Gallery

Cordys Explorer

MashApps[®] COMPOSER

Change Application

Welcome Freek van de Berg! [Change Profile](#) | 06/04/2010 | [Log Out](#)

[Help](#) [Support](#) [Setup](#)

Search Composer

Advanced

bachelor

Composer Assistant

- 1 Build Application Objects
 - New Application Object
 - All Applications Objects
- 2 Build Forms
- 3 Build Business Processes
- 4 Build Business Rules
- 5 Build Web Services
- 6 Build Reports
- 7 Configure Application
- 8 Publish Application

Starting Point

- Getting Started
- FAQs
- Tutorials

Composer Assistant | Starting Point

1 Build Application Objects --Select an Application Object--

Build Application Objects

Build application objects to store data for a specific business need. For instance, you can build an Employee object to store employee details such as employee id, name, department, etc.

Create

[New Application Object](#)

```
graph TD; A[Define Fields] --> B[Identifying Field]; A --> C[Required Field]; A --> D[Unique Constraint]; A --> E[Define Constraints]; E --> F[Define Relations]; F --> G[Application Objects Network];
```

Features

- Object Identifier**
Configure a unique identifier for the application object
- Object Constraints**
Create constraints to relate application objects and restrict data stored in them
- Default Fields**
Default fields such as Created By, Created Date, Modified By, and Modified Date are automatically added to a new application object

Learn More

[Go to Online Help](#)

Do you Know

- You can also build an application object while building a form. Select the option to build a form with a new application object and start building your form. When the form is generated, the object is built for you automatically.

Build Forms 2 Close

Internet | Protected Mode: Off 100%



Freek van den Berg

Bachelorvoorlichtingsdag: Informatiekunde

Cordys Explorer - Windows Internet Explorer

http://www.tpf demos.com/olc/

Google

Favorites | Suggested Sites | Web Slice Gallery

Cordys Explorer

MashApps[®] COMPOSER

Change Application

Welcome Freek van de Berg! [Change Profile](#) | 06/04/2010 | [Log Out](#)

[Help](#) [Support](#) [Setup](#)

Search Composer

Advanced

bachelor

Composer Assistant

- 1 Build Application Objects
- 2 Build Forms
- 3 Build Business Processes
- 4 Build Business Rules
- 5 Build Web Services
- 6 Build Reports
- 7 Configure Application
- 8 Publish Application

Starting Point

- Getting Started
- FAQs
- Tutorials

2 Build Forms

frmSMS

Undo Check Out | Check In | Save | Split into 2 | Form Parameters | Lookup | Form Rules | Script Editor

Save | New | Delete | Save & Close | Close

Toolbox

Section Types

- Group Box
- Grid
- Tab
- Attachments
- Comments

Field Types

- Single Line Text
- Multi Line Text
- Decimal
- Number
- Auto Number
- Currency
- Date Time
- Check Box
- Select Box
- Radio Button
- Button
- E-Mail
- URL
- Label
- Picture

Web Service Repository

Widget Repository

Used Objects

frmSMS

1 Build Application Objects | Build Business Processes | 3 | Close

Done

Internet | Protected Mode: Off

100%



Freek van den Berg

Bachelorvoorlichtingsdag: Informatiekunde

Cordys Explorer - Windows Internet Explorer

http://www.tpf demos.com/olc/

Google

Favorites | Suggested Sites | Web Slice Gallery

Cordys Explorer

MashApps[®] COMPOSER

Change Application

bachelor

Composer Assistant

- 1 Build Application Objects
 - New Application Object
 - All Applications Objects
- 2 Build Forms
- 3 Build Business Processes
- 4 Build Business Rules
- 5 Build Web Services
- 6 Build Reports
- 7 Configure Application
- 8 Publish Application

Starting Point

- Getting Started
- FAQs
- Tutorials

Composer Assistant | Starting Point

Configure Web Service

Web Service Configuration

Configure the Web service you want to use by specifying it and providing the input parameters for the Web service by doing the input mapping. The output of the Web service can be used for mapping to process attributes in the output management.

1. Give Web service properties

Web Service Name* tSendSMS Add Web Service As* tSendSMS

2. Define input and output mapping for Web service integration

Start Event Configuration | Access Details | **Input Management** | Output Management

New Map X Delete Map

Source Attributes	Source	Target	Target Attributes
Web Service Repository	Numer	phonenumber	tSendSMS
Application Objects	Bericht	message	soapheader
Form Parameters			WSecurity
Other Form Fields			input
Widget Repository			phonenumber
System Variables			message

Add Another Map

Available maps are **Replace Target** (R), **Add to Target** (A), and **Delete Target** (D). Click on the map button to change the map type or define advanced maps.

*Required

Save Cancel

1 Build Application Objects | Build Business Processes | 3

Internet | Protected Mode: Off



Freek van den Berg

Bachelorvoorlichtingsdag: Informatiekunde

Cordys Explorer - Windows Internet Explorer

http://www.tpfedemos.com/olc/

Google

Favorites Suggested Sites Web Slice Gallery

Cordys Explorer

MashApps[®] COMPOSER

Change Application

Welcome Freek van den Berg! [Change Profile](#) | 06/04/2010 | [Log Out](#)

[Help](#) [Support](#) [Setup](#)

Search Composer [Advanced](#)

bachlor

Composer Assistant

- New Application Object
- All Applications Objects

2 Build Forms

3 Build Business Processes

4 Build Business Rules

5 Build Web Services

6 Build Reports

7 Configure Application

8 Publish Application

9 Pack Application

Starting Point

- Getting Started
- FAQs
- Tutorials

2 Build Forms

waarbenik

Undo Check Out Check In Save Split into 2 Form Parameters Lookup Form Rules Script Editor

Refresh Close

Haal locatie op GoogleID Single Line Text

Toon op kaart Locatie Single Line Text

London

Map Satellite H

Multi Line Text

- Decimal
- 12. Number
- Currency
- Date Time
- Check Box
- Select Box
- Radio Button
- Button
- E-Mail
- URL
- Label
- Picture

Web Service Repository

Widget Repository

All Widgets Used Widgets

Maps

- Driving Directions
- Location Viewer

Used Objects

1 Build Application Objects Build Business Processes 3 Close

Done

Internet | Protected Mode: Off

100%



Bachelorvoorlichtingsdag: Informatiekunde

googleID: -7654330784057799570

Cordys Explorer - Windows Internet Explorer

http://www.tpfemos.com/olc/

Google

Favorites | Suggested Sites | Web Slice Gallery

Cordys Explorer

MashApps[®] COMPOSER

Change Application

Welcome Freek van den Berg! [Change Profile](#) | 06/04/2010 | [Log Out](#)

[Help](#) [Support](#) [Setup](#)

Search Composer [Advanced](#)

bachelor

Composer Assistant

- New Application Object
- All Applications Objects

2 Build Forms

- New Form
- All Forms

3 Build Business Processes

4 Build Business Rules

5 Build Web Services

6 Build Reports

7 Configure Application

8 Publish Application

Starting Point

- Getting Started
- FAQs
- Tutorials

Composer Assistant | Starting Point

waarbenik

Refresh Close

Haal locatie op GoogleID 30784057799570

Toon op kaart Locatie 51.824302 5.86879

51.824302 5.86879

Universitair Medisch Centrum Sint Radboud Nijmegen

Brakkenstein

Heilig

N842

Groesbeek

Kwakkenbeek

Stad

Hees

Wolfsdijk

Enneperweg

Graafheide

Groenestraat

Sint Anna

Jonkerbosch

Winkelsteeg I en II

Wing slot Jonkerbosch

Neerbosch

Neerboschweg

Uperdijk

POWERS BY Google

Checked Out By

Checked Out On

1 Build Application Objects

Build Business Processes

3 Close

Internet | Protected Mode: Off

100%



Bachelorvoorlichtingsdag: Informatiekunde

