





Design innovation, Tim Brown 2005, edited by Freek van den Berg

Bachelorvoorlichtingsdag: Informatiekunde







Cloud Computing



Webservices (1/2)

- Op afstand iets laten uitrekenen
- Eerst wordt er een vraag gesteld
- Daarna komt er antwoord terug
- Voorbeeld:





Webservices (2/2)





Cloud Computing: Cordys Process Factory





Freek van den Berg

Bachelorvoorlichtingsdag: Informatiekunde

Cordys Explorer - Windows Internet Explorer

http://www.tpf demos.com/olc/

Google

Favorites | Suggested Sites | Web Slice Gallery

Cordys Explorer

MashApps[®] COMPOSER

Change Application

Welcome Freek van de Berg! [Change Profile](#) | 06/04/2010 | [Log Out](#)

[Help](#) [Support](#) [Setup](#)

Search Composer

Advanced

bachelor

Composer Assistant

- 1 Build Application Objects
 - New Application Object
 - All Applications Objects
- 2 Build Forms
- 3 Build Business Processes
- 4 Build Business Rules
- 5 Build Web Services
- 6 Build Reports
- 7 Configure Application
- 8 Publish Application

Starting Point

- Getting Started
- FAQs
- Tutorials

Composer Assistant | Starting Point

1 Build Application Objects --Select an Application Object--

Build Application Objects

Build application objects to store data for a specific business need. For instance, you can build an Employee object to store employee details such as employee id, name, department, etc.

Create

[New Application Object](#)

```
graph TD
    A[Define Fields] --> B[Define Constraints]
    B --> C[Define Relations]
    B --> D[Identifying Field]
    B --> E[Required Field]
    B --> F[Unique Constraint]
    C --> G[Table 1]
    C --> H[Table 2]
    C --> I[Table 3]
    C --> J[Table 4]
    C --> K[Table 5]
```

Identifying Field

Required Field

Unique Constraint

Define Relations

Features

- Object Identifier**
Configure a unique identifier for the application object
- Object Constraints**
Create constraints to relate application objects and restrict data stored in them
- Default Fields**
Default fields such as Created By, Created Date, Modified By, and Modified Date are automatically added to a new application object

Learn More

[Go to Online Help](#)

Do you Know

- You can also build an application object while building a form. Select the option to build a form with a new application object and start building your form. When the form is generated, the object is built for you automatically.

Build Forms 2 Close

Internet | Protected Mode: Off 100%



Freek van den Berg

Bachelorvoorlichtingsdag: Informatiekunde

Cordys Explorer - Windows Internet Explorer

http://www.tpfedemos.com/olc/

Google

Favorites Suggested Sites Web Slice Gallery

Cordys Explorer

MashApps[®] COMPOSER

Change Application

Welcome Freek van den Berg! [Change Profile](#) | 06/04/2010 | [Log Out](#)

[Help](#) [Support](#) [Setup](#)

Search Composer [Advanced](#)

bachlor

Composer Assistant

- New Application Object
- All Applications Objects

2 Build Forms

3 Build Business Processes

4 Build Business Rules

5 Build Web Services

6 Build Reports

7 Configure Application

8 Publish Application

9 Pack Application

Starting Point

- Getting Started
- FAQs
- Tutorials

2 Build Forms

waarbenik

Undo Check Out Check In Save Split into 2 Form Parameters Lookup Form Rules Script Editor

Refresh Close

Haal locatie op GoogleID Single Line Text

Toon op kaart Locatie Single Line Text

London

Map Satellite H

Multi Line Text

- Decimal
- 12. Number
- Currency
- Date Time
- Check Box
- Select Box
- Radio Button
- Button
- E-Mail
- URL
- Label
- Picture

Web Service Repository

Widget Repository

All Widgets Used Widgets

Maps

- Driving Directions
- Location Viewer

Used Objects

1 Build Application Objects Build Business Processes 3 Close

Done

Internet | Protected Mode: Off

100%



Freek van den Berg

Bachelorvoorlichtingsdag: Informatiekunde

googleID: -7654330784057799570

Cordys Explorer - Windows Internet Explorer

http://www.tpfemos.com/olc/

Google

Favorites | Suggested Sites | Web Slice Gallery

Cordys Explorer

MashApps[®] COMPOSER

Change Application

Welcome Freek van den Berg! [Change Profile](#) | 06/04/2010 | [Log Out](#)

[Help](#) [Support](#) [Setup](#)

Search Composer [Advanced](#)

bachelor

Composer Assistant

- New Application Object
- All Applications Objects

2 Build Forms

- New Form
- All Forms

3 Build Business Processes

4 Build Business Rules

5 Build Web Services

6 Build Reports

7 Configure Application

8 Publish Application

Starting Point

- Getting Started
- FAQs
- Tutorials

Composer Assistant | Starting Point

waarbenik

[Refresh](#) [Close](#)

Haal locatie op GoogleID 30784057799570

Toon op kaart Locatie 51.824302 5.86879

51.824302 5.86879

Map showing location near Universitair Medisch Centrum Sint Radboud Nijmegen.

Checked Out By

Checked Out On

1 Build Application Objects | Build Business Processes | 3 | [Close](#)

Internet | Protected Mode: Off

100%