MAIN SQL: (reglog.sql)

```sql
-- phpMyAdmin SQL Dump
-- version 5.2.1
-- https://www.phpmyadmin.net/
--
-- Host: 127.0.0.1
-- Generation Time: Mar 22, 2025 at 01:02 PM
-- Server version: 10.4.32-MariaDB
-- PHP Version: 8.2.12

SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
START TRANSACTION;
SET time_zone = "+00:00";


/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
/*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */;
/*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
/*!40101 SET NAMES utf8mb4 */;

--
-- Database: `reglog`
--

-- --------------------------------------------------------

--
-- Table structure for table `tb_contact`
--

CREATE TABLE `tb_contact` (
  `id` int(11) NOT NULL,
  `message_type` varchar(50) NOT NULL,
  `name` varchar(100) NOT NULL,
  `email` varchar(100) NOT NULL,
  `phone` varchar(20) NOT NULL,
  `message` text NOT NULL,
  `created_at` timestamp NOT NULL DEFAULT current_timestamp(),
  `is_viewed` tinyint(1) DEFAULT 0
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;

--
-- Dumping data for table `tb_contact`
```

```
--

INSERT INTO `tb_contact` (`id`, `message_type`, `name`, `email`, `phone`, `message`,
`created_at`, `is_viewed`) VALUES
(6, 'Feedback', 'hello', 'hello@gmail.com', '232423435', 'cvdfbdfb', '2024-12-16
02:03:33', 1),
(7, 'Commendation', 'Boss Cj', 'bulayerrafael@gmail.com', '09091223456', 'xasdfgh',
'2024-12-17 14:39:07', 1),
(8, 'General Inquiry', 'lyma joy', 'rigeln1016@gmail.com', '123456', 'cdfghtyu',
'2024-12-17 14:49:17', 1),
(9, 'Commendation', 'olfu', 'cjbernalamper@gmail.com', '3435453646', 'hello',
'2024-12-17 16:11:20', 1);

-- --------------------------------------------------------

--
-- Table structure for table `tb_order`
--

CREATE TABLE `tb_order` (
  `id` int(11) NOT NULL,
  `name` varchar(255) DEFAULT NULL,
  `address` text DEFAULT NULL,
  `contact` varchar(50) DEFAULT NULL,
  `total_price` decimal(10,2) DEFAULT NULL,
  `payment_method` varchar(50) DEFAULT NULL,
  `gcash_ref_code` varchar(255) DEFAULT NULL,
  `created_at` timestamp NOT NULL DEFAULT current_timestamp()
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;

--
-- Dumping data for table `tb_order`
--

INSERT INTO `tb_order` (`id`, `name`, `address`, `contact`, `total_price`,
`payment_method`, `gcash_ref_code`, `created_at`) VALUES
(1, 'hello', 'Antipolo city', '12345', 140.00, 'Gcash', '123456', '2024-12-15
18:30:13'),
(2, 'hello', 'Antipolo city', '12345', 140.00, 'Gcash', '12345', '2024-12-15
18:48:22'),
(3, 'hello', 'Antipolo city', '12345', 440.00, 'Gcash', '34434543', '2024-12-15
20:00:05'),
(4, 'hello', 'Antipolo city', '12345', 450.00, 'COD', NULL, '2024-12-15 20:08:42'),
(5, 'hello', 'Antipolo city', '12345', 390.00, 'COD', NULL, '2024-12-15 20:15:32'),
```

```
(6, 'hello', 'Antipolo city', '12345', 110.00, 'Gcash', '', '2024-12-15 20:25:54'),
(7, 'hello', 'Antipolo city', '12345', 110.00, 'COD', NULL, '2024-12-15 20:27:45'),
(8, 'hello', 'Antipolo city', '12345', 260.00, 'Gcash', '343455', '2024-12-15
20:31:09'),
(9, 'hello', 'Antipolo city', '12345', 90.00, 'COD', NULL, '2024-12-15 20:33:07'),
(10, 'hello', 'Antipolo city', '12345', 280.00, 'Gcash', '', '2024-12-15 20:44:49'),
(11, 'hello', 'Antipolo city', '12345', 280.00, 'Gcash', '', '2024-12-15 20:51:10'),
(12, 'hello', 'Antipolo city', '12345', 150.00, 'Gcash', '12345', '2024-12-15
20:56:05'),
(13, 'hello', 'Antipolo city', '12345', 260.00, 'COD', NULL, '2024-12-16 02:21:25'),
(14, 'hello', 'Antipolo city', '12345', 170.00, 'Gcash', '343455', '2024-12-16
03:36:20'),
(15, 'hello', 'Antipolo city', '12345', 280.00, 'Gcash', '', '2024-12-16 05:58:43'),
(16, 'hello', 'Antipolo city', '12345', 140.00, 'Gcash', '1', '2024-12-17 18:29:46'),
(17, 'antu', 'Antipolo city', '2147483647', 250.00, 'COD', NULL, '2024-12-18
03:44:28'),
(18, 'antu', 'Antipolo city', '2147483647', 330.00, 'Gcash', '12345678', '2024-12-19
04:45:37');

-- --------------------------------------------------------

--
-- Table structure for table `tb_order_items`
--

CREATE TABLE `tb_order_items` (
  `id` int(11) NOT NULL,
  `order_id` int(11) DEFAULT NULL,
  `item_name` varchar(255) DEFAULT NULL,
  `quantity` int(11) DEFAULT NULL,
  `price` decimal(10,2) DEFAULT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;

--
-- Dumping data for table `tb_order_items`
--

INSERT INTO `tb_order_items` (`id`, `order_id`, `item_name`, `quantity`, `price`)
VALUES
(1, 1, 'Sea Salt Latte', 1, 140.00),
(2, 2, 'Sea Salt Latte', 1, 140.00),
(3, 3, 'Cafe Latte', 1, 90.00),
(4, 3, 'Americano', 1, 80.00),
(5, 3, 'Oat Matcha Latte', 1, 150.00),
```

```
(6, 3, 'Oat Latte', 1, 120.00),
(7, 4, 'Sea Salt Matcha Latte', 1, 150.00),
(8, 4, 'Oat Taro Latte', 1, 150.00),
(9, 4, 'Muscovado Oat Latte', 1, 150.00),
(10, 5, 'Sea Salt Latte', 1, 140.00),
(11, 5, 'V-Black', 1, 110.00),
(12, 5, 'Caramel Macchiato', 1, 140.00),
(13, 6, 'V-Black', 1, 110.00),
(14, 7, 'V-Black', 1, 110.00),
(15, 8, 'Spanish Latte', 1, 120.00),
(16, 8, 'Dark Chocolate Mocha', 1, 140.00),
(17, 9, 'Cafe Latte', 1, 90.00),
(18, 10, 'Strawberry Cream Yakult', 1, 160.00),
(19, 10, 'Oat Latte', 1, 120.00),
(20, 11, 'Strawberry Cream Yakult', 1, 160.00),
(21, 11, 'Oat Latte', 1, 120.00),
(22, 12, 'Muscovado Oat Latte', 1, 150.00),
(23, 13, 'Spanish Latte', 1, 120.00),
(24, 13, 'White Chocolate Mocha', 1, 140.00),
(25, 14, 'Cafe Latte', 1, 90.00),
(26, 14, 'Americano', 1, 80.00),
(27, 15, 'Sea Salt Latte', 1, 140.00),
(28, 15, 'Caramel Macchiato', 1, 140.00),
(29, 16, 'Sea Salt Latte', 1, 140.00),
(30, 17, 'Americano', 2, 80.00),
(31, 17, 'Cafe Latte', 1, 90.00),
(32, 18, 'Americano', 3, 80.00),
(33, 18, 'Cafe Latte', 1, 90.00);

-- --------------------------------------------------------

--
-- Table structure for table `tb_receipt`
--

CREATE TABLE `tb_receipt` (
  `id` int(11) NOT NULL,
  `order_id` int(11) DEFAULT NULL,
  `customer_name` varchar(255) DEFAULT NULL,
  `address` varchar(255) DEFAULT NULL,
  `contact` varchar(255) DEFAULT NULL,
  `total_price` decimal(10,2) DEFAULT NULL,
  `payment_method` varchar(255) DEFAULT NULL,
  `gcash_ref_code` varchar(255) DEFAULT NULL,
```

```
  `items` text DEFAULT NULL,
  `created_at` timestamp NOT NULL DEFAULT current_timestamp()
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;

--
-- Dumping data for table `tb_receipt`
--

INSERT INTO `tb_receipt` (`id`, `order_id`, `customer_name`, `address`, `contact`,
`total_price`, `payment_method`, `gcash_ref_code`, `items`, `created_at`) VALUES
(4, 14, 'hello', 'Antipolo city', '12345', 170.00, 'Gcash', '343455',
'[{\"item_name\":\"Cafe
Latte\",\"quantity\":1,\"price\":\"90.00\"},{\"item_name\":\"Americano\",\"quantity\":1
,\"price\":\"80.00\"}]', '2024-12-16 03:36:20'),
(5, 15, 'hello', 'Antipolo city', '12345', 280.00, 'Gcash', '', '[{\"item_name\":\"Sea
Salt Latte\",\"quantity\":1,\"price\":\"140.00\"},{\"item_name\":\"Caramel
Macchiato\",\"quantity\":1,\"price\":\"140.00\"}]', '2024-12-16 05:58:43'),
(6, 16, 'hello', 'Antipolo city', '12345', 140.00, 'Gcash', '1', '[{\"item_name\":\"Sea
Salt Latte\",\"quantity\":1,\"price\":\"140.00\"}]', '2024-12-17 18:29:46'),
(7, 17, 'antu', 'Antipolo city', '2147483647', 250.00, 'COD', NULL,
'[{\"item_name\":\"Americano\",\"quantity\":2,\"price\":\"80.00\"},{\"item_name\":\"Caf
e Latte\",\"quantity\":1,\"price\":\"90.00\"}]', '2024-12-18 03:44:28'),
(8, 17, 'antu', 'Antipolo city', '2147483647', 250.00, 'COD', NULL,
'[{\"item_name\":\"Americano\",\"quantity\":2,\"price\":\"80.00\"},{\"item_name\":\"Caf
e Latte\",\"quantity\":1,\"price\":\"90.00\"}]', '2024-12-18 03:44:35'),
(9, 18, 'antu', 'Antipolo city', '2147483647', 330.00, 'Gcash', '12345678',
'[{\"item_name\":\"Americano\",\"quantity\":3,\"price\":\"80.00\"},{\"item_name\":\"Caf
e Latte\",\"quantity\":1,\"price\":\"90.00\"}]', '2024-12-19 04:45:37');

-- --------------------------------------------------------

--
-- Table structure for table `tb_user`
--

CREATE TABLE `tb_user` (
  `id` int(11) NOT NULL,
  `name` varchar(250) NOT NULL,
  `username` varchar(250) NOT NULL,
  `email` varchar(250) NOT NULL,
  `password` varchar(250) NOT NULL,
  `address` varchar(255) DEFAULT NULL,
  `contact` int(11) DEFAULT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;
```

```
--
-- Dumping data for table `tb_user`
--

INSERT INTO `tb_user` (`id`, `name`, `username`, `email`, `password`, `address`,
`contact`) VALUES
(7, 'hello', 'world', 'hello@gmail.com', '@OLFU123', 'Antipolo city', 12345),
(8, 'antu', 'antutripor', 'cabangantonette03@gmail.com', 'Antutripor_56', 'Antipolo
city', 2147483647),
(9, 'Mari Ann', 'Mariann2323', 'mariann23@gmail.com', 'Antutripor_23', 'antipolo city',
2147483647),
(10, 'Luisa Marie Llavore', 'wisamarie', 'luisallavore@gmail.com', 'January17232004!',
'Blk 1 lot 20 Meadowood Royale Subdivision', 2147483647);

--
-- Indexes for dumped tables
--

--
-- Indexes for table `tb_contact`
--
ALTER TABLE `tb_contact`
  ADD PRIMARY KEY (`id`);

--
-- Indexes for table `tb_order`
--
ALTER TABLE `tb_order`
  ADD PRIMARY KEY (`id`);

--
-- Indexes for table `tb_order_items`
--
ALTER TABLE `tb_order_items`
  ADD PRIMARY KEY (`id`),
  ADD KEY `order_id` (`order_id`);

--
-- Indexes for table `tb_receipt`
--
ALTER TABLE `tb_receipt`
  ADD PRIMARY KEY (`id`);
```

```
--
-- Indexes for table `tb_user`
--
ALTER TABLE `tb_user`
  ADD PRIMARY KEY (`id`);

--
-- AUTO_INCREMENT for dumped tables
--

--
-- AUTO_INCREMENT for table `tb_contact`
--
ALTER TABLE `tb_contact`
  MODIFY `id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=10;

--
-- AUTO_INCREMENT for table `tb_order`
--
ALTER TABLE `tb_order`
  MODIFY `id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=19;

--
-- AUTO_INCREMENT for table `tb_order_items`
--
ALTER TABLE `tb_order_items`
  MODIFY `id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=34;

--
-- AUTO_INCREMENT for table `tb_receipt`
--
ALTER TABLE `tb_receipt`
  MODIFY `id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=10;

--
-- AUTO_INCREMENT for table `tb_user`
--
ALTER TABLE `tb_user`
  MODIFY `id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=11;

--
-- Constraints for dumped tables
--
```

```
--
-- Constraints for table `tb_order_items`
--
ALTER TABLE `tb_order_items`
  ADD CONSTRAINT `tb_order_items_ibfk_1` FOREIGN KEY (`order_id`) REFERENCES `tb_order`
(`id`);
COMMIT;

/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
```

SQL query for sms database:

```
-- Select the correct database
USE reglog;

-- Ensure tb_receipt has a status column
ALTER TABLE tb_receipt
ADD COLUMN status ENUM('Processing', 'Preparing for Delivery', 'Out for Delivery', 'Delivered')
NOT NULL DEFAULT 'Processing' AFTER created_at;
```

SQL query for order status:

```
SELECT order_id, customer_name, contact, status, total_price
FROM tb_receipt
ORDER BY order_id DESC;
```

register.php updated database to fix the contact issues:

```
ALTER TABLE tb_user MODIFY contact VARCHAR(15);
```

For otp database:

1st:

```
ALTER TABLE tb_user
ADD COLUMN otp VARCHAR(6) NOT NULL,
ADD COLUMN otp_expiry DATETIME DEFAULT CURRENT_TIMESTAMP NOT NULL;
```

2nd:

```
ALTER TABLE tb_user
MODIFY COLUMN otp VARCHAR(6) NOT NULL,
MODIFY COLUMN otp_expiry DATETIME DEFAULT CURRENT_TIMESTAMP NOT NULL;
```