```
import { useState, useMemo } from "react";

// ═══════════════════════════════════════════════════════
//  NMS TUCK SHOP — FULL APP
//  Admin PIN: 9999
//  Yoco Key: pk_test_f0c7e2a1z6O4Ye311e74
//  Order Rules: close 07:30 / open 17:00
//  Brand: Red #E8232A · Sky Blue #4EC3E0 · Yellow #FFD600
// ═══════════════════════════════════════════════════════

const YOCO_KEY = "pk_test_f0c7e2a1z6O4Ye311e74";
const ADMIN_PIN = "9999";
const ORDER_CLOSE_HOUR = 7, ORDER_CLOSE_MIN = 30;
const ORDER_OPEN_HOUR = 17, ORDER_OPEN_MIN = 0;

// Brand colours from logo
const C = {
  red:    "#E8232A",
  blue:   "#4EC3E0",
  yellow: "#FFD600",
  dark:   "#1A1A1A",
  light:  "#F7FEFF",
  white:  "#FFFFFF",
  redDark:"#C01820",
  blueDark:"#2AAFC9",
  redLight:"#FFF0F0",
  blueLight:"#EBF9FD",
  yellowLight:"#FFFBE0",
};

const LOGO = "

const INITIAL_PRODUCTS = {"hot_food":[{"num":35,"name":"Stanton Biggley Popcorn C

const CAT_LABELS = {
  hot_food:"🍽️ Hot Food", drinks:"🥤 Drinks",
  chocolates:"🍫 Chocolates", chips:"🍟 Chips & Snacks",
  sweets:"🍬 Sweets", stationery:"✏️ Stationery"
};

function toZAR(n){ return "R"+Number(n).toFixed(2).replace(/\B(?=(\d{3})+(?!\d))/
function getToday(){ return new Date().toISOString().split("T")[0]; }
function getTomorrow(){ const d=new Date(); d.setDate(d.getDate()+1); return d.to
```

```
function canOrderForDate(dateStr){
  const now=new Date(), todayStr=getToday();
  const nowMins=now.getHours()*60+now.getMinutes();
  const closeMins=ORDER_CLOSE_HOUR*60+ORDER_CLOSE_MIN;
  const openMins=ORDER_OPEN_HOUR*60+ORDER_OPEN_MIN;
  if(dateStr===todayStr){
    if(nowMins>=closeMins) return {ok:false,reason:"Orders for today closed at 07
    return {ok:true};
  }
  const tomorrow=new Date(); tomorrow.setDate(tomorrow.getDate()+1);
  if(dateStr===tomorrow.toISOString().split("T")[0]){
    if(nowMins<openMins&&nowMins>=closeMins) return {ok:false,reason:"Orders for
    return {ok:true};
  }
  return {ok:true};
}

// ── Yoco top-up ──────────────────────────────────────────────
function launchYoco(amountCents, userName, onSuccess, onError){
  if(typeof window.YocoSDK==="undefined"){
    // SDK not loaded - simulate in demo
    setTimeout(()=>onSuccess("DEMO-"+Date.now().toString().slice(-6)), 800);
    return;
  }
  const sdk=new window.YocoSDK({publicKey: YOCO_KEY});
  sdk.showPopup({
    amountInCents: amountCents,
    currency: "ZAR",
    name: "NMS Tuck Shop",
    description: `Wallet top-up for ${userName}`,
    callback:(result)=>{
      if(result.error) onError(result.error.message);
      else onSuccess(result.id);
    }
  });
}

// ── Demo accounts ────────────────────────────────────────────
const DEMO_ACCOUNTS = {
  "parent@nms.co.za":  {id:"p1",type:"parent",name:"Sarah Johnson",password:"Pare
    children:[
      {id:"s1",name:"Emma Johnson",grade:"4",classCode:"4B",username:"emmaj4b",av
      {id:"s2",name:"Liam Johnson",grade:"7",classCode:"7A",username:"liamj7a",av
    ],orderHistory:[],topUpHistory:[{date:"2026-03-10",amount:300,method:"Yoco",r
  "emmaj4b@nms.co.za":{id:"s1",type:"learner",name:"Emma Johnson",password:"Emma2
    grade:"4",classCode:"4B",username:"emmaj4b",school:"NMS",spendLimit:80,qr:"QR
  "teacher@nms.co.za":{id:"t1",type:"staff",name:"Mr. Dlamini",password:"Staff123
```

```
    staffRole:"Teacher",classroom:"Room 14",orderHistory:[],topUpHistory:[{date:"
};

// ── Mini components ──────────────────────────────────────────
function Avatar({emoji,size=40}){
  return <div style={{width:size,height:size,borderRadius:size/2,background:C.blu
}

function StatusBadge({status}){
  const map={Confirmed:[C.blue,C.blueLight],Ready:[C.red,C.redLight],Collected:["
  const [c,bg]=map[status]||["#888","#f5f5f5"];
  return <span style={{background:bg,color:c,padding:"3px 10px",borderRadius:20,f
}

function WalletCard({balance,name,avatar,onTopUp}){
  const low=balance<50;
  return(
    <div style={{background:`linear-gradient(135deg,${C.red} 0%,${C.redDark} 100%
      <div style={{position:"absolute",top:-20,right:-20,width:100,height:100,bor
      <div style={{position:"absolute",bottom:-30,left:20,width:80,height:80,bord
      <div style={{display:"flex",justifyContent:"space-between",alignItems:"flex
        <div>
          <div style={{fontSize:10,letterSpacing:2,textTransform:"uppercase",colo
          <div style={{fontSize:13,color:"rgba(255,255,255,0.9)"}}>{avatar} {name
        </div>
        <img src={LOGO} alt="NMS" style={{width:44,height:44,borderRadius:8,backg
      </div>
      <div style={{fontSize:36,fontWeight:900,letterSpacing:-1,marginBottom:16,co
      <div style={{display:"flex",gap:8,alignItems:"center"}}>
        {onTopUp&&<button onClick={onTopUp} style={{background:C.yellow,color:C.d
        {low&&<span style={{fontSize:11,color:"rgba(255,255,255,0.8)",background:
      </div>
    </div>
  );
}

function BackBtn({onClick}){
  return <button onClick={onClick} style={{background:"none",border:"none",color:
}

// ── LOGIN ────────────────────────────────────────────────────
function LoginScreen({onLogin,onRegister}){
  const [form,setForm]=useState({email:"",password:""});
  const [pin,setPin]=useState("");
  const [err,setErr]=useState("");
  const [loading,setLoading]=useState(false);
  const [taps,setTaps]=useState(0);
```

```
const [showPin,setShowPin]=useState(false);

const handleLogo=()=>{const t=taps+1;setTaps(t);if(t>=5){setShowPin(true);setTa

const handleLogin=()=>{
  setLoading(true);setErr("");
  setTimeout(()=>{
    if(showPin&&pin===ADMIN_PIN){onLogin({id:"admin",type:"admin",name:"NMS Adm
    const u=DEMO_ACCOUNTS[form.email.toLowerCase()];
    if(u&&u.password===form.password){onLogin(JSON.parse(JSON.stringify(u)));}
    else{setErr("Invalid email or password.");setLoading(false);}
  },500);
};

return(
  <div style={{minHeight:"100vh",background:`linear-gradient(160deg,${C.red} 0%
    {/* decorative circles */}
    <div style={{position:"absolute",top:-60,right:-60,width:200,height:200,bor
    <div style={{position:"absolute",bottom:-40,left:-40,width:160,height:160,b

    {/* Logo */}
    <div style={{marginBottom:24,textAlign:"center",position:"relative",cursor:
      <img src={LOGO} alt="NMS Tuck Shop" style={{width:160,height:160,borderRa
    </div>
    <div style={{textAlign:"center",marginBottom:28}}>
      <div style={{fontSize:11,color:"rgba(255,255,255,0.7)",letterSpacing:3,te
    </div>

    <div style={{background:"#fff",borderRadius:24,padding:"28px 24px",width:"1
      {showPin?(
        <>
          <div style={{fontSize:18,fontWeight:800,color:C.dark,marginBottom:4}}
          <div style={{fontSize:12,color:"#888",marginBottom:16}}>Enter your 4-
          <input type="password" maxLength={4} value={pin} onChange={e=>setPin(
            placeholder="••••"
            style={{width:"100%",padding:14,border:`2px solid ${C.blue}`,border
          <button onClick={handleLogin} style={{width:"100%",padding:13,backgro
          <button onClick={()=>setShowPin(false)} style={{width:"100%",padding:
        </>
      ):(
        <>
          <div style={{fontSize:20,fontWeight:800,color:C.dark,marginBottom:4}}
          <div style={{fontSize:12,color:"#888",marginBottom:20}}>Sign in to or
          {[["Email","email","email"],["Password","password","password"]].map((
            <div key={f} style={{marginBottom:14}}>
              <label style={{display:"block",fontSize:10,fontWeight:700,letterS
              <input type={t} value={form[f]} onChange={e=>setForm(p=>({...p,[f
```

```
                style={{width:"100%",padding:"11px 13px",border:`2px solid #eee
                onFocus={e=>e.target.style.borderColor=C.blue} onBlur={e=>e.tar
            </div>
          ))}
          {err&&<div style={{background:C.redLight,border:`1px solid ${C.red}55
          <button onClick={handleLogin} disabled={loading}
            style={{width:"100%",padding:13,background:loading?"#ccc":C.red,col
            {loading?"Signing in…":"Sign In →"}
          </button>
          <button onClick={onRegister} style={{width:"100%",padding:11,backgrou
          <div style={{marginTop:16,padding:"10px 12px",background:C.blueLight,
            <strong>Demo:</strong> parent@nms.co.za / Parent1 · emmaj4b@nms.co.
          </div>
        </>
      )}
    </div>
  </div>
);
}

// ── REGISTER ──────────────────────────────────────────────────
function RegisterScreen({onBack}){
  const [step,setStep]=useState(1);
  const [type,setType]=useState("learner");
  const [form,setForm]=useState({name:"",email:"",phone:"",password:"",grade:"",c
  const [done,setDone]=useState(false);
  const avatarOpts=["👦","👧","🧒","👩","👨","👨‍🏫","👩‍🏫","🧑"];
  const genUsername=()=>{const base=(type==="parent"?form.childName:form.name).to

  if(done) return(
    <div style={{minHeight:"100vh",background:`linear-gradient(160deg,${C.red} 0%
      <div style={{background:"#fff",borderRadius:24,padding:"36px 24px",maxWidth
        <img src={LOGO} alt="NMS" style={{width:90,height:90,borderRadius:14,marg
        <div style={{fontSize:22,fontWeight:800,color:C.dark,marginBottom:6}}>You
        <div style={{fontSize:13,color:"#888",marginBottom:8}}>Your tuck shop use
        <div style={{fontFamily:"monospace",fontSize:20,fontWeight:800,color:C.re
        <div style={{fontSize:12,color:"#aaa",marginBottom:22}}>Say this at the c
        <button onClick={onBack} style={{padding:"12px 32px",background:C.red,col
      </div>
    </div>
  );

  return(
    <div style={{minHeight:"100vh",background:`linear-gradient(160deg,${C.red} 0%
      <div style={{background:"#fff",borderRadius:24,padding:"28px 24px",width:"1
        <BackBtn onClick={onBack}/>
        <div style={{fontSize:20,fontWeight:800,color:C.dark,marginBottom:4}}>Cre
```

```
<div style={{fontSize:12,color:"#888",marginBottom:16}}>Step {step} of 2<
<div style={{display:"flex",gap:6,marginBottom:20}}>
  {[1,2].map(s=><div key={s} style={{flex:1,height:4,borderRadius:2,backg
</div>
{step===1&&<>
  <div style={{display:"flex",gap:8,marginBottom:16}}>
    {[["learner","👧 Learner"],["parent","👩 Parent"],["staff","👩‍🏫 Staff'
      <button key={t} onClick={()=>setType(t)} style={{flex:1,padding:"9p
    ))}
  </div>
  {[["Full Name","name","text"],["Email","email","email"],["Phone","phone
    <div key={f} style={{marginBottom:12}}>
      <label style={{display:"block",fontSize:10,fontWeight:700,letterSpa
      <input type={t} value={form[f]} onChange={e=>setForm(p=>({...p,[f]:
        style={{width:"100%",padding:"10px 12px",border:"2px solid #eee",
        onFocus={e=>e.target.style.borderColor=C.blue} onBlur={e=>e.targe
    </div>
  ))}
  <button onClick={()=>setStep(2)} disabled={!form.name||!form.email||!fo
    style={{width:"100%",padding:12,background:!form.name||!form.email||!
    Next →
  </button>
</>}
{step===2&&<>
  <div style={{fontSize:11,fontWeight:700,letterSpacing:1,textTransform:"
  <div style={{display:"flex",gap:8,marginBottom:16,flexWrap:"wrap"}}>
    {avatarOpts.map(a=>(
      <button key={a} onClick={()=>setForm(p=>({...p,avatar:a}))} style={{
    ))}
  </div>
  {type==="learner"&&[["Grade","grade"],["Class (e.g. 4B)","classCode"]].
    <div key={f} style={{marginBottom:12}}>
      <label style={{display:"block",fontSize:10,fontWeight:700,letterSpa
      <input value={form[f]} onChange={e=>setForm(p=>({...p,[f]:e.target.
    </div>
  ))}
  {type==="parent"&&[["Child's Full Name","childName"],["Child's Grade","
    <div key={f} style={{marginBottom:12}}>
      <label style={{display:"block",fontSize:10,fontWeight:700,letterSpa
      <input value={form[f]} onChange={e=>setForm(p=>({...p,[f]:e.target.
    </div>
  ))}
  {type==="staff"&&<>
    <div style={{marginBottom:12}}>
      <label style={{display:"block",fontSize:10,fontWeight:700,letterSpa
      <select value={form.staffRole} onChange={e=>setForm(p=>({...p,staff
        {["Teacher","HOD","Principal","Admin Staff","Support Staff"].map(
```

```
            </select>
          </div>
          <div style={{marginBottom:12}}>
            <label style={{display:"block",fontSize:10,fontWeight:700,letterSpa
            <input value={form.classroom} onChange={e=>setForm(p=>({...p,classr
          </div>
        </>}
        <div style={{background:C.blueLight,borderRadius:10,padding:"10px 14px"
          <strong>Username:</strong> <span style={{fontFamily:"monospace",fontW
        </div>
        <div style={{display:"flex",gap:8}}>
          <button onClick={()=>setStep(1)} style={{flex:1,padding:11,background
          <button onClick={()=>setDone(true)} style={{flex:2,padding:11,backgro
        </div>
      </>}
    </div>
  </div>
);
}

// ── ORDER SCREEN ──────────────────────────────────────────────
function OrderScreen({user,setUser,products,dailySpecial}){
  const [activeCat,setActiveCat]=useState("hot_food");
  const [cart,setCart]=useState([]);
  const [selectedChild,setSelectedChild]=useState(user.type==="parent"?user.child
  const [breakTime,setBreakTime]=useState("1st Break");
  const [orderDate,setOrderDate]=useState(getTomorrow());
  const [showCart,setShowCart]=useState(false);
  const [placed,setPlaced]=useState(null);
  const [placing,setPlacing]=useState(false);

  const child=user.type==="parent"?user.children?.find(c=>c.id===selectedChild):{
  const cartTotal=cart.reduce((s,i)=>s+i.price*i.qty,0);
  const cartCount=cart.reduce((s,i)=>s+i.qty,0);
  const orderCheck=canOrderForDate(orderDate);

  const catItems=useMemo(()=>{
    const base=(products[activeCat]||[]).filter(p=>p.available);
    if(activeCat==="hot_food"&&dailySpecial) return [{id:"daily_special",name:dai
    return base;
  },[products,activeCat,dailySpecial]);

  const add=(item)=>setCart(p=>{const e=p.find(i=>i.id===item.id);return e?p.map(
  const rem=(id)=>setCart(p=>p.map(i=>i.id===id?{...i,qty:Math.max(0,i.qty-1)}:i)

  const placeOrder=()=>{
    if(!orderCheck.ok||user.walletBalance<cartTotal) return;
```

```
  setPlacing(true);
  setTimeout(()=>{
    const order={id:"ORD"+Date.now().toString().slice(-5),date:orderDate,child:
      items:cart.map(i=>({name:i.name,qty:i.qty,price:i.price})),total:cartTota
    setUser(u=>({...u,walletBalance:u.walletBalance-cartTotal,orderHistory:[ord
    setCart([]);setPlaced(order);setPlacing(false);
  },800);
};

if(placed) return(
  <div style={{padding:24,textAlign:"center",paddingTop:48}}>
    <div style={{width:80,height:80,borderRadius:"50%",background:C.blueLight,d
    <div style={{fontSize:22,fontWeight:800,color:C.dark,marginBottom:6}}>Order
    <div style={{fontSize:13,color:"#888",marginBottom:16}}>#{placed.id} · {pla
    <div style={{background:C.blueLight,borderRadius:16,padding:18,marginBottom
      <div style={{fontSize:12,color:"#888",marginBottom:8}}>For: <strong style
      {placed.items.map((i,idx)=>(
        <div key={idx} style={{display:"flex",justifyContent:"space-between",fo
          <span style={{color:"#444"}}>{i.name} ×{i.qty}</span><span style={{fo
        </div>
      ))}
      <div style={{display:"flex",justifyContent:"space-between",fontSize:16,fo
        <span>Total</span><span>{toZAR(placed.total)}</span>
      </div>
    </div>
    <button onClick={()=>setPlaced(null)} style={{padding:"12px 28px",backgroun
  </div>
);

return(
  <div style={{paddingBottom:100}}>
    {/* config bar */}
    <div style={{background:C.red,padding:"12px 16px",display:"flex",gap:8,alig
      {user.type==="parent"&&user.children?.length>1&&(
        <select value={selectedChild} onChange={e=>setSelectedChild(e.target.va
          {user.children.map(c=><option key={c.id} value={c.id} style={{backgro
        </select>
      )}
      <select value={breakTime} onChange={e=>setBreakTime(e.target.value)} styl
        {["1st Break","2nd Break"].map(b=><option key={b} value={b} style={{bac
      </select>
      <input type="date" value={orderDate} min={getToday()} onChange={e=>setOrd
        style={{padding:"7px 10px",borderRadius:8,border:"none",fontSize:12,fon
      {cartCount>0&&(
        <button onClick={()=>setShowCart(true)} style={{marginLeft:"auto",backg
          🛒 {cartCount} · {toZAR(cartTotal)}
        </button>
```

```
  )}
</div>

{!orderCheck.ok&&<div style={{background:"#fff8e1",borderLeft:`4px solid ${
{orderCheck.ok&&<div style={{background:C.blueLight,borderLeft:`4px solid $

{dailySpecial&&activeCat===="hot_food"&&(
  <div style={{margin:"10px 16px 0",background:`linear-gradient(90deg,${C.r
    <div>
      <div style={{fontSize:10,color:"rgba(255,214,0,0.8)",letterSpacing:1,
      <div style={{color:"#fff",fontWeight:700,fontSize:15}}>⭐ {dailySpeci
    </div>
    <div style={{fontWeight:800,color:C.yellow,fontSize:18}}>{toZAR(dailySp
  </div>
)}

{/* category pills */}
<div style={{display:"flex",gap:8,padding:"12px 16px 8px",overflowX:"auto"}
  {Object.entries(CAT_LABELS).map(([cat,label])=>(
    <button key={cat} onClick={()=>setActiveCat(cat)}
      style={{padding:"7px 16px",borderRadius:20,border:`2px solid ${active
      {label}
    </button>
  ))}
</div>

{/* product grid */}
<div style={{padding:"4px 16px 16px",display:"grid",gridTemplateColumns:"re
  {catItems.length===0&&<div style={{gridColumn:"1/-1",textAlign:"center",p
  {catItems.map(item=>{
    const inCart=cart.find(i=>i.id===item.id);
    return(
      <div key={item.id} style={{background:"#fff",borderRadius:14,border:`
        <div style={{background:C.blueLight,padding:"16px 0",textAlign:"cen
        <div style={{padding:"10px 12px"}}>
          {item.tag&&<div style={{marginBottom:5}}><span style={{background
          <div style={{fontWeight:700,fontSize:13,color:C.dark,lineHeight:1
          <div style={{display:"flex",justifyContent:"space-between",alignI
            <span style={{fontWeight:800,fontSize:15,color:C.red}}>{toZAR(i
            {inCart?(
              <div style={{display:"flex",alignItems:"center",gap:5}}>
                <button onClick={()=>rem(item.id)} style={{width:24,height:
                <span style={{fontSize:13,fontWeight:700,minWidth:14,textAl
                <button onClick={()=>add(item)} style={{width:24,height:24,
              </div>
            ):(
              <button onClick={()=>orderCheck.ok&&add(item)} style={{paddin
```

```
            )}
          </div>
        </div>
      </div>
    );
  })}
</div>

{/* Cart drawer */}
{showCart&&(
  <>
    <div onClick={()=>setShowCart(false)} style={{position:"fixed",inset:0,
    <div style={{position:"fixed",bottom:0,left:0,right:0,background:"#fff"
      <div style={{display:"flex",justifyContent:"space-between",alignItems
        <div style={{fontSize:18,fontWeight:800,color:C.dark}}>Your Order 🛒
        <button onClick={()=>setShowCart(false)} style={{background:"#f0f0f
      </div>
      <div style={{background:C.blueLight,borderRadius:10,padding:"9px 13px
        {child?.avatar} <strong>{child?.name}</strong> · Gr {child?.grade}{
      </div>
      {cart.map(item=>(
        <div key={item.id} style={{display:"flex",justifyContent:"space-bet
          <div style={{flex:1}}>
            <div style={{fontSize:13,fontWeight:600,color:C.dark}}>{item.em
            <div style={{fontSize:11,color:"#aaa"}}>{toZAR(item.price)} eac
          </div>
          <div style={{display:"flex",alignItems:"center",gap:8}}>
            <div style={{display:"flex",alignItems:"center",gap:5}}>
              <button onClick={()=>rem(item.id)} style={{width:26,height:26
              <span style={{fontSize:13,fontWeight:700,minWidth:18,textAlig
              <button onClick={()=>add(item)} style={{width:26,height:26,bo
            </div>
            <span style={{fontWeight:800,fontSize:14,color:C.dark,minWidth:
          </div>
        </div>
      ))}
      <div style={{display:"flex",justifyContent:"space-between",fontSize:1
        <span>Total</span><span style={{color:C.red}}>{toZAR(cartTotal)}</s
      </div>
      <div style={{fontSize:12,color:user.walletBalance>=cartTotal?"#27ae60
        Wallet: {toZAR(user.walletBalance)} {user.walletBalance<cartTotal?"
      </div>
      {user.walletBalance>=cartTotal&&orderCheck.ok?(
        <button onClick={placeOrder} disabled={placing}
          style={{width:"100%",padding:14,background:placing?"#ccc":C.red,c
          {placing?"Placing…":`Place Order · ${toZAR(cartTotal)}`}
        </button>
```

```
            ):(
              <div style={{background:"#fff8e1",border:`1px solid ${C.yellow}`,bo
                {!orderCheck.ok?orderCheck.reason:"⚠️ Insufficient balance — top
              </div>
            )}
          </div>
        </>
      )}
    </div>
  );
}

// ── WALLET ──────────────────────────────────────────────────
function WalletScreen({user,setUser}){
  const [showTopUp,setShowTopUp]=useState(false);
  const [amount,setAmount]=useState(100);
  const [custom,setCustom]=useState("");
  const [processing,setProcessing]=useState(false);
  const [success,setSuccess]=useState(null);
  const [yocoError,setYocoError]=useState("");
  const quick=[50,100,200,500];

  const doTopUp=()=>{
    const a=custom?parseFloat(custom):amount;
    if(!a||a<10) return;
    setProcessing(true);setYocoError("");
    launchYoco(
      Math.round(a*100),
      user.name,
      (ref)=>{
        setUser(u=>({...u,walletBalance:u.walletBalance+a,topUpHistory:[{date:get
        setSuccess({amount:a,ref});setProcessing(false);setShowTopUp(false);
      },
      (err)=>{setYocoError(err);setProcessing(false);}
    );
  };

  return(
    <div style={{padding:20,paddingBottom:80}}>
      {success&&(
        <div style={{background:C.blueLight,border:`1px solid ${C.blue}`,borderRa
          <span>✅ +{toZAR(success.amount)} added via Yoco · Ref: {success.ref}</
          <button onClick={()=>setSuccess(null)} style={{background:"none",border
        </div>
      )}

      <WalletCard balance={user.walletBalance} name={user.name} avatar={user.avat
```

```
{user.type==="parent"&&user.children?.length>0&&(
  <div style={{marginBottom:16}}>
    <div style={{fontSize:11,fontWeight:700,letterSpacing:1,textTransform:"
    {user.children.map(c=>(
      <div key={c.id} style={{background:"#fff",border:`2px solid #eee`,bor
        <div style={{display:"flex",gap:10,alignItems:"center"}}>
          <Avatar emoji={c.avatar} size={38}/>
          <div>
            <div style={{fontWeight:700,fontSize:14,color:C.dark}}>{c.name}
            <div style={{fontSize:11,color:"#aaa"}}>Gr {c.grade}{c.classCod
          </div>
        </div>
        <div style={{textAlign:"right"}}>
          <div style={{fontWeight:800,fontSize:17,color:C.red}}>{toZAR(c.wa
          <div style={{fontSize:10,color:"#aaa"}}>Limit {toZAR(c.spendLimit
        </div>
      </div>
    ))}
  </div>
)}

{(user.topUpHistory||[]).length>0&&(
  <>
    <div style={{fontSize:11,fontWeight:700,letterSpacing:1,textTransform:"
    {user.topUpHistory.map((t,i)=>(
      <div key={i} style={{background:"#fff",border:"1px solid #eee",border
        <div>
          <div style={{fontSize:13,fontWeight:600,color:C.dark}}>{t.method}
          <div style={{fontSize:11,color:"#aaa"}}>{t.date} · {t.ref}</div>
        </div>
        <div style={{fontWeight:800,fontSize:17,color:"#27ae60"}}>+{toZAR(t
      </div>
    ))}
  </>
)}

{showTopUp&&(
  <>
    <div onClick={()=>setShowTopUp(false)} style={{position:"fixed",inset:0
    <div style={{position:"fixed",bottom:0,left:0,right:0,background:"#fff"
      <div style={{display:"flex",alignItems:"center",gap:12,marginBottom:6
        <img src={LOGO} alt="NMS" style={{width:36,height:36,borderRadius:8
        <div style={{fontSize:18,fontWeight:800,color:C.dark}}>Top Up Walle
      </div>
      <div style={{fontSize:12,color:"#888",marginBottom:18}}>Powered by <s
      <div style={{display:"grid",gridTemplateColumns:"1fr 1fr",gap:10,marg
```

```
              {quick.map(a=>(
                <button key={a} onClick={()=>{setAmount(a);setCustom("");}}
                  style={{padding:"14px 0",border:`2px solid ${amount===a&&!custo
                  {toZAR(a)}
                </button>
              ))}
            </div>
            <input type="number" min="10" placeholder="Custom amount (min R10)" v
              style={{width:"100%",padding:"11px 13px",border:`2px solid ${C.blue
            {yocoError&&<div style={{background:C.redLight,border:`1px solid ${C.
            <button onClick={doTopUp} disabled={processing}
              style={{width:"100%",padding:15,background:processing?"#ccc":C.red,
              {processing?"Processing via Yoco…":`Pay ${toZAR(custom||amount)} wi
            </button>
            <div style={{textAlign:"center",marginTop:10,fontSize:11,color:"#aaa"
          </div>
        </>
      )}
    </div>
  );
}

// ── ORDERS SCREEN ──────────────────────────────────────────────
function OrdersScreen({user}){
  const [tab,setTab]=useState("upcoming");
  const today=getToday();
  const all=user.orderHistory||[];
  const upcoming=all.filter(o=>o.date>=today&&o.status!=="Collected"&&o.status!==
  const past=all.filter(o=>o.date<today||o.status===="Collected"||o.status===="Canc
  const list=tab===="upcoming"?upcoming:past;
  return(
    <div style={{padding:20,paddingBottom:80}}>
      <div style={{display:"flex",gap:8,marginBottom:18}}>
        {[["upcoming",`⏳ Upcoming (${upcoming.length})`],["history","📋 History'
          <button key={t} onClick={()=>setTab(t)} style={{flex:1,padding:"9px 0",
        ))}
      </div>
      {list.length===0?(
        <div style={{textAlign:"center",padding:"48px 20px",color:"#aaa"}}>
          <div style={{fontSize:44,marginBottom:10}}>{tab===="upcoming"?"📪":"📋"}
          <div style={{fontSize:14,fontWeight:600}}>{tab===="upcoming"?"No upcomin
        </div>
      ):list.map(order=>(
        <div key={order.id} style={{background:"#fff",border:`2px solid #eee`,bor
          <div style={{background:C.red,padding:"11px 14px",display:"flex",justif
            <div>
              <div style={{fontSize:10,color:"rgba(255,255,255,0.7)",letterSpacin
```

```
              <div style={{fontSize:13,fontWeight:700,color:"#fff"}}>{order.child
              {order.grade&&<div style={{fontSize:11,color:"rgba(255,255,255,0.7)
            </div>
            <StatusBadge status={order.status}/>
          </div>
          <div style={{padding:"12px 14px"}}>
            <div style={{fontSize:11,color:"#aaa",marginBottom:8}}>📅 {order.date
            {order.items.map((item,i)=>(
              <div key={i} style={{display:"flex",justifyContent:"space-between",
                <span>{item.name} ×{item.qty}</span><span>{toZAR(item.price*item.
              </div>
            ))}
            <div style={{display:"flex",justifyContent:"space-between",fontSize:1
              <span>Total</span><span>{toZAR(order.total)}</span>
            </div>
          </div>
        </div>
      ))}
    </div>
  );
}

// ── PROFILE SCREEN ──────────────────────────────────────────
function ProfileScreen({user,setUser,onLogout}){
  const [editing,setEditing]=useState(false);
  const [form,setForm]=useState({name:user.name,email:user.email,phone:user.phone
  const [showQR,setShowQR]=useState(false);
  const [editChildId,setEditChildId]=useState(null);
  const save=()=>{setUser(u=>({...u,...form}));setEditing(false);};
  return(
    <div style={{padding:20,paddingBottom:80}}>
      <div style={{background:`linear-gradient(135deg,${C.red} 0%,${C.redDark} 10
        <div style={{position:"absolute",top:-20,right:-20,width:80,height:80,bor
        <div style={{fontSize:48,marginBottom:6}}>{user.avatar||"👤"}</div>
        <div style={{fontSize:20,fontWeight:800,color:C.yellow}}>{user.name}</div
        <div style={{fontSize:11,color:"rgba(255,255,255,0.7)",marginTop:2,textTr
          {user.type==="parent"&&"Parent Account"}
          {user.type==="learner"&&`Grade ${user.grade}${user.classCode} · NMS`}
          {user.type==="staff"&&`${user.staffRole} · ${user.classroom}`}
        </div>
        {user.username&&<div style={{marginTop:8,display:"inline-block",backgroun
      </div>

      {(user.username||user.qr)&&(
        <div style={{background:"#fff",border:`2px solid #eee`,borderRadius:14,pa
          <div style={{fontSize:11,fontWeight:700,letterSpacing:1,textTransform:"
          <div style={{fontSize:13,color:"#555",marginBottom:8}}>Say your usernam
```

```
    <button onClick={()=>setShowQR(!showQR)} style={{fontSize:12,color:C.bl
      {showQR?"Hide QR Code":"Show QR Code"}
    </button>
    {showQR&&(
      <div style={{marginTop:12,textAlign:"center"}}>
        <div style={{width:100,height:100,margin:"0 auto 8px",background:C.
          <svg width="80" height="80" viewBox="0 0 80 80">
            {[0,1,2].map(r=>[0,1,2].map(c=><rect key={`${r}-${c}`} x={r*26+
            <rect x={28} y={28} width={24} height={24} fill={C.yellow} rx={
            <rect x={33} y={33} width={14} height={14} fill={C.dark} rx={2}
          </svg>
        </div>
        <div style={{fontFamily:"monospace",fontSize:11,color:"#aaa"}}>{use
      </div>
    )}
  </div>
)}

{editing?(
  <div style={{background:"#fff",borderRadius:14,padding:16,marginBottom:14
    <div style={{fontWeight:800,fontSize:15,color:C.dark,marginBottom:12}}>
    {[["Full Name","name"],["Email","email"],["Phone","phone"],...(user.typ
      <div key={f} style={{marginBottom:10}}>
        <label style={{display:"block",fontSize:10,fontWeight:700,letterSpa
        <input value={form[f]||""} onChange={e=>setForm(p=>({...p,[f]:e.tar
          style={{width:"100%",padding:"10px 12px",border:`2px solid #eee`,
          onFocus={e=>e.target.style.borderColor=C.blue} onBlur={e=>e.targe
      </div>
    ))}
    <div style={{display:"flex",gap:8}}>
      <button onClick={()=>setEditing(false)} style={{flex:1,padding:10,bac
      <button onClick={save} style={{flex:2,padding:10,background:C.red,col
    </div>
  </div>
):(
  <button onClick={()=>setEditing(true)} style={{width:"100%",padding:"12px
    <span>✏️ Edit Profile</span><span style={{color:"#aaa"}}>→</span>
  </button>
)}

{user.type==="parent"&&user.children?.length>0&&(
  <div style={{marginBottom:14}}>
    <div style={{fontSize:11,fontWeight:700,letterSpacing:1,textTransform:"
    {user.children.map(c=>(
      <div key={c.id} style={{background:"#fff",border:"2px solid #eee",bor
        <div style={{padding:"12px 14px",display:"flex",justifyContent:"spa
          <div style={{display:"flex",gap:10,alignItems:"center"}}>
```

```
            <Avatar emoji={c.avatar} size={36}/>
            <div>
              <div style={{fontWeight:700,fontSize:14,color:C.dark}}>{c.nam
              <div style={{fontSize:11,color:"#aaa"}}>Gr {c.grade}{c.classC
            </div>
          </div>
          <button onClick={()=>setEditChildId(editChildId===c.id?null:c.id)
            {editChildId===c.id?"Done":"Manage"}
          </button>
        </div>
        {editChildId===c.id&&(
          <div style={{borderTop:"1px solid #eee",padding:"12px 14px",backg
            <div style={{fontSize:11,fontWeight:700,letterSpacing:1,textTra
            <input type="number" defaultValue={c.spendLimit}
              onChange={e=>setUser(u=>({...u,children:u.children.map(ch=>ch
              style={{width:"100%",padding:"9px 12px",border:`2px solid ${C
            <div style={{fontSize:11,fontWeight:700,letterSpacing:1,textTra
            {(user.orderHistory||[]).filter(o=>o.child===c.name).length===0
              <div style={{fontSize:12,color:"#aaa"}}>No purchases yet.</di
            ):(user.orderHistory||[]).filter(o=>o.child===c.name).slice(0,5
              <div key={i} style={{fontSize:12,color:"#555",padding:"4px 0"
                <span>{o.date} · {o.items.map(it=>`${it.name}`).join(", ")}
                <span style={{float:"right",fontWeight:700,color:C.red}}>{t
              </div>
            ))}
          </div>
        )}
      </div>
    ))}
  </div>
)}

{user.type==="learner"&&(
  <div style={{background:"#fff",border:`2px solid #eee`,borderRadius:14,pa
    <div style={{fontSize:11,fontWeight:700,letterSpacing:1,textTransform:"
    {(user.orderHistory||[]).length===0?(
      <div style={{fontSize:12,color:"#aaa"}}>No purchases yet.</div>
    ):(user.orderHistory||[]).slice(0,8).map((o,i)=>(
      <div key={i} style={{fontSize:12,color:"#555",padding:"5px 0",borderB
        <div style={{display:"flex",justifyContent:"space-between"}}>
          <span style={{fontWeight:600,color:C.dark}}>{o.date}</span>
          <span style={{fontWeight:800,color:C.red}}>{toZAR(o.total)}</span
        </div>
        <div style={{color:"#888",marginTop:2}}>{o.items.map(it=>`${it.name
      </div>
    ))}
  </div>
```

```
      )}

      <button onClick={onLogout} style={{width:"100%",padding:12,background:C.red
    </div>
  );
}

// ── ADMIN + COUNTER (unchanged logic, recoloured) ──────────────
function AdminPanel({onLogout,products,setProducts,allOrders,setAllOrders}){
  const [tab,setTab]=useState("orders");
  const [dailySpecial,setDailySpecial]=useState({name:"Chips",price:27});
  const [specialDraft,setSpecialDraft]=useState({name:"Chips",price:27});
  const [editingItem,setEditingItem]=useState(null);
  const [newItem,setNewItem]=useState({name:"",price:"",emoji:"🍽️",category:"hot_
  const [showNewForm,setShowNewForm]=useState(false);
  const [activeCat,setActiveCat]=useState("hot_food");
  const [studentSearch,setStudentSearch]=useState("");

  const DEMO_STUDENTS=[
    {id:"s1",name:"Emma Johnson",grade:"4",classCode:"4B",username:"emmaj4b",avat
    {id:"s2",name:"Liam Johnson",grade:"7",classCode:"7A",username:"liamj7a",avat
    {id:"t1",name:"Mr. Dlamini",grade:"-",classCode:"-",username:"dlamini",avatar
  ];

  const today=getToday();
  const todayOrders=allOrders.filter(o=>o.date===today);
  const totalRevenue=todayOrders.reduce((s,o)=>s+o.total,0);

  const toggleAvail=(cat,id)=>setProducts(p=>({...p,[cat]:p[cat].map(i=>i.id===id
  const deleteItem=(cat,id)=>setProducts(p=>({...p,[cat]:p[cat].filter(i=>i.id!==
  const saveEdit=()=>{if(!editingItem)return;setProducts(p=>({...p,[editingItem.c
  const addItem=()=>{if(!newItem.name||!newItem.price)return;const item={...newIt
  const filteredStudents=DEMO_STUDENTS.filter(s=>s.name.toLowerCase().includes(st

  const ADMIN_TABS=[{id:"orders",label:"📋 Orders"},{id:"menu",label:"🍽️ Menu"},{

  return(
    <div style={{paddingBottom:20}}>
      <div style={{background:C.red,padding:"14px 16px 0"}}>
        <div style={{display:"flex",justifyContent:"space-between",alignItems:"ce
          <div style={{display:"flex",alignItems:"center",gap:10}}>
            <img src={LOGO} alt="NMS" style={{width:36,height:36,borderRadius:8,b
            <div>
              <div style={{fontSize:16,fontWeight:900,color:"#fff"}}>Admin Panel<
              <div style={{fontSize:10,color:"rgba(255,255,255,0.7)"}}>NMS Tuck S
            </div>
          </div>
```

```
    <button onClick={onLogout} style={{background:"rgba(255,255,255,0.2)",b
  </div>
  <div style={{display:"flex",gap:8,marginBottom:0,overflowX:"auto"}}>
    {[{label:"Orders",val:todayOrders.length},{label:"Revenue",val:toZAR(to
      <div key={i} style={{background:"rgba(255,255,255,0.15)",borderRadius
        <div style={{fontSize:10,color:"rgba(255,255,255,0.7)",letterSpacin
        <div style={{fontWeight:800,fontSize:16,color:"#fff"}}>{s.val}</div
      </div>
    ))}
  </div>
</div>
<div style={{display:"flex",background:C.blueLight,overflowX:"auto"}}>
  {ADMIN_TABS.map(t=>(
    <button key={t.id} onClick={()=>setTab(t.id)} style={{flex:1,padding:"1
      {t.label}
    </button>
  ))}
</div>
<div style={{padding:16}}>
  {tab==="orders"&&(
    <div>
      {todayOrders.length===0?(
        <div style={{textAlign:"center",padding:"40px",color:"#aaa"}}><div
      ):todayOrders.map(o=>(
        <div key={o.id} style={{background:"#fff",border:"2px solid #eee",b
          <div style={{background:C.red,padding:"10px 14px",display:"flex",
            <div>
              <div style={{fontSize:10,color:"rgba(255,255,255,0.7)",letter
              <div style={{fontSize:13,fontWeight:700,color:"#fff"}}>{o.chi
              {o.grade&&<div style={{fontSize:11,color:"rgba(255,255,255,0.
            </div>
            <div style={{display:"flex",flexDirection:"column",alignItems:"
              <StatusBadge status={o.status}/>
              <div style={{display:"flex",gap:4}}>
                {["Confirmed","Ready","Collected"].map(s=>(
                  <button key={s} onClick={()=>setAllOrders(prev=>prev.map(
                    style={{padding:"3px 7px",fontSize:9,border:`1px solid
                    {s}
                  </button>
                ))}
              </div>
            </div>
          </div>
          <div style={{padding:"10px 14px"}}>
            {o.items.map((item,i)=>(
              <div key={i} style={{display:"flex",justifyContent:"space-bet
                <span>{item.name} ×{item.qty}</span><span>{toZAR(item.price
```

```
            </div>
          ))}
          <div style={{display:"flex",justifyContent:"space-between",font
            <span>Total</span><span>{toZAR(o.total)}</span>
          </div>
        </div>
      </div>
    ))}
  </div>
)}

{tab=="menu"&&(
  <div>
    <div style={{display:"flex",justifyContent:"space-between",alignItems
      <div style={{fontSize:13,fontWeight:700,color:C.dark}}>Menu Items</
      <button onClick={()=>setShowNewForm(!showNewForm)} style={{padding:
    </div>
    {showNewForm&&(
      <div style={{background:C.blueLight,border:`2px solid ${C.blue}`,bo
        <div style={{fontWeight:700,color:C.dark,marginBottom:10}}>New Me
        <div style={{display:"grid",gridTemplateColumns:"1fr 1fr",gap:8,m
          {[["Name","name","text"],["Price (R)","price","number"],["Emoji
            <div key={f}>
              <label style={{display:"block",fontSize:10,fontWeight:700,l
              <input type={t} value={newItem[f]} onChange={e=>setNewItem(
                style={{width:"100%",padding:"9px 10px",border:"2px solid
            </div>
          ))}
          <div>
            <label style={{display:"block",fontSize:10,fontWeight:700,let
            <select value={newItem.category} onChange={e=>setNewItem(p=>(
              {Object.entries(CAT_LABELS).map(([v,l])=><option key={v} va
            </select>
          </div>
        </div>
        <button onClick={addItem} style={{width:"100%",padding:11,backgro
      </div>
    )}
    <div style={{display:"flex",gap:6,marginBottom:12,overflowX:"auto"}}>
      {Object.entries(CAT_LABELS).map(([cat,label])=>(
        <button key={cat} onClick={()=>setActiveCat(cat)} style={{padding
          {label}
        </button>
      ))}
    </div>
    {(products[activeCat]||[]).map(item=>(
      <div key={item.id} style={{background:"#fff",border:"2px solid #eee
```

```
        {editingItem?.id===item.id?(
          <div>
            <div style={{display:"grid",gridTemplateColumns:"1fr 1fr",gap
              {[["Name","name","text"],["Price","price","number"],["Emoji
                <div key={f}>
                  <label style={{display:"block",fontSize:10,fontWeight:7
                  <input type={t} value={editingItem[f]} onChange={e=>set
                    style={{width:"100%",padding:"8px 10px",border:`2px s
                </div>
              ))}
            </div>
            <div style={{display:"flex",gap:6}}>
              <button onClick={()=>setEditingItem(null)} style={{flex:1,p
              <button onClick={saveEdit} style={{flex:2,padding:9,backgro
            </div>
          </div>
        ):(
          <div style={{display:"flex",alignItems:"center",gap:10}}>
            <span style={{fontSize:26}}>{item.emoji}</span>
            <div style={{flex:1}}>
              <div style={{fontSize:13,fontWeight:700,color:C.dark}}>{ite
              <div style={{fontSize:12,color:"#888"}}>{toZAR(item.price)}
            </div>
            <div style={{display:"flex",gap:6,alignItems:"center"}}>
              <button onClick={()=>toggleAvail(activeCat,item.id)} style=
                {item.available?"In Stock":"Hidden"}
              </button>
              <button onClick={()=>setEditingItem({...item})} style={{pad
              <button onClick={()=>deleteItem(activeCat,item.id)} style={
            </div>
          </div>
        )}
      </div>
    ))}
  </div>
)}

{tab=="special"&&(
  <div>
    <div style={{background:`linear-gradient(90deg,${C.red},${C.redDark})
      <div style={{fontSize:10,color:"rgba(255,214,0,0.8)",letterSpacing:
      <div style={{fontSize:22,fontWeight:800,color:C.yellow}}>⭐ {dailyS
      <div style={{fontSize:16,color:"#fff",marginTop:4}}>{toZAR(dailySpe
    </div>
    <div style={{background:"#fff",border:"2px solid #eee",borderRadius:1
      <div style={{fontWeight:800,fontSize:15,color:C.dark,marginBottom:1
      <div style={{marginBottom:12}}>
```

```
          <label style={{display:"block",fontSize:10,fontWeight:700,letterS
          <input value={specialDraft.name} onChange={e=>setSpecialDraft(p=>
        </div>
        <div style={{marginBottom:16}}>
          <label style={{display:"block",fontSize:10,fontWeight:700,letterS
          <input type="number" value={specialDraft.price} onChange={e=>setS
        </div>
        <div style={{marginBottom:14}}>
          <div style={{fontSize:11,fontWeight:700,letterSpacing:1,textTrans
          <div style={{display:"flex",gap:6,flexWrap:"wrap"}}>
            {(products.hot_food||[]).filter(i=>i.available).map(item=>(
              <button key={item.id} onClick={()=>setSpecialDraft({name:item
                style={{padding:"6px 12px",border:`1.5px solid ${specialDra
                {item.emoji} {item.name}
              </button>
            ))}
          </div>
        </div>
        <button onClick={()=>setDailySpecial({...specialDraft})} style={{wi
          Set as Today's Special ⭐
        </button>
      </div>
    </div>
  )}

  {tab==="students"&&(
    <div>
      <input value={studentSearch} onChange={e=>setStudentSearch(e.target.v
        style={{width:"100%",padding:"11px 13px",border:`2px solid ${C.blue
      {filteredStudents.map(s=>(
        <div key={s.id} style={{background:"#fff",border:"2px solid #eee",b
          <div style={{display:"flex",gap:10,alignItems:"center",marginBott
            <Avatar emoji={s.avatar} size={38}/>
            <div style={{flex:1}}>
              <div style={{fontWeight:700,fontSize:14,color:C.dark}}>{s.nam
              <div style={{fontSize:11,color:"#aaa"}}>{s.type==="staff"?`${
            </div>
            <div style={{textAlign:"right"}}>
              <div style={{fontWeight:800,fontSize:16,color:C.red}}>{toZAR(
              <div style={{fontSize:10,color:"#aaa"}}>wallet</div>
            </div>
          </div>
          <div style={{display:"flex",gap:6}}>
            <div style={{flex:1,background:C.blueLight,borderRadius:8,paddi
              <span style={{color:"#888"}}>Daily limit: </span><strong styl
            </div>
            <button style={{padding:"7px 12px",background:C.blue,color:"#ff
```

```
                <button style={{padding:"7px 12px",background:C.redLight,color:
              </div>
            </div>
          ))}
        </div>
      )}
    </div>
  </div>
);
}

// ── COUNTER SALE ──────────────────────────────────────────────
function CounterSaleScreen({products,allOrders,setAllOrders}){
  const [username,setUsername]=useState("");
  const [resolved,setResolved]=useState(null);
  const [cart,setCart]=useState([]);
  const [activeCat,setActiveCat]=useState("hot_food");
  const [saleComplete,setSaleComplete]=useState(null);
  const COUNTER_ACCOUNTS={"emmaj4b":{id:"s1",name:"Emma Johnson",grade:"4",classC
  const lookup=()=>{const acc=COUNTER_ACCOUNTS[username.toLowerCase().trim()];if(
  const add=(item)=>setCart(p=>{const e=p.find(i=>i.id===item.id);return e?p.map(
  const rem=(id)=>setCart(p=>p.map(i=>i.id===id?{...i,qty:Math.max(0,i.qty-1)}:i)
  const cartTotal=cart.reduce((s,i)=>s+i.price*i.qty,0);
  const completeSale=()=>{
    if(!resolved||cartTotal>resolved.walletBalance) return;
    const order={id:"CTR"+Date.now().toString().slice(-5),date:getToday(),child:r
    setAllOrders(p=>[order,...p]);setSaleComplete({order,account:resolved});setRe
  };

  if(saleComplete) return(
    <div style={{padding:24,textAlign:"center",paddingTop:40}}>
      <div style={{width:72,height:72,borderRadius:"50%",background:C.blueLight,d
      <div style={{fontSize:20,fontWeight:800,color:C.dark,marginBottom:4}}>Sale
      <div style={{fontSize:13,color:"#888",marginBottom:16}}>{saleComplete.accou
      <div style={{background:C.blueLight,borderRadius:14,padding:16,marginBottom
        {saleComplete.order.items.map((i,idx)=>(
          <div key={idx} style={{display:"flex",justifyContent:"space-between",fo
            <span style={{color:"#444"}}>{i.name} ×{i.qty}</span><span style={{fo
          </div>
        ))}
        <div style={{display:"flex",justifyContent:"space-between",fontSize:15,fo
          <span>Total</span><span>{toZAR(cartTotal)}</span>
        </div>
      </div>
      <button onClick={()=>setSaleComplete(null)} style={{padding:"12px 28px",bac
    </div>
  );
```

```
return(
  <div style={{padding:16,paddingBottom:80}}>
    <div style={{fontSize:16,fontWeight:800,color:C.dark,marginBottom:12}}>🏪 C
    <div style={{background:"#fff",border:`2px solid #eee`,borderRadius:14,padd
      <div style={{fontSize:11,fontWeight:700,letterSpacing:1,textTransform:"up
      <div style={{display:"flex",gap:8}}>
        <input value={username} onChange={e=>setUsername(e.target.value)} place
          style={{flex:1,padding:"10px 12px",border:`2px solid ${C.blue}`,borde
        <button onClick={lookup} style={{padding:"10px 18px",background:C.blue,
      </div>
      {resolved&&(
        <div style={{marginTop:10,background:C.blueLight,borderRadius:10,paddin
          <Avatar emoji={resolved.avatar} size={36}/>
          <div style={{flex:1}}>
            <div style={{fontWeight:700,fontSize:14,color:C.dark}}>{resolved.na
            <div style={{fontSize:12,color:"#888"}}>Gr {resolved.grade}{resolve
          </div>
          <div style={{textAlign:"right"}}>
            <div style={{fontWeight:800,fontSize:16,color:resolved.walletBalanc
            <div style={{fontSize:10,color:"#aaa"}}>wallet</div>
          </div>
        </div>
      )}
    </div>
    {resolved&&(
      <>
        <div style={{display:"flex",gap:6,marginBottom:10,overflowX:"auto"}}>
          {Object.entries(CAT_LABELS).map(([cat,label])=>(
            <button key={cat} onClick={()=>setActiveCat(cat)} style={{padding:"
              {label}
            </button>
          ))}
        </div>
        <div style={{display:"grid",gridTemplateColumns:"repeat(auto-fill,minma
          {(products[activeCat]||[]).filter(i=>i.available).map(item=>{
            const inCart=cart.find(i=>i.id===item.id);
            return(
              <div key={item.id} style={{background:"#fff",border:`2px solid ${
                <div style={{background:C.blueLight,padding:"12px 0",textAlign:
                <div style={{padding:"8px 10px"}}>
                  <div style={{fontSize:12,fontWeight:700,color:C.dark,lineHeig
                  <div style={{display:"flex",justifyContent:"space-between",al
                    <span style={{fontSize:13,fontWeight:800,color:C.red}}>{toZ
                    {inCart?(
                      <div style={{display:"flex",alignItems:"center",gap:4}}>
                        <button onClick={()=>rem(item.id)} style={{width:22,hei
```

```
                        <span style={{fontSize:12,fontWeight:700,minWidth:12,te
                        <button onClick={()=>add(item)} style={{width:22,height
                      </div>
                    ):(
                      <button onClick={()=>add(item)} style={{padding:"4px 10px
                    )}
                  </div>
                </div>
              </div>
            );
          })}
        </div>
        {cart.length>0&&(
          <div style={{background:"#fff",border:`2px solid ${C.yellow}`,borderR
            {cart.map((i,idx)=>(
              <div key={idx} style={{display:"flex",justifyContent:"space-betwe
                <span>{i.name} ×{i.qty}</span><span style={{fontWeight:700}}>{t
              </div>
            ))}
            <div style={{display:"flex",justifyContent:"space-between",fontSize
              <span>Total</span><span>{toZAR(cartTotal)}</span>
            </div>
            <button onClick={completeSale} disabled={cartTotal>resolved.walletB
              style={{width:"100%",padding:13,background:cartTotal>resolved.wal
              Complete Sale · {toZAR(cartTotal)}
            </button>
          </div>
        )}
      </>
    )}
  </div>
);
}

// ── MAIN APP ──────────────────────────────────────────────────
export default function App(){
  const [screen,setScreen]=useState("login");
  const [user,setUser]=useState(null);
  const [activeTab,setActiveTab]=useState("order");
  const [products,setProducts]=useState(INITIAL_PRODUCTS);
  const [allOrders,setAllOrders]=useState([]);
  const [dailySpecial,setDailySpecial]=useState({name:"Chips",price:27});

  const handleLogin=(u)=>{setUser(u);setScreen(u.type===="admin"?"admin":"app");se
  const handleLogout=()=>{setUser(null);setScreen("login");};

  const tabs=[{id:"order",label:"Menu",emoji:"🍱"},{id:"orders",label:"Orders",em
```

```
const unread=(user?.orderHistory||[]).filter(o=>o.status===="Ready").length;

const globalStyles=`
  @import url('https://fonts.googleapis.com/css2?family=Nunito:wght@400;600;700
  *{box-sizing:border-box;margin:0;padding:0;}
  body{font-family:'Nunito','Segoe UI',sans-serif;}
  select option{background:${C.red};color:#fff;}
  input[type=date]::-webkit-calendar-picker-indicator{filter:invert(1);}
  ::-webkit-scrollbar{width:4px;}::-webkit-scrollbar-thumb{background:#ddd;bord
`;

if(screen===="login") return <><style>{globalStyles}</style><LoginScreen onLogin
if(screen===="register") return <><style>{globalStyles}</style><RegisterScreen o

if(screen===="admin") return(
  <div style={{fontFamily:"'Nunito','Segoe UI',sans-serif",background:"#f5f7fa"
    <style>{globalStyles}</style>
    <div style={{display:"flex",gap:0,background:C.red,padding:"0 12px",overflo
      {["orders","menu","counter","special","students"].map(t=>(
        <button key={t} onClick={()=>setActiveTab(t)}
          style={{padding:"10px 12px",background:"none",border:"none",color:act
          {t===="counter"?"🏪 Counter":t===="orders"?"📋 Orders":t===="menu"?"🍽️ M
        </button>
      ))}
      <button onClick={handleLogout} style={{marginLeft:"auto",background:"none
    </div>
    {activeTab===="counter"
      ?<CounterSaleScreen products={products} allOrders={allOrders} setAllOrder
      :<AdminPanel onLogout={handleLogout} products={products} setProducts={set
  </div>
);

return(
  <div style={{fontFamily:"'Nunito','Segoe UI',sans-serif",background:"#f5f7fa"
    <style>{globalStyles}</style>
    {/* top bar */}
    <div style={{background:"#fff",borderBottom:`3px solid ${C.red}`,padding:"1
      <div style={{display:"flex",alignItems:"center",gap:10}}>
        <img src={LOGO} alt="NMS" style={{width:36,height:36,borderRadius:8}}/>
        <div>
          <div style={{fontSize:14,fontWeight:900,color:C.red,lineHeight:1}}>NM
          <div style={{fontSize:10,color:"#aaa",marginTop:1}}>
            {user?.type===="parent"&&`👩 ${user?.name}`}
            {user?.type===="learner"&&`${user?.avatar||"👧"} ${user?.name} · Gr
            {user?.type===="staff"&&`${user?.avatar||"👩‍🏫"} ${user?.name} · ${use
          </div>
        </div>
```

```
        </div>
        <div style={{textAlign:"right"}}>
          <div style={{fontSize:10,color:"#aaa",textTransform:"uppercase",letterS
          <div style={{fontWeight:800,fontSize:15,color:user?.walletBalance<50?C.
        </div>
      </div>

      {/* page title */}
      <div style={{background:"#fff",padding:"10px 16px 12px",borderBottom:"1px s
        <div style={{fontSize:20,fontWeight:800,color:C.dark}}>
          {activeTab==="order"&&"🍱 Order Lunch"}
          {activeTab==="orders"&&"📋 My Orders"}
          {activeTab==="wallet"&&"💳 My Wallet"}
          {activeTab==="profile"&&"👤 My Profile"}
        </div>
      </div>

      {activeTab==="order"&&<OrderScreen user={user} setUser={setUser} products={
      {activeTab==="orders"&&<OrdersScreen user={user}/>}
      {activeTab==="wallet"&&<WalletScreen user={user} setUser={setUser}/>}
      {activeTab==="profile"&&<ProfileScreen user={user} setUser={setUser} onLogo

      {/* bottom nav */}
      <div style={{position:"fixed",bottom:0,left:"50%",transform:"translateX(-50
        {tabs.map(tab=>(
          <button key={tab.id} onClick={()=>setActiveTab(tab.id)}
            style={{flex:1,padding:"11px 0 9px",background:"none",border:"none",c
            <div style={{fontSize:20,filter:activeTab===tab.id?"none":"grayscale(
            <div style={{fontSize:10,fontWeight:800,color:activeTab===tab.id?C.re
            {tab.id==="orders"&&unread>0&&<div style={{position:"absolute",top:7,
            {activeTab===tab.id&&<div style={{position:"absolute",bottom:0,left:"
          </button>
        ))}
      </div>
    </div>
  );
}
```