

Web Programming

index.php

```
<?php include 'header.php';

define("IS_INDEX", true);

if (isset($_GET['page'])) {
    $page = $_GET['page'];
} else {
    $page = "home";
}

require_once($page . ".php");

include 'footer.php';
```

header.php

```
<!DOCTYPE html>
<html lang="en">

<head>

    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-
scale=1, shrink-to-fit=no">
    <meta name="description" content="">
    <meta name="author" content="">

    <title>Freelancer - Start Bootstrap Theme</title>

    <!-- Custom fonts for this theme -->
    <link href="vendor/fontawesome-free/css/all.min.css"
rel="stylesheet" type="text/css">
    <link
href="https://fonts.googleapis.com/css?family=Montserrat:400,700"
rel="stylesheet" type="text/css">
```

```

<link
href="https://fonts.googleapis.com/css?family=Lato:400,700,400itali
c,700italic" rel="stylesheet" type="text/css">

<!-- Theme CSS -->
<link href="css/freelancer.min.css" rel="stylesheet">

</head>

<body id="page-top">

    <!-- Navigation -->
    <nav class="navbar navbar-expand-lg bg-secondary text-uppercase
fixed-top" id="mainNav">
        <div class="container">
            <a class="navbar-brand js-scroll-trigger"
href="index.php">Fauza Aulia</a>
            <button class="navbar-toggler navbar-toggler-right text-
uppercase font-weight-bold bg-primary text-white rounded"
type="button" data-toggle="collapse" data-
target="#navbarResponsive" aria-controls="navbarResponsive" aria-
expanded="false" aria-label="Toggle navigation">
                Menu
            <i class="fas fa-bars"></i>
        </button>
        <div class="collapse navbar-collapse"
id="navbarResponsive">
            <ul class="navbar-nav ml-auto">
                <li class="nav-item mx-0 mx-lg-1">
                    <a class="nav-link py-3 px-0 px-lg-3 rounded js-
scroll-trigger" href="?page=portfolio">Portfolio</a>
                </li>
                <li class="nav-item mx-0 mx-lg-1">
                    <a class="nav-link py-3 px-0 px-lg-3 rounded js-
scroll-trigger" href="?page=about">About</a>
                </li>
                <li class="nav-item mx-0 mx-lg-1">
                    <a class="nav-link py-3 px-0 px-lg-3 rounded js-
scroll-trigger" href="?page=contact">Contact</a>
                </li>
            </ul>
        </div>

```

```
</div>
</nav>
```

footer.php

```
<!-- Footer -->
<footer class="footer text-center">
  <div class="container">
    <div class="row">

      <!-- Footer Location -->
      <div class="col-lg-4 mb-5 mb-lg-0">
        <h4 class="text-uppercase mb-4">Alamat</h4>
        <p class="lead mb-0">Semarang
          <br>Tembalang</p>
      </div>

      <!-- Footer Social Icons -->
      <div class="col-lg-4 mb-5 mb-lg-0">
        <h4 class="text-uppercase mb-4">Around the Web</h4>
        <a class="btn btn-outline-light btn-social mx-1"
href="https://facebook.com/fauzaulia">
          <i class="fab fa-fw fa-facebook-f"></i>
        </a>
        <a class="btn btn-outline-light btn-social mx-1"
href="https://twitter.com/fauza_auliia">
          <i class="fab fa-fw fa-twitter"></i>
        </a>
        <a class="btn btn-outline-light btn-social mx-1"
href="https://www.linkedin.com/in/fauzaaulia/">
          <i class="fab fa-fw fa-linkedin-in"></i>
        </a>
        <a class="btn btn-outline-light btn-social mx-1"
href="https://www.instagram.com/fauza_aulia/">
          <i class="fab fa-fw fa-instagram"></i>
        </a>
      </div>

      <!-- Footer About Text -->
      <div class="col-lg-4">
        <h4 class="text-uppercase mb-4">About Me</h4>
```

```

                <p class="lead mb-0">Ketahui saya lebih banyak dengan
mengunjungi
                <a href="http://fauza.id">Fauza.ID</a>.</p>
            </div>

        </div>
    </div>
</footer>

<!-- Copyright Section -->
<section class="copyright py-4 text-center text-white">
    <div class="container">
        <small>Copyright &copy; Fauza Aulia 2019</small>
    </div>
</section>

<!-- Scroll to Top Button (Only visible on small and extra-small
screen sizes) -->
<div class="scroll-to-top d-lg-none position-fixed ">
    <a class="js-scroll-trigger d-block text-center text-white
rounded" href="#page-top">
        <i class="fa fa-chevron-up"></i>
    </a>
</div>

<!-- Bootstrap core JavaScript -->
<script src="vendor/jquery/jquery.min.js"></script>
<script src="vendor/bootstrap/js/bootstrap.bundle.min.js"></script>

<!-- Plugin JavaScript -->
<script src="vendor/jquery-easing/jquery.easing.min.js"></script>

<!-- Contact Form JavaScript -->
<script src="js/jqBootstrapValidation.js"></script>
<script src="js/contact_me.js"></script>

<!-- Custom scripts for this template -->
<script src="js/freelancer.min.js"></script>

</body>

</html>

```

home.php

```
<!-- Masthead -->
<header class="masthead bg-primary text-white text-center">
  <div class="container d-flex align-items-center flex-column">

    <!-- Masthead Avatar Image -->
    

    <!-- Masthead Heading -->
    <h1 class="masthead-heading text-uppercase mb-0">Fauza
Aulia</h1>

    <!-- Icon Divider -->
    <div class="divider-custom divider-light">
      <div class="divider-custom-line"></div>
      <div class="divider-custom-icon">
        <i class="fas fa-star"></i>
      </div>
      <div class="divider-custom-line"></div>
    </div>

    <!-- Masthead Subheading -->
    <p class="masthead-subheading font-weight-light mb-0">Graphic
Artist - Web Designer - Illustrator</p>

  </div>
</header>
```

about.php

```
<?php
if (defined("IS_INDEX") == false) {
  die("heh SARU!");
}
?>

<!-- About Section -->
<section class="page-section bg-primary text-white mt-5"
id="about">
```

```

<div class="container">

  <!-- About Section Heading -->
  <h2 class="page-section-heading text-center text-uppercase text-white">About</h2>

  <!-- Icon Divider -->
  <div class="divider-custom divider-light">
    <div class="divider-custom-line"></div>
    <div class="divider-custom-icon">
      <i class="fas fa-star"></i>
    </div>
    <div class="divider-custom-line"></div>
  </div>

  <!-- About Section Content -->
  <div class="row">
    <div class="col-lg-4 ml-auto">
      <p class="lead">Halo Semuanya, perkenalkan nama saya Ahmad Fauza Aulia. Biasa dipanggil dengan sebutan Aa'. Saya berasal dari Kota Semarang. Saya muslim, beragama islam. Dan saya memiliki hobi bermain badminton dan bersepeda. Saat ini saya sedang menempuh pendidikan semester 4 di Universitas Negeri Semarang (UNNES) mengambil program studi Teknik Informatika.</p>
    </div>
    <div class="col-lg-4 mr-auto">
      <p class="lead">Hello Everyone, introduce my name is Ahmad Fauza Aulia. Usually invited as Aa '. I come from the city of Semarang. I am Muslim, Muslim. Badminton and recreation. Currently I am studying for semester 4 at Semarang State University (UNNES) taking an Informatics Engineering study program.</p>
    </div>
  </div>

  <!-- About Section Button -->
  <div class="text-center mt-4">
    <a class="btn btn-xl btn-outline-light" href="https://fauza.id">More About Me
  </a>
  </div>

</div>

```

```
</section>
```

portfolio.php

```
<?php
if (defined("IS_INDEX") == false) {
    die("heh SARU!");
}
?>

<!-- Portfolio Section -->
<section class="page-section portfolio mt-5" id="portfolio">
    <div class="container">

        <!-- Portfolio Section Heading -->
        <h2 class="page-section-heading text-center text-uppercase
text-secondary mb-0">Portfolio</h2>

        <!-- Icon Divider -->
        <div class="divider-custom">
            <div class="divider-custom-line"></div>
            <div class="divider-custom-icon">
                <i class="fas fa-star"></i>
            </div>
            <div class="divider-custom-line"></div>
        </div>

        <!-- Portfolio Grid Items -->
        <div class="row">

            <!-- Portfolio Item 1 -->
            <div class="col-md-6 col-lg-4">
                <div class="portfolio-item mx-auto" data-toggle="modal"
data-target="#portfolioModal1">
                    <div class="portfolio-item-caption d-flex align-
items-center justify-content-center h-100 w-100">
                        <div class="portfolio-item-caption-content text-
center text-white">
                            <i class="fas fa-plus fa-3x"></i>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
</section>
```

```

        
    </div>
</div>

<!-- Portfolio Item 2 -->
<div class="col-md-6 col-lg-4">
    <div class="portfolio-item mx-auto" data-toggle="modal"
data-target="#portfolioModal2">
        <div class="portfolio-item-caption d-flex align-
items-center justify-content-center h-100 w-100">
            <div class="portfolio-item-caption-content text-
center text-white">
                <i class="fas fa-plus fa-3x"></i>
            </div>
        </div>
        
    </div>
</div>

<!-- Portfolio Item 3 -->
<div class="col-md-6 col-lg-4">
    <div class="portfolio-item mx-auto" data-toggle="modal"
data-target="#portfolioModal3">
        <div class="portfolio-item-caption d-flex align-
items-center justify-content-center h-100 w-100">
            <div class="portfolio-item-caption-content text-
center text-white">
                <i class="fas fa-plus fa-3x"></i>
            </div>
        </div>
        
    </div>
</div>

<!-- Portfolio Item 4 -->
<div class="col-md-6 col-lg-4">
    <div class="portfolio-item mx-auto" data-toggle="modal"
data-target="#portfolioModal4">

```



```

        <div class="portfolio-item-caption d-flex align-
items-center justify-content-center h-100 w-100">
            <div class="portfolio-item-caption-content text-
center text-white">
                <i class="fas fa-plus fa-3x"></i>
            </div>
        </div>
        
    </div>
</div>

<!-- Portfolio Item 5 -->
<div class="col-md-6 col-lg-4">
    <div class="portfolio-item mx-auto" data-toggle="modal"
data-target="#portfolioModal5">
        <div class="portfolio-item-caption d-flex align-
items-center justify-content-center h-100 w-100">
            <div class="portfolio-item-caption-content text-
center text-white">
                <i class="fas fa-plus fa-3x"></i>
            </div>
        </div>
        
    </div>
</div>

<!-- Portfolio Item 6 -->
<div class="col-md-6 col-lg-4">
    <div class="portfolio-item mx-auto" data-toggle="modal"
data-target="#portfolioModal6">
        <div class="portfolio-item-caption d-flex align-
items-center justify-content-center h-100 w-100">
            <div class="portfolio-item-caption-content text-
center text-white">
                <i class="fas fa-plus fa-3x"></i>
            </div>
        </div>
        
    </div>

```

```

    </div>

</div>
<!-- /.row -->

</div>
</section>

```

contact.php

```
<?php
if (defined("IS_INDEX") == false) {
    die("heh SARU!");
}
?>

<!-- Contact Section -->
<section class="page-section mt-5" id="contact">
    <div class="container">

        <!-- Contact Section Heading -->
        <h2 class="page-section-heading text-center text-uppercase
text-secondary mb-0">Contact Me</h2>

        <!-- Icon Divider -->
        <div class="divider-custom">
            <div class="divider-custom-line"></div>
            <div class="divider-custom-icon">
                <i class="fas fa-star"></i>
            </div>
            <div class="divider-custom-line"></div>
        </div>

        <!-- Contact Section Form -->
        <div class="row">
            <div class="col-lg-8 mx-auto">
                <!-- To configure the contact form email address, go to
mail/contact_me.php and update the email address in the PHP file on
line 19. -->
                <form name="sendMessage" id="contactForm"
novalidate="novalidate">
                    <div class="control-group">
```

```

        <div class="form-group floating-label-form-group
controls mb-0 pb-2">
            <label>Name</label>
            <input class="form-control" id="name"
type="text" placeholder="Name" required="required" data-validation-
required-message="Please enter your name.">
            <p class="help-block text-danger"></p>
        </div>
    </div>
    <div class="control-group">
        <div class="form-group floating-label-form-group
controls mb-0 pb-2">
            <label>Email Address</label>
            <input class="form-control" id="email"
type="email" placeholder="Email Address" required="required" data-
validation-required-message="Please enter your email address.">
            <p class="help-block text-danger"></p>
        </div>
    </div>
    <div class="control-group">
        <div class="form-group floating-label-form-group
controls mb-0 pb-2">
            <label>Phone Number</label>
            <input class="form-control" id="phone"
type="tel" placeholder="Phone Number" required="required" data-
validation-required-message="Please enter your phone number.">
            <p class="help-block text-danger"></p>
        </div>
    </div>
    <div class="control-group">
        <div class="form-group floating-label-form-group
controls mb-0 pb-2">
            <label>Message</label>
            <textarea class="form-control" id="message"
rows="5" placeholder="Message" required="required" data-validation-
required-message="Please enter a message."></textarea>
            <p class="help-block text-danger"></p>
        </div>
    </div>
    <br>
    <div id="success"></div>
    <div class="form-group">

```

```
        <button type="submit" class="btn btn-primary btn-  
xl" id="sendMessageButton">Send</button>  
    </div>  
    </form>  
    </div>  
    </div>  
  
    </div>  
</section>
```