



V-02 φ3mm drive




Code	Order No.	Point Size	D1 (mm)	L1 (mm)	Weight (g)
00000015	V-02 No.0x3x50	No.0	3	50	2
00000016	V-02 No.0x3x115	No.0	3	115	6




Code	Order No.	Point Size	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
00000011	V-02 No.0x3x50(2x35)	No.0	3	50	2	35	1
00000012	V-02 No.0x3x115(2x35)	No.0	3	115	2	35	5
00000013	V-02 No.0x3x50(2.5x35)	No.0	3	50	2.5	35	2
00000014	V-02 No.0x3x115(2.5x35)	No.0	3	115	2.5	35	5


V-03a φ3.5mm drive



Code	Order No.	Point Size	D1 (mm)	L1 (mm)	Weight (g)
00002084	V-03a No.0x3.5x45	No.0	3.5	45	3
00010148	V-03a No.1x3.5x45	No.1	3.5	45	3
00010149	V-03a No.2x3.5x45	No.2	3.5	45	3





Code	Order No.	Point Size	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
00010150	V-03a No.0x3.5x45(2x20)	No.0	3.5	45	2	20	2




Screw Driver Bits **OHMI**

Screw Driver Bits




Impact Sockets

Code	Order No.	Point Size	D1 (mm)	L1 (mm)	Weight (g)
00000029	V-05 No.1x4x44	No.1	4	44	4
00000030	V-05 No.1x4x64	No.1	4	64	6
00000031	V-05 No.2x4x44	No.2	4	44	4
00000032	V-05 No.2x4x64	No.2	4	64	6
00001994	V-05 No.2x4x100	No.2	4	100	9
00001785	V-05 No.2x4x150	No.2	4	150	14




Accessories

Code	Order No.	Point Size	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
00000019	V-05 No.00x4x44(2x20)	No.00	4	44	2	20	3
00000020	V-05 No.00x4x64(2x20)	No.00	4	64	2	20	4
00000021	V-05 No.0x4x44(1.8x20)	No.0	4	44	1.8	20	2
00000022	V-05 No.0x4x64(1.8x20)	No.0	4	64	1.8	20	4
00000023	V-05 No.0x4x44(2x20)	No.0	4	44	2	20	3
00000024	V-05 No.0x4x64(2x20)	No.0	4	64	2	20	4
00000025	V-05 No.0x4x44(2.5x20)	No.0	4	44	2.5	20	3
00000026	V-05 No.0x4x64(2.5x20)	No.0	4	64	2.5	20	5
00000027	V-05 No.1x4x44(3x20)	No.1	4	44	3	20	3
00000028	V-05 No.1x4x64(3x20)	No.1	4	64	3	20	5



Point Size Selector


Code	Order No.	Point Size	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
00000208	V-05 No.0x4x44(1.4x20) MAG	No.0	4	44	1.4	20	2
00000209	V-05 No.0x4x44(1.7x20) MAG	No.0	4	44	1.7	20	2
00000210	V-05 No.0x4x44(2.3x20) MAG	No.0	4	44	2.3	20	3



Screw Driver Bits **OHMI**

Screw Driver Bits

VH-4 φ 4mm drive




Code	Order No.	Point Size	D1 (mm)	L1 (mm)	Weight (g)
00001160	VH-4 No.1x4x40	No.1	4	40	3
00001161	VH-4 No.1x4x60	No.1	4	60	5
00001162	VH-4 No.1x4x80	No.1	4	80	7
00001163	VH-4 No.1x4x100	No.1	4	100	9
00001164	VH-4 No.1x4x120	No.1	4	120	11
00001166	VH-4 No.2x4x40	No.2	4	40	3
00001167	VH-4 No.2x4x60	No.2	4	60	5
00001168	VH-4 No.2x4x80	No.2	4	80	7
00001169	VH-4 No.2x4x100	No.2	4	100	9
00001170	VH-4 No.2x4x120	No.2	4	120	11
00001171	VH-4 No.2x4x150	No.2	4	150	14


Impact Sockets

Accessories

Point Size Selector



Code	Order No.	Point Size	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
00001137	VH-4 No.0x4x40(1.2x20)	No.0	4	40	1.2	20	2
00001138	VH-4 No.0x4x40(1.4x20)	No.0	4	40	1.4	20	2
00001139	VH-4 No.0x4x40(1.5x20)	No.0	4	40	1.5	20	2
00001142	VH-4 No.0x4x40(1.7x20)	No.0	4	40	1.7	20	2
00001145	VH-4 No.0x4x40(2x20)	No.0	4	40	2	20	2
00001150	VH-4 No.0x4x40(2.5x20)	No.0	4	40	2.5	20	3
00001140	VH-4 No.0x4x60(1.5x20)	No.0	4	60	1.5	20	4
00001143	VH-4 No.0x4x60(1.7x20)	No.0	4	60	1.7	20	4
00001146	VH-4 No.0x4x60(2x20)	No.0	4	60	2	20	4
00001151	VH-4 No.0x4x60(2.5x20)	No.0	4	60	2.5	20	4
00001141	VH-4 No.0x4x80(1.5x20)	No.0	4	80	1.5	20	6
00001144	VH-4 No.0x4x80(1.7x20)	No.0	4	80	1.7	20	6
00001147	VH-4 No.0x4x80(2x20)	No.0	4	80	2	20	6
00001152	VH-4 No.0x4x80(2.5x20)	No.0	4	80	2.5	20	6
00001148	VH-4 No.0x4x100(2x20)	No.0	4	100	2	20	8
00001153	VH-4 No.0x4x100(2.5x20)	No.0	4	100	2.5	20	8
00001149	VH-4 No.0x4x120(2x20)	No.0	4	120	2	20	10
00001154	VH-4 No.0x4x120(2.5x20)	No.0	4	120	2.5	20	10
00001155	VH-4 No.1x4x40(3x20)	No.1	4	40	3	20	3
00001156	VH-4 No.1x4x60(3x20)	No.1	4	60	3	20	5
00001157	VH-4 No.1x4x80(3x20)	No.1	4	80	3	20	7
00001158	VH-4 No.1x4x100(3x20)	No.1	4	100	3	20	9
00001159	VH-4 No.1x4x120(3x20)	No.1	4	120	3	20	10




Screw Driver Bits **OHMI**

Screw Driver Bits

 **VH-5** ϕ 5mm drive

 **Phillips**




Impact Sockets

Code	Order No.	Point Size	D1 (mm)	L1 (mm)	Weight (g)
00001204	VH-5 No.1x5x60	No.1	5	60	8
00001205	VH-5 No.1x5x80	No.1	5	80	11
00001206	VH-5 No.1x5x100	No.1	5	100	14
00001207	VH-5 No.1x5x120	No.1	5	120	17
00001208	VH-5 No.1x5x150	No.1	5	150	22
00001209	VH-5 No.1x5x200	No.1	5	200	29
00001210	VH-5 No.2x5x60	No.2	5	60	8
00001211	VH-5 No.2x5x80	No.2	5	80	11
00001212	VH-5 No.2x5x100	No.2	5	100	14
00001213	VH-5 No.2x5x120	No.2	5	120	17
00001214	VH-5 No.2x5x150	No.2	5	150	22
00001215	VH-5 No.2x5x200	No.2	5	200	29

Accessories



 **Phillips**




Point Size Selector

Code	Order No.	Point Size	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
00001197	VH-5 No.0x5x60(2x25)	No.0	5	60	2	25	6
00001198	VH-5 No.0x5x60(2.5x25)	No.0	5	60	2.5	25	6
00001199	VH-5 No.0x5x80(2.5x25)	No.0	5	80	2.5	25	9
00001200	VH-5 No.0x5x100(2.5x25)	No.0	5	100	2.5	25	12
00001201	VH-5 No.1x5x60(3x30)	No.1	5	60	3	30	6
00001202	VH-5 No.1x5x80(3x30)	No.1	5	80	3	30	9
00001203	VH-5 No.1x5x100(3x30)	No.1	5	100	3	30	12

V-14 5mm Hex drive



Code	Order No.	Point Size	D1 (mm)	L1 (mm)	Weight (g)
00000060	V-14 No.1x6x50	No.1	6	50	8
00000061	V-14 No.1x6x75	No.1	6	75	14
00000062	V-14 No.1x6x100	No.1	6	100	19
00000063	V-14 No.1x6x120	No.1	6	120	24
00000064	V-14 No.1x6x150	No.1	6	150	30
00000065	V-14 No.1x6x200	No.1	6	200	40
00000066	V-14 No.1x6x250	No.1	6	250	52
00000067	V-14 No.1x6x300	No.1	6	300	62
00000068	V-14 No.2x6x50	No.2	6	50	8
00000069	V-14 No.2x6x75	No.2	6	75	14
00000070	V-14 No.2x6x100	No.2	6	100	19
00000071	V-14 No.2x6x120	No.2	6	120	24
00000072	V-14 No.2x6x150	No.2	6	150	30
00000073	V-14 No.2x6x200	No.2	6	200	41
00000074	V-14 No.2x6x250	No.2	6	250	52
00000075	V-14 No.2x6x300	No.2	6	300	62
00000076	V-14 No.3x6x75	No.3	6	75	14
00000077	V-14 No.3x6x100	No.3	6	100	20





Code	Order No.	Point Size	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
00000050	V-14 No.0x6x75(3x30)	No.0	6	75	3	30	9
00000051	V-14 No.0x6x100(3x30)	No.0	6	100	3	30	15
00000052	V-14 No.1x6x75(3.5x30)	No.1	6	75	3.5	30	10
00000053	V-14 No.1x6x100(3.5x30)	No.1	6	100	3.5	30	16
00000054	V-14 No.1x6x120(4x20)	No.1	6	120	4	20	22
00000056	V-14 No.2x6x75(3.5x30)	No.2	6	75	3.5	30	10
00010151	V-14 No.2x6x75(4.5x45)	No.2	6	75	4.5	45	9
00000057	V-14 No.2x6x100(3.5x30)	No.2	6	100	3.5	30	16
00010152	V-14 No.2x6x100(4.5x70)	No.2	6	100	4.5	70	13
00000058	V-14 No.2x6x120(4x20)	No.2	6	120	4	20	22
00010153	V-14 No.2x6x150(4.5x120)	No.2	6	150	4.5	120	19



Screw Driver Bits **OHMI**



Screw Driver Bits



Impact Sockets

Code	Order No.	Point Size	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
00000216	V-14 No.0x6x75(2x20) MAG	No.0	6	75	2	20	11
00000218	V-14 No.1x6x60(2.6x20) MAG	No.1	6	60	2.6	20	8
00000219	V-14 No.1x6x60(2.8x20) MAG	No.1	6	60	2.8	20	8
00000220	V-14 No.1x6x75(2.6x30) MAG	No.1	6	75	2.6	30	9
00000221	V-14 No.1x6x75(2.8x30) MAG	No.1	6	75	2.8	30	9
00000226	V-14 No.2x6x60(3.2x20) MAG	No.2	6	60	3.2	20	8
00000227	V-14 No.2x6x60(4x20) MAG	No.2	6	60	4	20	9
00000228	V-14 No.2x6x75(3x30) MAG	No.2	6	75	3	30	10
00000229	V-14 No.2x6x75(3.2x30) MAG	No.2	6	75	3.2	30	10
00000230	V-14 No.2x6x75(4x30) MAG	No.2	6	75	4	30	11
00000231	V-14 No.2x6x100(3.2x30) MAG	No.2	6	100	3.2	30	15
00000232	V-14 No.2x6x100(4x30) MAG	No.2	6	100	4	30	16
00000233	V-14 No.2x6x120(3.2x30) MAG	No.2	6	120	3.2	30	20



Accessories



Point Size Selector

Code	Order No.	Point Size	D1 (mm)	L1 (mm)	Weight (g)
00000124	V-14W No.1x5x75	No.1	5	75	10
00000125	V-14W No.1x5x100	No.1	5	100	14
00000126	V-14W No.1x5x120	No.1	5	120	18
00000127	V-14W No.1x5x150	No.1	5	150	23
00000128	V-14W No.1x5x200	No.1	5	200	31
00000129	V-14W No.2x5x75	No.2	5	75	10
00000130	V-14W No.2x5x100	No.2	5	100	15
00000131	V-14W No.2x5x120	No.2	5	120	18
00000132	V-14W No.2x5x150	No.2	5	150	23
00000133	V-14W No.2x5x200	No.2	5	200	31

V-17 6.35mm Hex drive



Code	Order No.	Point Size	D1 (mm)	L1 (mm)	Hardness	Weight (g)
00000084	V-17 No.1x6.35x23	No.1	6.35(hex)	23	—	4
00000085	V-17 No.1x6.35x30	No.1	6.35(hex)	30	—	6
00010172	V-17 No.1x6.35x40	No.1	6.35(hex)	40	—	9
00000090	V-17 No.1x7x50	No.1	7	50	—	12
00000091	V-17 No.1x7x75	No.1	7	75	—	19
00000092	V-17 No.1x7x100	No.1	7	100	—	27
00000093	V-17 No.1x7x120	No.1	7	120	—	33
00000094	V-17 No.1x7x150	No.1	7	150	—	42
00000095	V-17 No.1x7x200	No.1	7	200	—	56
*	V-17 No.1x7x250	No.1	7	250	—	*
*	V-17 No.1x7x300	No.1	7	300	—	*
00000086	V-17 No.2x6.35x23	No.2	6.35(hex)	23	—	4
00000087	V-17 No.2x6.35x30	No.2	6.35(hex)	30	—	6
00000088	V-17 No.2x6.35x40	No.2	6.35(hex)	40	—	9
00000098	V-17 No.2x7x50 N	No.2	7	50	N	12
00000099	V-17 No.2x7x50 Y	No.2	7	50	Y	12
00000100	V-17 No.2x7x75 N	No.2	7	75	N	19
00000101	V-17 No.2x7x75 Y	No.2	7	75	Y	19
00000103	V-17 No.2x7x100 N	No.2	7	100	N	27
00000104	V-17 No.2x7x100 Y	No.2	7	100	Y	27
00000105	V-17 No.2x7x120	No.2	7	120	—	33
00000106	V-17 No.2x7x150 N	No.2	7	150	N	42
00000107	V-17 No.2x7x150 Y	No.2	7	150	Y	42
00000108	V-17 No.2x7x200	No.2	7	200	—	56
00000109	V-17 No.2x7x250	No.2	7	250	—	71
00000110	V-17 No.2x7x300	No.2	7	300	—	86
00000089	V-17 No.3x6.35x30	No.3	6.35(hex)	30	—	6
00000111	V-17 No.3x7x50	No.3	7	50	—	12
00000112	V-17 No.3x7x75	No.3	7	75	—	20
00000113	V-17 No.3x7x100	No.3	7	100	—	27
00000114	V-17 No.3x7x120	No.3	7	120	—	33
00000115	V-17 No.3x7x150	No.3	7	150	—	42
00000116	V-17 No.3x7x200	No.3	7	200	—	57
00000117	V-17 No.3x7x250	No.3	7	250	—	72
00000118	V-17 No.3x7x300	No.3	7	300	—	87

.....Hardness.....
Hard.....Y
Normal.....N


Code * is custom made item.

*Regarding the items having two kinds of hardness, we sell hardness "N" if there is no instruction when you order.




Screw Driver Bits **OHMI**

Screw Driver Bits



V-17 6.35mm Hex drive






V-32 6.35mm Hex drive
Usable as both V-17 & V-21

Impact Sockets



Phillips

(V-17 No. 0x6, 35x50 (2x20), V-16




Accessories


Point Size Selector

Code	Order No.	Point Size	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
00000078	V-17 No.0x6.35x50(2x20)	No.0	6.35(hex)	50	2	20	8
00000034	V-16 No.0x6.35x50(3.8x28)	No.0	6.35(hex)	50	3.8	28	7
00000079	V-17 No.0x7x75(3x30)	No.0	7	75	3	30	13
00000035	V-16 No.1x6.35x50(3.8x28)	No.1	6.35(hex)	50	3.8	28	7
00000080	V-17 No.1x7x75(3.5x30)	No.1	7	75	3.5	30	14
00000036	V-16 No.2x6.35x50(3.8x28)	No.2	6.35(hex)	50	3.8	28	7
00000081	V-17 No.2x7x75(3.5x30)	No.2	7	75	3.5	30	14
00000082	V-17 No.2x7x75(4.5x30)	No.2	7	75	4.5	30	15
00010173	V-32 No.2x7x75(4.5x45)	No.2	7	75	4.5	45	12
00000083	V-17 No.2x7x100(4.5x30)	No.2	7	100	4.5	30	23
00010174	V-32 No.2x7x100(4.5x70)	No.2	7	100	4.5	70	15
00010175	V-32 No.2x7x150(4.5x120)	No.2	7	150	4.5	120	21

V-17 6.35mm Hex drive



Phillips(Magnetized)




Code	Order No.	Point Size	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
00000234	V-17 No.0x7x75(1.4x20) MAG	No.0	7	75	1.4	20	15
00000235	V-17 No.0x7x75(2x20) MAG	No.0	7	75	2	20	15
00000236	V-17 No.1x7x75(2.3x20) MAG	No.1	7	75	2.3	20	15
00000237	V-17 No.1x7x75(3.2x30) MAG	No.1	7	75	3.2	30	14
00000238	V-17 No.2x7x75(3x30) MAG	No.2	7	75	3	30	14
00000239	V-17 No.2x7x75(3.2x30) MAG	No.2	7	75	3.2	30	14



Screw Driver Bits **OHMI**


Screw Driver Bits



V-17W 6.35mm Hex drive



Double Ended Phillips



.....Hardness.....
Hard...Y
Normal...N

Impact Sockets


Accessories

Point Size Selector


Code	Order No.	Point Size	D1 (mm)	L1 (mm)	Hardness	Weight (g)
00000136	V-17W No.1x6.35x50	No.1	6.35	50	—	10
00000137	V-17W No.1x6.35x75	No.1	6.35	75	—	17
00000138	V-17W No.1x6.35x100	No.1	6.35	100	—	23
00000140	V-17W No.1x6.35x150	No.1	6.35	150	—	37
00000141	V-17W No.1x6.35x200	No.1	6.35	200	—	51
00000142	V-17W No.2x6.35x50 N	No.2	6.35	50	N	10
00000143	V-17W No.2x6.35x50 Y	No.2	6.35	50	Y	10
00000144	V-17W No.2x6.35x75 N	No.2	6.35	75	N	17
00000145	V-17W No.2x6.35x75 Y	No.2	6.35	75	Y	17
00000146	V-17W No.2x6.35x100 N	No.2	6.35	100	N	24
00000147	V-17W No.2x6.35x100 Y	No.2	6.35	100	Y	24
00000148	V-17W No.2x6.35x120 N	No.2	6.35	120	N	29
00010176	V-17W No.2x6.35x120 Y	No.2	6.35	120	Y	29
00000149	V-17W No.2x6.35x150 N	No.2	6.35	150	N	37
00000150	V-17W No.2x6.35x150 Y	No.2	6.35	150	Y	37
00000151	V-17W No.2x6.35x200	No.2	6.35	200	—	50
00000152	V-17W No.2x6.35x250	No.2	6.35	250	—	63
00000153	V-17W No.2x6.35x300	No.2	6.35	300	—	76
00000154	V-17W No.3x6.35x50	No.3	6.35	50	—	11
00000155	V-17W No.3x6.35x75	No.3	6.35	75	—	17
00000156	V-17W No.3x6.35x100	No.3	6.35	100	—	24
00000158	V-17W No.3x6.35x150	No.3	6.35	150	—	37
00000159	V-17W No.3x6.35x200	No.3	6.35	200	—	51
00000160	V-17W No.3x6.35x250	No.3	6.35	250	—	64
00000161	V-17W No.3x6.35x300	No.3	6.35	300	—	78

*Regarding the items having two kinds of hardness, we sell hardness "N" if there is no instruction when you order.

V-17W 6.35mm Hex drive



Double Ended Phillips(FVtype)




Code	Order No.	Point Size	D1 (mm)	L1 (mm)	Weight (g)
00002669	V-17W No.2x6.35x50 FV	No.2	6.35	50	10
00002219	V-17W No.2x6.35x75 FV	No.2	6.35	75	17
00002218	V-17W No.2x6.35x100 FV	No.2	6.35	100	24
00002220	V-17W No.2x6.35x150 FV	No.2	6.35	150	37
00002221	V-17W No.2x6.35x200 FV	No.2	6.35	200	50




Slotted



(0.4t-0.6t)




(0.7t-1.0t)




Code	Order No.	t (mm)	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
*	V-17M 0.4tx6.35x50(2.5x28)	0.4	6.35(hex)	50	2.5	28	*
*	V-17M 0.5tx6.35x50(3x28)	0.5	6.35(hex)	50	3	28	*
00000268	V-16M 0.6tx6.35x50(3.8x28)	0.6	6.35(hex)	50	3.8	28	7
00000246	V-17M 0.7tx7x50	0.7	7	50	—	—	12
00000247	V-17M 0.9tx7x50	0.9	7	50	—	—	12
00000248	V-17M 1.0tx7x50	1.0	7	50	—	—	12
00000250	V-17M 1.0tx7x75	1.0	7	75	—	—	19
00000251	V-17M 1.0tx7x100	1.0	7	100	—	—	27
00000252	V-17M 1.0tx7x120	1.0	7	120	—	—	33
00000253	V-17M 1.0tx7x150	1.0	7	150	—	—	42
00000254	V-17M 1.0tx7x200	1.0	7	200	—	—	57

Code * is custom made item.



Screw Driver Bits **OHMI**


Screw Driver Bits



V-18 6.35mm Hex drive



Phillips(Magnetized)




Impact Sockets

Code	Order No.	Point Size	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
00000194	V-18 No.1x6.35x75(4x52) MAG	No.1	6.35	75	4	52	10
00000195	V-18 No.1x6.35x120(5x97) MAG	No.1	6.35	120	5	97	20
00000196	V-18 No.1x6.35x200(5x177) MAG	No.1	6.35	200	5	177	32
00000198	V-18 No.2x6.35x75(5x52) MAG	No.2	6.35	75	5	52	14
00000199	V-18 No.2x6.35x120(5x97) MAG	No.2	6.35	120	5	97	20
00000200	V-18 No.2x6.35x200(5x177) MAG	No.2	6.35	200	5	177	32

Accessories




Slotted(Magnetized)




Code	Order No.	t (mm)	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
00000201	V-18M 0.5x6.35x75(3x52) MAG	0.5	6.35	75	3	52	8
00000202	V-18M 0.8x6.35x75(4x52) MAG	0.8	6.35	75	4	52	10

Point Size Selector

V-21 6.35mm Hex drive




 Phillips




Code	Order No.	Point Size	D1 (mm)	L1 (mm)	D2xL2 (mm)	D3xL3 (mm)	Weight (g)
00000119	V-21 No.0x6.35x75(3x30,6x52.5)	No.0	6.35	75	6x52.5	3x30	12
00000120	V-21 No.1x6.35x75(4x30,6x52.5)	No.1	6.35	75	6x52.5	4x30	13
00000121	V-21 No.1x6.35x82(5x35,6x59.5)	No.1	6.35	82	6x59.5	5x35	16
00000122	V-21 No.2x6.35x75(4x30,6x52.5)	No.2	6.35	75	6x52.5	4x30	13
00000123	V-21 No.2x6.35x82(5x35,6x59.5)	No.2	6.35	82	6x59.5	5x35	16


V-32 6.35mm Hex drive Usable as both V-17 & V-21



 Phillips




Code	Order No.	Point Size	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
00010173	V-32 No.2x7x75(4.5x45)	No.2	7	75	4.5	45	12
00010174	V-32 No.2x7x100(4.5x70)	No.2	7	100	4.5	70	15
00010175	V-32 No.2x7x150(4.5x120)	No.2	7	150	4.5	120	21



Screw Driver Bits **OHMI**



Screw Driver Bits



V-21W 6.35mm Hex drive



Double Ended Phillips



Impact Sockets

Accessories

Point Size Selector



Code	Order No.	Point Size	D1 (mm)	L1 (mm)	Hardness	Weight (g)
00000162	V-21W No.1x6.35x45	No.1	6.35	45	—	8
00000163	V-21W No.1x6.35x65	No.1	6.35	65	—	14
00000164	V-21W No.1x6.35x110	No.1	6.35	110	—	26
00000165	V-21W No.1x6.35x150	No.1	6.35	150	—	37
00000166	V-21W No.1x6.35x200	No.1	6.35	200	—	50
00000167	V-21W No.2x6.35x45	No.2	6.35	45	—	8
00000168	V-21W No.2x6.35x65 N	No.2	6.35	65	N	14
00000170	V-21W No.2x6.35x65 Y	No.2	6.35	65	Y	14
00000171	V-21W No.2x6.35x75 N	No.2	6.35	75	N	17
00000172	V-21W No.2x6.35x75 Y	No.2	6.35	75	Y	17
00000173	V-21W No.2x6.35x110 N	No.2	6.35	110	N	26
00000175	V-21W No.2x6.35x110 Y	No.2	6.35	110	Y	26
00000177	V-21W No.2x6.35x150 N	No.2	6.35	150	N	37
00000178	V-21W No.2x6.35x150 Y	No.2	6.35	150	Y	36
00000179	V-21W No.2x6.35x200	No.2	6.35	200	—	50
00000180	V-21W No.2x6.35x250	No.2	6.35	250	—	63
00000181	V-21W No.2x6.35x300	No.2	6.35	300	—	78
00001397	V-21W No.3x6.35x45	No.3	6.35	45	—	9
00000183	V-21W No.3x6.35x65	No.3	6.35	65	—	14
00000184	V-21W No.3x6.35x110	No.3	6.35	110	—	26
00000185	V-21W No.3x6.35x150	No.3	6.35	150	—	37
00000186	V-21W No.3x6.35x200	No.3	6.35	200	—	51

.....Hardness.....
Hard...Y
Normal...N

*Regarding the items having two kinds of hardness, we sell hardness "N" if there is no instruction when you order.




Double Ended Phillips(FVtype)





Code	Order No.	Point Size	D1 (mm)	L1 (mm)	Weight (g)
00001423	V-21W No.2x6.35x65 FV	No.2	6.35	65	14
00001424	V-21W No.2x6.35x110 FV	No.2	6.35	110	26
00001425	V-21W No.2x6.35x150 FV	No.2	6.35	150	37
00001427	V-21W No.2x6.35x200 FV	No.2	6.35	200	50

V-21W 6.35mm Hex drive



Double Ended Phillips(LLtype)




.....Hardness.....
Hard...Y
Normal...N


Code	Order No.	Point Size	D1 (mm)	L1 (mm)	Hardness	Weight (g)
00000169	V-21W No.2x6.35x65 LL N	No.2	6.35	65	N	15
00001165	V-21W No.2x6.35x65 LL Y	No.2	6.35	65	Y	15
00000174	V-21W No.2x6.35x110 LL N	No.2	6.35	110	N	27
00000176	V-21W No.2x6.35x110 LL Y	No.2	6.35	110	Y	27

*Regarding the items having two kinds of hardness, we sell hardness "N" if there is no instruction when you order.

V-21 6.35mm Hex drive




Slotted




Code	Order No.	t (mm)	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
00000256	V-21M 0.8tx6.35x70(6x47.5)	0.8	6.35	70	6	47.5	15

V-32 6.35mm Hex drive

Usable as both V-17 & V-21



Hexagon




Code	Order No.	H (mm)	L3 (mm)	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
Please refer to P30.								



Screw Driver Bits **OHMI**


Screw Driver Bits



V-24W 8mm Hex drive




Double Ended Phillips



Impact Sockets

Code	Order No.	Point Size	D1 (mm)	L1 (mm)	Weight (g)
00000189	V-24W No.2x8x65	No.2	8	65	20
00000190	V-24W No.2x8x110	No.2	8	110	39
00000191	V-24W No.3x8x65	No.3	8	65	21
00000192	V-24W No.3x8x110	No.3	8	110	40


Accessories



V-24 8mm Hex drive



Hexagon




Point Size Selector




Code	Order No.	H (mm)	L2 (mm)	D1 (mm)	L1 (mm)	Weight (g)
00000541	V-24X H5x8x70	5	15	8	70	24
00000543	V-24X H6x8x70	6	20	8	70	24
00000545	V-24X H8x70	8	—	—	70	29
00000547	V-24X H10x70	10	—	—	70	39

V-27 6.35mm Hex drive




Phillips



Code	Order No.	Point Size	D1 (mm)	L1 (mm)	Weight (g)
00000041	V-27 No.1x6.35x25.4	No.1	6.35	25.4	5
00000042	V-27 No.2x6.35x25.4	No.2	6.35	25.4	5
00000043	V-27 No.3x6.35x25.4	No.3	6.35	25.4	5

Hex-wave




Code	Order No.	Point Size	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
00000505	V-27T T10x6.35x25.4(3.6x10)	T10	6.35	25.4	3.6	10	4
00000506	V-27T T15x6.35x25.4(4.3x10)	T15	6.35	25.4	4.3	10	5
00000507	V-27T T20x6.35x25.4(5x10)	T20	6.35	25.4	5	10	5
00000508	V-27T T25x6.35x25.4(5.5x10)	T25	6.35	25.4	5.5	10	5
00000509	V-27T T27x6.35x25.4(6x10)	T27	6.35	25.4	6	10	6
00000510	V-27T T30x6.35x25.4	T30	6.35	25.4	—	—	6
00000511	V-27T T40x6.35x25.4	T40	6.35	25.4	—	—	6




Screw Driver Bits **OHMI**

Screw Driver Bits




(M51911104010)




Impact Sockets

National Panasonic Item Number	Order No.	Point Size	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
M51911104010	MV-01 No.0x3x31(2x15)	No.0	3	31	2	15	1
M53933123280	MV-01 No.0x3x60	No.0	3	60	—	—	3
M51911004010	MV-01 No.1x3x31	No.1	3	31	—	—	1

Accessories




(M54941092010)




Point Size Selector

National Panasonic Item Number	Order No.	Point Size	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
M53931990020	MV-14 No.1x5.3x105	No.1	5.3	105	—	—	16
M53931990030	MV-14 No.2x5.3x105 SS	No.2	5.3	105	—	—	16
M53931990090	MV-14 No.2x5.3x125 SS	No.2	5.3	125	—	—	20
K3304399010	MV-14 No.2x5.3x155	No.2	5.3	155	—	—	25
M53931990040	MV-14 No.2x6x105 SS	No.2	6	105	—	—	20
M53933105180	MV-14 No.2x6x115	No.2	6	115	—	—	22
M53931990100	MV-14 No.2x6x125 SS	No.2	6	125	—	—	25
K33043990040	MV-14 No.2x6x135 SS	No.2	6	135	—	—	27
M54941093020	MV-14 No.2x6x150 SS	No.2	6	150	—	—	30
M53931702650	MV-14 No.2x6x155	No.2	6	155	—	—	31
M53931602210	MV-14 No.2x6x160 SS	No.2	6	160	—	—	32
M54941092010	MV-14 No.2x5x150(5x128)	No.2	5(hex)	150	5	128	22


MV-43 Screw Shank drive



National Panasonic Item Number	Order No.	Point Size	D1xL1 (mm)	D2xL2 (mm)	txL3 (mm)	Weight (g)
M53931990150	MV-43 No.0x5x41(2x6,3x27)	No.0	5x41	2x6	2.5x26	2



National Panasonic Item Number	Order No.	Point Size	D1xL1 (mm)	D2xL2 (mm)	txL3 (mm)	Weight (g)
M55950951970	MV-43 No.0x5x57(2.5x42) SS	No.0	5x57	2.5x42	1.5x36	2
M55950170170	MV-43 No.0x4x74(2.5x59)	No.0	4x74	2.5x59	1.5x33	3




Screw Shank

Screw Driver Bits **OHMI**

Screw Driver Bits

MV-45 Screw Shank drive

Phillips




National Panasonic Item Number	Order No.	Point Size	D1xL1 (mm)	D2xL2 (mm)	txL3 (mm)	Weight (g)
M55950000402	MV-45 No.1x6x74(4x59) SS	No.1	6x74	4x59	2x34	7
M55950000410Y	MV-45 No.2x6x74(5x59.5) LL SS	No.2	6x74	5x59.5	2.8x34	9
M55950000412	MV-45 No.2x6x74(5x59.5) SS	No.2	6x74	5x59.5	2.8x34	9
M55950110100Y	MV-45 No.2x6x91(5x76.5) LL SS	No.2	6x91	5x76.5	2.8x54	11
A73133010050Y	MV-45 No.2x6x136(5x121.5) LL SS	No.2	6x136	5x121.5	2.8x64	17

Impact Sockets

MV-46 Screw Shank drive

Phillips




National Panasonic Item Number	Order No.	Point Size	D1xL1 (mm)	D2xL2 (mm)	txL3 (mm)	Weight (g)
M55950190120Y	MV-46 No.2x7x74(6x59) LL SS	No.2	7x74	6x59	3.8x35	13
FAGD0015069	MV-46 No.2x8x74(5x59) SS	No.2	8x74	5x59	2.8x34	10
FAGD0015071	MV-46 No.2x8x74(6x59) LL SS	No.2	8x74	6x59	3.8x34	14

Accessories

Point Size Selector


Phillips



National Panasonic Item Number	Order No.	Point Size	D1xL1 (mm)	D2xL2 (mm)	txL3 (mm)	Weight (g)
FAGD0015098B	MV-46 No.1x8x74(4.5x59) SS	No.1	8x74	4.5x59	3.5x8	10
FAGD0015099B	MV-46 No.1x8x74(3.2x59) SS	No.1	8x74	3.2x59	2.2x8	6
FAGD0015059B	MV-46 No.2x8x74(4.5x59) SS	No.2	8x74	4.5x59	3.5x8	10
FAGD0015028B	MV-46 No.2x8x74(6x59) SS	No.2	8x74	6x59	4.5x8	15




NV-46 Screw Shank drive



Code	Order No.	Point Size	D1xL1 (mm)	D2xL2 (mm)	txL3 (mm)	Weight (g)
00001398	NV-46 No.2x8x100(6x83) LL SS	No.2	8x100	6x83	5x10	21



HV-46 Screw Shank drive



Code	Order No.	Point Size	D1xL1 (mm)	D2xL2 (mm)	txL3 (mm)	Weight (g)
00002666	HV-46 No.2x8x100(6x83)	No.2	8x100	6x83	4.5x10	21