



V-05 φ4mm drive




Slotted



(0.3t-0.4t)



(0.5t)



Code	Order No.	t (mm)	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
00000257	V-05M 0.3tx4x44(2x20)	0.3	4	44	2	20	2
00000258	V-05M 0.3tx4x44(2.5x20)	0.3	4	44	2.5	20	3
00000259	V-05M 0.4tx4x44(3x20)	0.4	4	44	3	20	3
00000260	V-05M 0.5tx4x44	0.5	4	44	—	—	4


Hexagon



(H1.5-H2.5)



(H3)




Code	Order No.	H (mm)	L3 (mm)	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
00000536	V-05X H1.5x4x44(3x17)	1.5	3	4	44	3	17	3
00000537	V-05X H2x4x44(3x17)	2	5	4	44	3	17	3
00000538	V-05X H2.5x4x44(3x17)	2.5	6	4	44	3	17	3
00000539	V-05X H3x4x44	3	7	4	44	—	—	4

Hexagon




VH-4 φ4mm drive




Code	Order No.	H (mm)	L3 (mm)	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
00001188	VH-4X H1.27x4x60(3x20)	1.27	2	4	60	3	20	4
00001189	VH-4X H1.5x4x60(3x20)	1.5	3	4	60	3	20	5
00001190	VH-4X H2x4x60(3x20)	2	5	4	60	3	20	4
00001191	VH-4X H2.5x4x60(3x20)	2.5	6	4	60	3	20	5

Hex-wave



Code	Order No.	Point Size	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
00001172	VH-4T T1x4x40(1.5x20)	T1	4	40	1.5	20	2
00001173	VH-4T T1x4x60(1.5x20)	T1	4	60	1.5	20	4
00001174	VH-4T T2x4x40(1.5x20)	T2	4	40	1.5	20	2
00001175	VH-4T T2x4x60(1.5x20)	T2	4	60	1.5	20	4
00001176	VH-4T T3x4x40(1.7x20)	T3	4	40	1.7	20	2
00001177	VH-4T T3x4x60(1.7x20)	T3	4	60	1.7	20	4
00001178	VH-4T T4x4x40(1.8x20)	T4	4	40	1.8	20	2
00001179	VH-4T T4x4x60(1.8x20)	T4	4	60	1.8	20	4
00001180	VH-4T T5x4x40(2x20)	T5	4	40	2	20	2
00001181	VH-4T T5x4x60(2x20)	T5	4	60	2	20	4
00001182	VH-4T T6x4x40(2.5x20)	T6	4	40	2.5	20	2
00001183	VH-4T T6x4x60(2.5x20)	T6	4	60	2.5	20	4
00001184	VH-4T T8x4x40(3x20)	T8	4	40	3	20	3
00001185	VH-4T T8x4x60(3x20)	T8	4	60	3	20	5
00001186	VH-4T T10x4x40(3x20)	T10	4	40	3	20	3
00001187	VH-4T T10x4x60(3x20)	T10	4	60	3	20	5


Nut Setter



Code	Order No.	H (mm)	L2 (mm)	D1 (mm)	L1 (mm)	D2 (mm)	L3 (mm)	Weight (g)
00001193	VH-4B H4x60	4	2	6	60	3	20	7
00001194	VH-4B H5x60	5	2.5	8	60	3.5	20	11
00001195	VH-4B H5.5x60	5.5	3.5	9	60	5.3	20	11
00001196	VH-4B H5.5x80	5.5	3.5	9	80	5.3	20	13


VH-5 $\phi 5$ mm drive

Hexagon




Code	Order No.	H (mm)	L3 (mm)	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
00001224	VH-5X H1.5x5x70(3x20)	H1.5	3	5	70	3	20	8
00001225	VH-5X H2x5x70(3x20)	H2	5	5	70	3	20	8
00001226	VH-5X H2.5x5x70(3x20)	H2.5	6	5	70	3	20	8
00001227	VH-5X H3x5x70	H3	8	5	70	—	—	9
00001228	VH-5X H4x5x70	H4	10	5	70	—	—	10
00001229	VH-5X H5x6x70	H5	15	6	70	—	—	12

Hex-wave




Code	Order No.	Point Size	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
00001216	VH-5T T5x5x60(2x20)	T5	5	60	2	20	6
00001217	VH-5T T5x5x80(2x20)	T5	5	80	2	20	9
00001218	VH-5T T6x5x60(2.5x20)	T6	5	60	2.5	20	6
00001219	VH-5T T6x5x80(2.5x20)	T6	5	80	2.5	20	10
00001220	VH-5T T8x5x60(3x20)	T8	5	60	3	20	7
00001221	VH-5T T8x5x80(3x20)	T8	5	80	3	20	10
00001222	VH-5T T10x5x60(3x20)	T10	5	60	3	20	7
00001223	VH-5T T10x5x80(3x20)	T10	5	80	3	20	10

V-14 5mm Hex drive



Slotted




Code	Order No.	t (mm)	D1 (mm)	L1 (mm)	Weight (g)
00000262	V-14M 0.9tx6x51	0.9	6	51	8
00000263	V-14M 0.9tx6x75	0.9	6	75	14
00000264	V-14M 0.9tx6x100	0.9	6	100	19
00000265	V-14M 0.9tx6x120	0.9	6	120	23
00000266	V-14M 0.9tx6x150	0.9	6	150	33


Hexagon




(H1, 5-H2)




(H2, 5-H6)



(V-14X H6x7x100)




Code	Order No.	H (mm)	L3 (mm)	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
00000551	V-14X H1.5x6x70(3x30)	1.5	3	6	70	3	30	8
00000552	V-14X H1.5x6x100(3x30)	1.5	3	6	100	3	30	15
00000553	V-14X H2x6x70(4x30)	2	5	6	70	4	30	9
00000554	V-14X H2x6x100(4x30)	2	5	6	100	4	30	16
00000555	V-14X H2.5x6x70	2.5	6	6	70	—	—	12
00000556	V-14X H2.5x6x100	2.5	6	6	100	—	—	18
00000557	V-14X H3x6x70	3	8	6	70	—	—	12
00000558	V-14X H3x6x100	3	8	6	100	—	—	18
00000559	V-14X H4x6x70	4	10	6	70	—	—	12
00000560	V-14X H4x6x100	4	10	6	100	—	—	19
00000561	V-14X H5x6x70	5	15	6	70	—	—	13
00000562	V-14X H5x6x100	5	15	6	100	—	—	19
00000563	V-14X H6x70	6	20	—	70	—	—	14
00000564	V-14X H6x7x100	6	20	7	100	—	—	23



Screw Driver Bits **OHMI**

Screw Driver Bits



V-17 6.35mm Hex drive




Hexagon

Impact Sockets




Accessories

Point Size Selector




Code	Order No.	H (mm)	L3 (mm)	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
00010321	V-17X (H0.71x10)x6.35x50 B	0.71	10	6.35(hex)	50	—	—	9
00001373	V-17X (H0.89x20)x6.35x65 B	0.89	20	6.35(hex)	65	—	—	10
00001379	V-17X H1.27x6.35x50(3x26)	1.27	2	6.35(hex)	50	3	26	7
00001380	V-17X H1.5x6.35x50(3x26)	1.5	3	6.35(hex)	50	3	26	7
00001381	V-17X H2x6.35x50(4x26)	2	5	6.35(hex)	50	4	26	8
00001382	V-17X H2.5x7x50	2.5	6	7	50	—	—	10
00001383	V-17X H3x7x50	3	8	7	50	—	—	10
00001384	V-17X H4x7x50	4	10	7	50	—	—	11
00001385	V-17X H5x7x50	5	15	7	50	—	—	11
00001386	V-17X H6x7x50	6	20	7	50	—	—	12
00001387	V-17X H8x50	8	20	—	50	—	—	16



Screw Driver Bits **OHMI**

Screw Driver Bits



V-32 6.35mm Hex drive
Usable as both V-17 & V-21




Hexagon

Impact Sockets




Accessories

Point Size Selector





Code	Order No.	H (mm)	L3 (mm)	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
00000565	V-32X H1.27x7x70(3x30)	1.27	2	7	70	3	30	12
00000566	V-32X H1.5x7x70(3x30)	1.5	3	7	70	3	30	12
00000567	V-32X H1.5x7x100(3x30)	1.5	3	7	100	3	30	21
00000568	V-32X H1.5x7x150(3x30)	1.5	3	7	150	3	30	36
00000569	V-32X H2x7x70(4x30)	2	5	7	70	4	30	13
00000570	V-32X H2x7x100(4x30)	2	5	7	100	4	30	22
00000571	V-32X H2x7x150(4x30)	2	5	7	150	4	30	37
00000572	V-32X H2.5x7x70	2.5	6	7	70	—	—	16
00000573	V-32X H2.5x7x100	2.5	6	7	100	—	—	25
00000574	V-32X H2.5x7x150	2.5	6	7	150	—	—	40
00000575	V-32X H3x7x70	3	8	7	70	—	—	16
00000576	V-32X H3x7x100	3	8	7	100	—	—	25
00000577	V-32X H3x7x150	3	8	7	150	—	—	40
00000578	V-32X H4x7x70	4	10	7	70	—	—	17
00000579	V-32X H4x7x100	4	10	7	100	—	—	26
00000580	V-32X H4x7x150	4	10	7	150	—	—	41
00000581	V-32X H5x7x70	5	15	7	70	—	—	17
00000582	V-32X H5x7x100	5	15	7	100	—	—	26
00000583	V-32X H5x7x150	5	15	7	150	—	—	41
00000584	V-32X H6x7x70	6	20	7	70	—	—	18
00000585	V-32X H6x7x100	6	20	7	100	—	—	27
00000586	V-32X H6x7x150	6	20	7	150	—	—	42
00000587	V-32X H8x70	8	25	—	70	—	—	22
00000588	V-32X H8x100	8	55	—	100	—	—	35
00000589	V-32X H8x150	8	105	—	150	—	—	56

V-21W 6.35mm Hex drive



Double Ended Phillips(LLtype)




.....Hardness.....
Hard...Y
Normal...N


Code	Order No.	Point Size	D1 (mm)	L1 (mm)	Hardness	Weight (g)
00000169	V-21W No.2x6.35x65 LL N	No.2	6.35	65	N	15
00001165	V-21W No.2x6.35x65 LL Y	No.2	6.35	65	Y	15
00000174	V-21W No.2x6.35x110 LL N	No.2	6.35	110	N	27
00000176	V-21W No.2x6.35x110 LL Y	No.2	6.35	110	Y	27

*Regarding the items having two kinds of hardness, we sell hardness "N" if there is no instruction when you order.

V-21 6.35mm Hex drive




Slotted




Code	Order No.	t (mm)	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
00000256	V-21M 0.8tx6.35x70(6x47.5)	0.8	6.35	70	6	47.5	15

V-32 6.35mm Hex drive

Usable as both V-17 & V-21



Hexagon




Code	Order No.	H (mm)	L3 (mm)	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
Please refer to P30.								



Screw Driver Bits **OHMI**


Screw Driver Bits



V-24W 8mm Hex drive




Double Ended Phillips



Impact Sockets

Code	Order No.	Point Size	D1 (mm)	L1 (mm)	Weight (g)
00000189	V-24W No.2x8x65	No.2	8	65	20
00000190	V-24W No.2x8x110	No.2	8	110	39
00000191	V-24W No.3x8x65	No.3	8	65	21
00000192	V-24W No.3x8x110	No.3	8	110	40


Accessories



V-24 8mm Hex drive



Hexagon



Point Size Selector

Code	Order No.	H (mm)	L2 (mm)	D1 (mm)	L1 (mm)	Weight (g)
00000541	V-24X H5x8x70	5	15	8	70	24
00000543	V-24X H6x8x70	6	20	8	70	24
00000545	V-24X H8x70	8	—	—	70	29
00000547	V-24X H10x70	10	—	—	70	39