



OS-3 3/8"(Sq9.52mm drive)

Extension Sockets





Code	Order No.	H (mm)	L2 (mm)	D1 (mm)	D3 (mm)	L3 (mm)	D2 (mm)	L1 (mm)	Weight (g)
00010566	OS-3B H8x100 EX	8	4.5	13	6	20	20	100	90
00010567	OS-3B H8x150 EX	8	4.5	13	6	20	20	150	120
00010568	OS-3B H8x200 EX	8	4.5	13	6	20	20	200	151
00010569	OS-3B H10x100 EX	10	5	16.5	7	20	20	100	102
00010570	OS-3B H10x150 EX	10	5	16.5	7	20	20	150	134
00010571	OS-3B H10x200 EX	10	5	16.5	7	20	20	200	168
*	OS-3B H10x250 EX	10	5	16.5	7	20	20	250	*
00010572	OS-3B H12x100 EX	12	6	20	9	20	20	100	133
00010573	OS-3B H12x150 EX	12	6	20	9	20	20	150	176
00010574	OS-3B H12x200 EX	12	6	20	9	20	20	200	220
*	OS-3B H12x250 EX	12	6	20	9	20	20	250	*
00010575	OS-3B H13x100 EX	13	6	21	10	20	20	100	142
00010576	OS-3B H13x150 EX	13	6	21	10	20	20	150	194
00010577	OS-3B H13x200 EX	13	6	21	10	20	20	200	246
*	OS-3B H13x250 EX	13	6	21	10	20	20	250	*
00010578	OS-3B H14x100 EX	14	7	23	11	20	20	100	160
00010579	OS-3B H14x150 EX	14	7	23	11	20	20	150	209
00010580	OS-3B H14x200 EX	14	7	23	11	20	20	200	281
*	OS-3B H14x250 EX	14	7	23	11	20	20	250	*
00010581	OS-3B H17x100 EX	17	8	26	13	20	20	100	199
00010582	OS-3B H17x150 EX	17	8	26	13	20	20	150	293
00010583	OS-3B H17x200 EX	17	8	26	13	20	20	200	380
*	OS-3B H17x250 EX	17	8	26	13	20	20	250	*

Code * is custom made item.



OS-3 3/8"(Sq9.52mm drive)


Extension Sockets(Fixed Magnet)



*We need A size for manufacturing sockets(Fixed Magnet).
Please jump to P95.

Code	Order No.	H (mm)	L2 (mm)	D1 (mm)	D2 (mm)	L1 (mm)	A (mm)	Weight (g)
*	OS-3B H8x100 EX MAG	8	4.5	13	20	100	within 4.5	*
*	OS-3B H8x150 EX MAG	8	4.5	13	20	150	within 4.5	*
*	OS-3B H8x200 EX MAG	8	4.5	13	20	200	within 4.5	*
*	OS-3B H10x100 EX MAG	10	5	16.5	20	100	within 5	*
*	OS-3B H10x150 EX MAG	10	5	16.5	20	150	within 5	*
*	OS-3B H10x200 EX MAG	10	5	16.5	20	200	within 5	*
*	OS-3B H10x250 EX MAG	10	5	16.5	20	250	within 5	*
*	OS-3B H12x100 EX MAG	12	6	20	20	100	within 6	*
*	OS-3B H12x150 EX MAG	12	6	20	20	150	within 6	*
*	OS-3B H12x200 EX MAG	12	6	20	20	200	within 6	*
*	OS-3B H12x250 EX MAG	12	6	20	20	250	within 6	*
*	OS-3B H13x100 EX MAG	13	6	21	20	100	within 6	*
*	OS-3B H13x150 EX MAG	13	6	21	20	150	within 6	*
*	OS-3B H13x200 EX MAG	13	6	21	20	200	within 6	*
*	OS-3B H13x250 EX MAG	13	6	21	20	250	within 6	*
*	OS-3B H14x100 EX MAG	14	7	23	20	100	within 7	*
*	OS-3B H14x150 EX MAG	14	7	23	20	150	within 7	*
*	OS-3B H14x200 EX MAG	14	7	23	20	200	within 7	*
*	OS-3B H14x250 EX MAG	14	7	23	20	250	within 7	*
*	OS-3B H17x100 EX MAG	17	8	26	20	100	within 8	*
*	OS-3B H17x150 EX MAG	17	8	26	20	150	within 8	*
*	OS-3B H17x200 EX MAG	17	8	26	20	200	within 8	*
*	OS-3B H17x250 EX MAG	17	8	26	20	250	within 8	*

Code * is custom made item.



Impact Sockets **OHMI**

Screw Driver Bits



Impact Sockets

Accessories

Point Size Selector


OS-3 3/8"(Sq9.52mm drive)

Extension Sockets(Slide Magnet)




Code	Order No.	H (mm)	L2 (mm)	D1 (mm)	L3 (mm)	D2 (mm)	L1 (mm)	Weight (g)
*	OS-3B H10x100 EX SM	10	5	16.5	22	20	100	*
*	OS-3B H10x150 EX SM	10	5	16.5	22	20	150	*
*	OS-3B H10x200 EX SM	10	5	16.5	22	20	200	*
*	OS-3B H12x100 EX SM	12	6	20	22	20	100	*
*	OS-3B H12x150 EX SM	12	6	20	22	20	150	*
*	OS-3B H12x200 EX SM	12	6	20	22	20	200	*
*	OS-3B H13x100 EX SM	13	6	21	22	20	100	*
*	OS-3B H13x150 EX SM	13	6	21	22	20	150	*
*	OS-3B H13x200 EX SM	13	6	21	22	20	200	*
*	OS-3B H14x100 EX SM	14	7	23	22	20	100	*
*	OS-3B H14x150 EX SM	14	7	23	22	20	150	*
*	OS-3B H14x200 EX SM	14	7	23	22	20	200	*
*	OS-3B H17x100 EX SM	17	8	26	22	20	100	*
*	OS-3B H17x150 EX SM	17	8	26	22	20	150	*
*	OS-3B H17x200 EX SM	17	8	26	22	20	200	*

Code * is custom made item.



OS-3 3/8"(Sq9.52mm drive)

Extension Sockets(Magnet Ring)




Code	Order No.	H (mm)	L2 (mm)	D1 (mm)	D3 (mm)	L3 (mm)	D2 (mm)	L1 (mm)	Weight (g)
*	OS-3B H10x100 EX MR	10	5	16.5	7	20	20	100	*
*	OS-3B H10x150 EX MR	10	5	16.5	7	20	20	150	*
*	OS-3B H10x200 EX MR	10	5	16.5	7	20	20	200	*
*	OS-3B H10x250 EX MR	10	5	16.5	7	20	20	250	*
*	OS-3B H12x100 EX MR	12	6	20	9	20	20	100	*
*	OS-3B H12x150 EX MR	12	6	20	9	20	20	150	*
*	OS-3B H12x200 EX MR	12	6	20	9	20	20	200	*
*	OS-3B H12x250 EX MR	12	6	20	9	20	20	250	*
*	OS-3B H13x100 EX MR	13	6	21	10	20	20	100	*
*	OS-3B H13x150 EX MR	13	6	21	10	20	20	150	*
*	OS-3B H13x200 EX MR	13	6	21	10	20	20	200	*
*	OS-3B H13x250 EX MR	13	6	21	10	20	20	250	*
*	OS-3B H14x100 EX MR	14	7	23	11	20	20	100	*
*	OS-3B H14x150 EX MR	14	7	23	11	20	20	150	*
*	OS-3B H14x200 EX MR	14	7	23	11	20	20	200	*
*	OS-3B H14x250 EX MR	14	7	23	11	20	20	250	*
*	OS-3B H17x100 EX MR	17	8	26	13	20	20	100	*
*	OS-3B H17x150 EX MR	17	8	26	13	20	20	150	*
*	OS-3B H17x200 EX MR	17	8	26	13	20	20	200	*
*	OS-3B H17x250 EX MR	17	8	26	13	20	20	250	*

Code * is custom made item.


OS-4 1/2"(Sq12.7mm drive)

Extension Sockets





Code	Order No.	H (mm)	L2 (mm)	D1 (mm)	D3 (mm)	L3 (mm)	D2 (mm)	L1 (mm)	Weight (g)
00010648	OS-4B H10x100 EX	10	5	16.5	7	20	25	100	133
00010649	OS-4B H10x150 EX	10	5	16.5	7	20	25	150	163
00010650	OS-4B H10x200 EX	10	5	16.5	7	20	25	200	197
*	OS-4B H10x250 EX	10	5	16.5	7	20	25	250	*
00010651	OS-4B H12x100 EX	12	6	20	9	20	25	100	160
00010652	OS-4B H12x150 EX	12	6	20	9	20	25	150	203
00010653	OS-4B H12x200 EX	12	6	20	9	20	25	200	251
*	OS-4B H12x250 EX	12	6	20	9	20	25	250	*
*	OS-4B H13x100 EX	13	6	21	10	20	25	100	*
*	OS-4B H13x150 EX	13	6	21	10	20	25	150	*
*	OS-4B H13x200 EX	13	6	21	10	20	25	200	*
*	OS-4B H13x250 EX	13	6	21	10	20	25	250	*
00010655	OS-4B H14x100 EX	14	7	23	11	20	25	100	189
00010656	OS-4B H14x150 EX	14	7	23	11	20	25	150	252
00010657	OS-4B H14x200 EX	14	7	23	11	20	25	200	309
*	OS-4B H14x250 EX	14	7	23	11	20	25	250	*
00010658	OS-4B H17x100 EX	17	8	26	13	20	28	100	252
00010659	OS-4B H17x150 EX	17	8	26	13	20	28	150	341
00010660	OS-4B H17x200 EX	17	8	26	13	20	28	200	431
*	OS-4B H17x250 EX	17	8	26	13	20	28	250	*
00010661	OS-4B H19x100 EX	19	10	30	15	20	28	100	297
00010662	OS-4B H19x150 EX	19	10	30	15	20	28	150	408
00010663	OS-4B H19x200 EX	19	10	30	15	20	28	200	521
*	OS-4B H19x250 EX	19	10	30	15	20	28	250	*

Code * is custom made item.



OS-4 1/2"(Sq12.7mm drive)


Extension Sockets(Fixed Magnet)



*We need A size for manufacturing sockets(Fixed Magnet).
Please jump to P95.


Code	Order No.	H (mm)	L2 (mm)	D1 (mm)	D2 (mm)	L1 (mm)	A (mm)	Weight (g)
*	OS-4B H10x100 EX MAG	10	5	16.5	25	100	within 5	*
*	OS-4B H10x150 EX MAG	10	5	16.5	25	150	within 5	*
*	OS-4B H10x200 EX MAG	10	5	16.5	25	200	within 5	*
*	OS-4B H10x250 EX MAG	10	5	16.5	25	250	within 5	*
*	OS-4B H12x100 EX MAG	12	6	20	25	100	within 6	*
*	OS-4B H12x150 EX MAG	12	6	20	25	150	within 6	*
*	OS-4B H12x200 EX MAG	12	6	20	25	200	within 6	*
*	OS-4B H12x250 EX MAG	12	6	20	25	250	within 6	*
*	OS-4B H13x100 EX MAG	13	6	21	25	100	within 6	*
*	OS-4B H13x150 EX MAG	13	6	21	25	150	within 6	*
*	OS-4B H13x200 EX MAG	13	6	21	25	200	within 6	*
*	OS-4B H13x250 EX MAG	13	6	21	25	250	within 6	*
*	OS-4B H14x100 EX MAG	14	7	23	25	100	within 7	*
*	OS-4B H14x150 EX MAG	14	7	23	25	150	within 7	*
*	OS-4B H14x200 EX MAG	14	7	23	25	200	within 7	*
*	OS-4B H14x250 EX MAG	14	7	23	25	250	within 7	*
*	OS-4B H17x100 EX MAG	17	8	26	28	100	within 8	*
*	OS-4B H17x150 EX MAG	17	8	26	28	150	within 8	*
*	OS-4B H17x200 EX MAG	17	8	26	28	200	within 8	*
*	OS-4B H17x250 EX MAG	17	8	26	28	250	within 8	*
*	OS-4B H19x100 EX MAG	19	10	30	28	100	within 10	*
*	OS-4B H19x150 EX MAG	19	10	30	28	150	within 10	*
*	OS-4B H19x200 EX MAG	19	10	30	28	200	within 10	*
*	OS-4B H19x250 EX MAG	19	10	30	28	250	within 10	*

Code * is custom made item.




OS-4 1/2"(Sq12.7mm drive)

Extension Sockets(Slide Magnet)



Code	Order No.	H (mm)	L2 (mm)	D1 (mm)	L3 (mm)	D2 (mm)	L1 (mm)	Weight (g)
*	OS-4B H10x100 EX SM	10	5	16.5	22	25	100	*
*	OS-4B H10x150 EX SM	10	5	16.5	22	25	150	*
*	OS-4B H10x200 EX SM	10	5	16.5	22	25	200	*
*	OS-4B H12x100 EX SM	12	6	20	22	25	100	*
*	OS-4B H12x150 EX SM	12	6	20	22	25	150	*
*	OS-4B H12x200 EX SM	12	6	20	22	25	200	*
*	OS-4B H13x100 EX SM	13	6	21	22	25	100	*
*	OS-4B H13x150 EX SM	13	6	21	22	25	150	*
*	OS-4B H13x200 EX SM	13	6	21	22	25	200	*
*	OS-4B H14x100 EX SM	14	7	23	22	25	100	*
*	OS-4B H14x150 EX SM	14	7	23	22	25	150	*
*	OS-4B H14x200 EX SM	14	7	23	22	25	200	*
*	OS-4B H17x100 EX SM	17	8	26	22	28	100	*
*	OS-4B H17x150 EX SM	17	8	26	22	28	150	*
*	OS-4B H17x200 EX SM	17	8	26	22	28	200	*
*	OS-4B H19x100 EX SM	19	10	30	22	28	100	*
*	OS-4B H19x150 EX SM	19	10	30	22	28	150	*
*	OS-4B H19x200 EX SM	19	10	30	22	28	200	*

Code * is custom made item.




Impact Sockets **OHMI**

Screw Driver Bits

OS-4 1/2"(Sq12.7mm drive)



Extension Sockets(Magnet Ring)



Impact Sockets

Accessories

Point Size Selector

Code	Order No.	H (mm)	L2 (mm)	D1 (mm)	D3 (mm)	L3 (mm)	D2 (mm)	L1 (mm)	Weight (g)
*	OS-4B H10x100 EX MR	10	5	16.5	7	20	25	100	*
*	OS-4B H10x150 EX MR	10	5	16.5	7	20	25	150	*
*	OS-4B H10x200 EX MR	10	5	16.5	7	20	25	200	*
*	OS-4B H10x250 EX MR	10	5	16.5	7	20	25	250	*
*	OS-4B H12x100 EX MR	12	6	20	9	20	25	100	*
*	OS-4B H12x150 EX MR	12	6	20	9	20	25	150	*
*	OS-4B H12x200 EX MR	12	6	20	9	20	25	200	*
*	OS-4B H12x250 EX MR	12	6	20	9	20	25	250	*
*	OS-4B H13x100 EX MR	13	6	21	10	20	25	100	*
*	OS-4B H13x150 EX MR	13	6	21	10	20	25	150	*
*	OS-4B H13x200 EX MR	13	6	21	10	20	25	200	*
*	OS-4B H13x250 EX MR	13	6	21	10	20	25	250	*
*	OS-4B H14x100 EX MR	14	7	23	11	20	25	100	*
*	OS-4B H14x150 EX MR	14	7	23	11	20	25	150	*
*	OS-4B H14x200 EX MR	14	7	23	11	20	25	200	*
*	OS-4B H14x250 EX MR	14	7	23	11	20	25	250	*
*	OS-4B H17x100 EX MR	17	8	26	13	20	28	100	*
*	OS-4B H17x150 EX MR	17	8	26	13	20	28	150	*
*	OS-4B H17x200 EX MR	17	8	26	13	20	28	200	*
*	OS-4B H17x250 EX MR	17	8	26	13	20	28	250	*
*	OS-4B H19x100 EX MR	19	10	30	15	20	28	100	*
*	OS-4B H19x150 EX MR	19	10	30	15	20	28	150	*
*	OS-4B H19x200 EX MR	19	10	30	15	20	28	200	*
*	OS-4B H19x250 EX MR	19	10	30	15	20	28	250	*

Code * is custom made item.