



V-05 φ4mm drive




Slotted



(0.3t-0.4t)



(0.5t)




Code	Order No.	t (mm)	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
00000257	V-05M 0.3tx4x44(2x20)	0.3	4	44	2	20	2
00000258	V-05M 0.3tx4x44(2.5x20)	0.3	4	44	2.5	20	3
00000259	V-05M 0.4tx4x44(3x20)	0.4	4	44	3	20	3
00000260	V-05M 0.5tx4x44	0.5	4	44	—	—	4


Hexagon



(H1.5-H2.5)




(H3)




Code	Order No.	H (mm)	L3 (mm)	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
00000536	V-05X H1.5x4x44(3x17)	1.5	3	4	44	3	17	3
00000537	V-05X H2x4x44(3x17)	2	5	4	44	3	17	3
00000538	V-05X H2.5x4x44(3x17)	2.5	6	4	44	3	17	3
00000539	V-05X H3x4x44	3	7	4	44	—	—	4

V-14 5mm Hex drive



Slotted




Code	Order No.	t (mm)	D1 (mm)	L1 (mm)	Weight (g)
00000262	V-14M 0.9tx6x51	0.9	6	51	8
00000263	V-14M 0.9tx6x75	0.9	6	75	14
00000264	V-14M 0.9tx6x100	0.9	6	100	19
00000265	V-14M 0.9tx6x120	0.9	6	120	23
00000266	V-14M 0.9tx6x150	0.9	6	150	33


Hexagon




(H1, 5-H2)



(H2, 5-H6)




(V-14X H6x7x100)




Code	Order No.	H (mm)	L3 (mm)	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
00000551	V-14X H1.5x6x70(3x30)	1.5	3	6	70	3	30	8
00000552	V-14X H1.5x6x100(3x30)	1.5	3	6	100	3	30	15
00000553	V-14X H2x6x70(4x30)	2	5	6	70	4	30	9
00000554	V-14X H2x6x100(4x30)	2	5	6	100	4	30	16
00000555	V-14X H2.5x6x70	2.5	6	6	70	—	—	12
00000556	V-14X H2.5x6x100	2.5	6	6	100	—	—	18
00000557	V-14X H3x6x70	3	8	6	70	—	—	12
00000558	V-14X H3x6x100	3	8	6	100	—	—	18
00000559	V-14X H4x6x70	4	10	6	70	—	—	12
00000560	V-14X H4x6x100	4	10	6	100	—	—	19
00000561	V-14X H5x6x70	5	15	6	70	—	—	13
00000562	V-14X H5x6x100	5	15	6	100	—	—	19
00000563	V-14X H6x70	6	20	—	70	—	—	14
00000564	V-14X H6x7x100	6	20	7	100	—	—	23

V-17W 6.35mm Hex drive



Double Ended Phillips(FVtype)




Code	Order No.	Point Size	D1 (mm)	L1 (mm)	Weight (g)
00002669	V-17W No.2x6.35x50 FV	No.2	6.35	50	10
00002219	V-17W No.2x6.35x75 FV	No.2	6.35	75	17
00002218	V-17W No.2x6.35x100 FV	No.2	6.35	100	24
00002220	V-17W No.2x6.35x150 FV	No.2	6.35	150	37
00002221	V-17W No.2x6.35x200 FV	No.2	6.35	200	50




Slotted



(0.4t-0.6t)




(0.7t-1.0t)




Code	Order No.	t (mm)	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
*	V-17M 0.4tx6.35x50(2.5x28)	0.4	6.35(hex)	50	2.5	28	*
*	V-17M 0.5tx6.35x50(3x28)	0.5	6.35(hex)	50	3	28	*
00000268	V-16M 0.6tx6.35x50(3.8x28)	0.6	6.35(hex)	50	3.8	28	7
00000246	V-17M 0.7tx7x50	0.7	7	50	—	—	12
00000247	V-17M 0.9tx7x50	0.9	7	50	—	—	12
00000248	V-17M 1.0tx7x50	1.0	7	50	—	—	12
00000250	V-17M 1.0tx7x75	1.0	7	75	—	—	19
00000251	V-17M 1.0tx7x100	1.0	7	100	—	—	27
00000252	V-17M 1.0tx7x120	1.0	7	120	—	—	33
00000253	V-17M 1.0tx7x150	1.0	7	150	—	—	42
00000254	V-17M 1.0tx7x200	1.0	7	200	—	—	57

Code * is custom made item.



Screw Driver Bits **OHMI**


Screw Driver Bits



V-18 6.35mm Hex drive



Phillips(Magnetized)




Impact Sockets

Code	Order No.	Point Size	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
00000194	V-18 No.1x6.35x75(4x52) MAG	No.1	6.35	75	4	52	10
00000195	V-18 No.1x6.35x120(5x97) MAG	No.1	6.35	120	5	97	20
00000196	V-18 No.1x6.35x200(5x177) MAG	No.1	6.35	200	5	177	32
00000198	V-18 No.2x6.35x75(5x52) MAG	No.2	6.35	75	5	52	14
00000199	V-18 No.2x6.35x120(5x97) MAG	No.2	6.35	120	5	97	20
00000200	V-18 No.2x6.35x200(5x177) MAG	No.2	6.35	200	5	177	32

Accessories




Slotted(Magnetized)





Code	Order No.	t (mm)	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
00000201	V-18M 0.5x6.35x75(3x52) MAG	0.5	6.35	75	3	52	8
00000202	V-18M 0.8x6.35x75(4x52) MAG	0.8	6.35	75	4	52	10

Point Size Selector

V-21W 6.35mm Hex drive



Double Ended Phillips(LLtype)




.....Hardness.....
Hard...Y
Normal...N


Code	Order No.	Point Size	D1 (mm)	L1 (mm)	Hardness	Weight (g)
00000169	V-21W No.2x6.35x65 LL N	No.2	6.35	65	N	15
00001165	V-21W No.2x6.35x65 LL Y	No.2	6.35	65	Y	15
00000174	V-21W No.2x6.35x110 LL N	No.2	6.35	110	N	27
00000176	V-21W No.2x6.35x110 LL Y	No.2	6.35	110	Y	27

*Regarding the items having two kinds of hardness, we sell hardness "N" if there is no instruction when you order.

V-21 6.35mm Hex drive




Slotted




Code	Order No.	t (mm)	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
00000256	V-21M 0.8tx6.35x70(6x47.5)	0.8	6.35	70	6	47.5	15

V-32 6.35mm Hex drive

Usable as both V-17 & V-21



Hexagon



Code	Order No.	H (mm)	L3 (mm)	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
Please refer to P30.								