

Floor Elements 地面组件

Base Plate 型材底座

To support strut profile mounted on the floor or between the platforms. Expansion bolts chocked into the floor can offer a high stability.

型材底座用于型材与地面或平台之间的支撑，可用膨胀螺栓置入地下达到固定作用。


Material and Color: aluminum, spray coating, silver

材质：铝合金 表面处理：喷涂 颜色：银色



Base Plate-4080

型材底座-4080



Description 产品描述	Fastening Set 紧固组件	Mass 重量(g)	Part No. 订购编号
Base Plate-4080 (set) 型材底座-4080 (成套供货)	4xDT	975	5.12.40.ST

DT	Fastening Set
	M6x20 Bolt
	Zinc plated
	M6 Spring Washer
	Zinc plated
	M6 Pre-set Nut
	Nickel plated



Floor Elements 地面组件

Base Plate 隔断支脚

To support strut profile mounted between sections of machine guard system. Expansion bolts chocked into floor can offer very high stability.

隔断支脚用于防护单元之间型材的底部支撑，使用膨胀螺栓置入地下更能提高稳定性。

Material and Color: diecast steel with anticorrosive

材质和颜色：铸钢 防腐化学处理

Base Plate Gasket

隔断支脚垫片




New!

For vertical alignment on uneven floors.

隔断支脚垫片用于地面不平，调整型材与地面垂直度。




Base Plate-4080

隔断支脚-4080






Base Plate-4560

隔断支脚-4560



Base Plate-4590

隔断支脚-4590



Description 产品描述	L (mm)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	Fastening Set 紧固组件	Mass 重量 (g)	Part No. 订购编号
Base Plate-4080 (pcs)/隔断支脚-4080 (单个供货)	126	40	20	60	40	80	2x AZ	1930	5.11.4080
Base Plate-4080 (set A)/隔断支脚-4080 (成套供货A)							4xC+3x AA +2x AZ	2240	5.11.4080.STA
Base Plate-4080 (set B)/隔断支脚-4080 (成套供货B)							6xC+3x AA +2x AZ	2290	5.11.4080.STB
Base Plate-4080 (set C)/隔断支脚-4080 (成套供货C)							8xC+3x AA +2x AZ	2340	5.11.4080.STC
Base Plate-4560 (pcs)/隔断支脚-4560 (单个供货)	111	22.5	30	45	60	60	2x AZ	1600	5.11.4560
Base Plate-4560 (set)/隔断支脚-4560 (成套供货)							4xC+3x AA +2x AZ	1910	5.11.4560.ST
Base Plate-4590 (pcs)/隔断支脚-4590 (单个供货)	141	45	22.5	67.5	45	90	2x AZ	2330	5.11.4590
Base Plate-4590 (set A)/隔断支脚-4590 (成套供货A)							4xC+3x AA +2x AZ	2640	5.11.4590.STA
Base Plate-4590 (set B)/隔断支脚-4590 (成套供货B)							6xC+3x AA +2x AZ	2690	5.11.4590.STB
Base Plate-4590 (set C)/隔断支脚-4590 (成套供货C)							8xC+3x AA +2x AZ	2740	5.11.4590.STC




Base Plate 隔断支脚



To support strut profile mounted between sections of machine guard system, Expansion bolts chocked into floor can offer very high stability.

隔断支脚用于防护单元之间型材的底部支撑, 使用膨胀螺栓置于地下更能提高稳定性。

Material and Color: carbon steel, black electrophoresis
材质: 碳钢 表面处理: 黑色电泳





A Base Plate Gasket 隔断支脚垫片

To adjust the degree of vertical profile and uneven ground.

隔断支脚垫片用于地面不平, 调整型材与地面垂直度。

Base Plate 40x40/45x45
隔断支脚 40x40/45x45

Base Plate 40x80/45x90
隔断支脚 40x80/45x90



C	Fastening Set	AA	Fastening Set
	M8 Flange Nut zinc plated		M8x100 T Bolt zinc plated
	M8x20 T Bolt nickel plated		

Description 描述	L (mm)	W (mm)	A (mm)	B (mm)	C (mm)	D (mm)	Fastening Set 紧固组件	Mass 重量(g)	Part No. 订购编号
Base Plate-4040 (pcs) 隔断支脚-4040 (单个供货)	100	100	70	70	40	40		629	5.13.4040
Base Plate-4040 (set) 隔断支脚-4040 (成套供货)							4xC+4xAA	1037	5.13.4040.ST
Base Plate-4545 (pcs) 隔断支脚-4545 (单个供货)	110	110	80	80	45	45		1022	5.13.4545
Base Plate-4545 (set) 隔断支脚-4545 (成套供货)							4xC+4xAA	1474	5.13.4545.ST
Base Plate-4080 (pcs) 隔断支脚-4080 (单个供货)	140	100	70	110	40	80		753	5.13.4080
Base Plate-4080 (set) 隔断支脚-4080 (成套供货)							6xC+4xAA	1161	5.13.4080.ST
Base Plate-4590 (pcs) 隔断支脚-4590 (单个供货)	160	110	80	130	45	90		1243	5.13.4590
Base Plate-4590 (set) 隔断支脚-4590 (成套供货)							6xC+4xAA	1685	5.13.4590.ST