


Connecting Elements 连接件

Angle Profile Bracket


挤压角铝

Material: aluminium, anodized (cutting end not anodized)

材质: 铝合金, 表面阳极氧化 (切面无处理)



35x35x4



Application 应用	Description 产品描述	D (mm)	W (mm)	Fastening Set 紧固组件	Machining Code 加工代码	Mass 重量 (g)	Part No. 订购编号
PG15 15mm 	35-15-15 (pcs/单个供货)	4.5	10			8	3.31.35.15.15
	35-15-15 (set/成套供货)	4.5	10	2xN		20	3.31.35.15.15.ST
	35-15-15 (M5/加工供货)	4.5	10		M5	8	3.31.35.15.15.M5
	35-15-15 (M5 set/成套加工供货)	4.5	10	2xN+1xP	M5	22	3.31.35.15.15.M5.ST
PG15 30mm 	35-15-30 (pcs/单个供货)	4.5	25			21	3.31.35.15.30
	35-15-30 (set/成套供货)	4.5	25	2xN		33	3.31.35.15.30.ST
	35-15-30 (M5/加工供货)	4.5	25		M5	21	3.31.35.15.30.M5
	35-15-30 (M5 set/成套加工供货)	4.5	25	2xN+1xP	M5	35	3.31.35.15.30.M5.ST
PG20 20mm 	35-20-20 (pcs/单个供货)	4.5	14			12	3.31.35.20.20
	35-20-20 (set/成套供货)	4.5	14	2xN		24	3.31.35.20.20.ST
	35-20-20 (M5/加工供货)	4.5	14		M5	12	3.31.35.20.20.M5
	35-20-20 (M5 set/成套加工供货)	4.5	14	2xN+1xP	M5	26	3.31.35.20.20.M5.ST
PG30 30mm 	35-30-30 (pcs/单个供货)	6.5	22			19	3.31.35.30.30
	35-30-30 (set/成套供货)	6.5	22	2xR		42	3.31.35.30.30.ST
	35-30-30 (M5/加工供货)	6.5	22		M5	19	3.31.35.30.30.M5
	35-30-30 (M5 set/成套加工供货)	6.5	22	2xR+1xP	M5	44	3.31.35.30.30.M5.ST

Connecting Elements 连接件

Angle Profile Bracket


挤压角铝

Material: aluminium, anodized (cutting end not anodized)

材质: 铝合金, 表面阳极氧化 (切面无处理)



35x35x4



N	Fastening Set	P	Fastening Set	R	Fastening Set	M5	Machining Code
	 M4x10 Bolt zinc plated  M4 Washer zinc plated  M4 T Nut nickel plated	 M5x10 Bolt zinc plated  M5 Washer zinc plated	 M6x12 Bolt zinc plated  M6 Washer zinc plated  M6 T Nut nickel plated	 M5x10 Bolt zinc plated			

Application 应用	Description 产品描述	D (mm)	W (mm)	PG (mm)	Fastening Set 紧固组件	Machining Code 加工代码	Mass 重量 (g)	Part No. 订购编号
PG20 40mm 	35-20-40 (pcs/单个供货)	4.5	34	20			29	3.31.35.20.40
	35-20-40 (set/成套供货)	4.5	34	20	4xN		50	3.31.35.20.40.ST
	35-20-40 (M5/加工供货)	4.5	34	20		M5	29	3.31.35.20.40.M5
	35-20-40 (M5 set/成套加工供货)	4.5	34	20	4xN+1xP	M5	52	3.31.35.20.40.M5.ST
PG30 60mm 	35-30-60 (pcs/单个供货)	6.5	52	30			45	3.31.35.30.60
	35-30-60 (set/成套供货)	6.5	52	30	4xR		88	3.31.35.30.60.ST
	35-30-60 (M5/加工供货)	6.5	52	30		M5	45	3.31.35.30.60.M5
	35-30-60 (M5 set/成套加工供货)	6.5	52	30	4xR+1xP	M5	90	3.31.35.30.60.M5.ST


Connecting Elements 连接件

Angle Profile Bracket


挤压角铝

Material: aluminium, anodized (cutting end not anodized)

材质: 铝合金, 表面阳极氧化 (切面无处理)




35x35x4



Application 应用	Description 产品描述	Fastening Set 紧固组件	Machining Code 加工代码	Mass 重量 (g)	Part No. 订购编号
PG20 60mm 	35-20-60 (pcs/单个供货)			47	3.31.35.20.60
	35-20-60 (set/成套供货)	6xN		77	3.31.35.20.60.ST
	35-20-60 (M5/加工供货)		M5	47	3.31.35.20.60.M5
	35-20-60 (M5 set/成套加工供货)	6xN+1xP	M5	79	3.31.35.20.60.M5.ST

35x35x4



Application 应用	Description 产品描述	Fastening Set 紧固组件	Machining Code 加工代码	Mass 重量 (g)	Part No. 订购编号
PG20 80mm 	35-20-80 (pcs/单个供货)			64	3.31.35.20.80
	35-20-80 (set/成套供货)	8xN		103	3.31.35.20.80.ST
	35-20-80 (M5/加工供货)		M5	64	3.31.35.20.80.M5
	35-20-80 (M5 set/成套加工供货)	8xN+1xP	M5	105	3.31.35.20.80.M5.ST




Connecting Elements 连接件

Angle Profile Bracket

挤压角铝

Material: aluminium , anodized (cutting end not anodized)

材质：铝合金，表面阳极氧化（切面无处理）



Application 应用	Description 产品描述	D (mm)	W (mm)	Fastening Set 紧固组件	Machining Code 加工代码	Mass 重量 (g)	Part No. 订购编号
 PG20 20mm	50-20-20 (pcs/单个供货)	4.5	14			31	3.31.50.20.20
	50-20-20 (set/成套供货)	4.5	14	2xU		43	3.31.50.20.20.ST
	50-20-20 (M5/加工供货)	4.5	14		M5	31	3.31.50.20.20.M5
	50-20-20 (M5 set/成套加工供货)	4.5	14	2xU+1xP	M5	45	3.31.50.20.20.M5.ST
 PG30 30mm	50-30-30 (pcs/单个供货)	6.5	22			48	3.31.50.30.30
	50-30-30 (set/成套供货)	6.5	22	2xV		71	3.31.50.30.30.ST
	50-30-30 (M5/加工供货)	6.5	22		M5	48	3.31.50.30.30.M5
	50-30-30 (M5 set/成套加工供货)	6.5	22	2xV+1xP	M5	73	3.31.50.30.30.M5.ST
 PG40 40mm	50-40-40 (pcs/单个供货)	8.5	30			66	3.31.50.40.40
	50-40-40 (set/成套供货)	8.5	30	2xD		112	3.31.50.40.40.ST
	50-40-40 (M5/加工供货)	8.5	30		M5	66	3.31.50.40.40.M5
	50-40-40 (M5 set/成套加工供货)	8.5	30	2xD+1xP	M5	114	3.31.50.40.40.M5.ST
 PG40 60mm	50-40-60 (pcs/单个供货)	8.5	50			110	3.31.50.40.60
	50-40-60 (set/成套供货)	8.5	50	2xD		156	3.31.50.40.60.ST
	50-40-60 (M5/加工供货)	8.5	50		M5	110	3.31.50.40.60.M5
	50-40-60 (M5 set/成套加工供货)	8.5	50	2xD+1xP	M5	158	3.31.50.40.60.M5.ST
 PG45 45mm	50-45-45 (pcs/单个供货)	8.5	35			77	3.31.50.45.45
	50-45-45 (set/成套供货)	8.5	35	2xD		123	3.31.50.45.45.ST
	50-45-45 (M5/加工供货)	8.5	35		M5	77	3.31.50.45.45.M5
	50-45-45 (M5 set/成套加工供货)	8.5	35	2xD+1xP	M5	125	3.31.50.45.45.M5.ST
 PG45 60mm	50-45-60 (pcs/单个供货)	8.5	50			110	3.31.50.45.60
	50-45-60 (set/成套供货)	8.5	50	2xD		156	3.31.50.45.60.ST
	50-45-60 (M5/加工供货)	8.5	50		M5	110	3.31.50.45.60.M5
	50-45-60 (M5 Set/成套加工供货)	8.5	50	2xD+1xP	M5	158	3.31.50.45.60.M5.ST
 PG50 50mm	50-50-50 (pcs/单个供货)	8.5	40			88	3.31.50.50.50
	50-50-50 (set/成套供货)	8.5	40	2xD		134	3.31.50.50.50.ST
	50-50-50 (M5/加工供货)	8.5	40		M5	88	3.31.50.50.50.M5
	50-50-50 (M5 Set/成套加工供货)	8.5	40	2xD+1xP	M5	136	3.31.50.50.50.M5.ST
 PG60 60mm	50-60-60 (pcs/单个供货)	8.5	50			110	3.31.50.60.60
	50-60-60 (set/成套供货)	8.5	50	2xD		156	3.31.50.60.60.ST
	50-60-60 (M5/加工供货)	8.5	50		M5	110	3.31.50.60.60.M5
	50-60-60 (M5 Set/成套加工供货)	8.5	50	2xD+1xP	M5	158	3.31.50.60.60.M5.ST

Connecting Elements 连接件

Angle Profile Bracket



挤压角铝

Material: aluminium , anodized (cutting end not anodized)

材质：铝合金，表面阳极氧化（切面无处理）



50x50x9



Application 应用	Description 产品描述	D (mm)	W (mm)	PG (mm)	Fastening Set 紧固组件	Machining Code 加工代码	Mass 重量 (g)	Part No. 订购编号
PG20 40mm 	50-20-40 (pcs/单个供货)	4.5	34	20			75	3.31.50.20.40
	50-20-40 (set/成套供货)	4.5	34	20	4xU		95	3.31.50.20.40.ST
	50-20-40 (M5/加工供货)	4.5	34	20		M5	75	3.31.50.20.40.M5
	50-20-40 (M5 set/成套加工供货)	4.5	34	20	4xU+1xP	M5	97	3.31.50.20.40.M5.ST
PG30 60mm 	50-30-60 (pcs/单个供货)	6.5	52	30			114	3.31.50.30.60
	50-30-60 (set/成套供货)	6.5	52	30	4xV		156	3.31.50.30.60.ST
	50-30-60 (M5/加工供货)	6.5	52	30		M5	114	3.31.50.30.60.M5
	50-30-60 (M5 set/成套加工供货)	6.5	52	30	4xV+1xP	M5	158	3.31.50.30.60.M5.ST
PG40 80mm 	50-40-80 (pcs/单个供货)	8.5	70	40			154	3.31.50.40.80
	50-40-80 (set/成套供货)	8.5	70	40	4xD		240	3.31.50.40.80.ST
	50-40-80 (M5/加工供货)	8.5	70	40		M5	154	3.31.50.40.80.M5
	50-40-80 (M5 set/成套加工供货)	8.5	70	40	4xD+1xP	M5	242	3.31.50.40.80.M5.ST
PG45 90mm 	50-45-90 (pcs/单个供货)	8.5	80	45			176	3.31.50.45.90
	50-45-90 (set/成套供货)	8.5	80	45	4xD		262	3.31.50.45.90.ST
	50-45-90 (M5/加工供货)	8.5	80	45		M5	176	3.31.50.45.90.M5
	50-45-90 (M5 set/成套加工供货)	8.5	80	45	4xD+1xP	M5	264	3.31.50.45.90.M5.ST
PG50 100mm 	50-50-100 (pcs/单个供货)	8.5	90	50			198	3.31.50.50.100
	50-50-100 (set/成套供货)	8.5	90	50	4xD		284	3.31.50.50.100.ST
	50-50-100 (M5/加工供货)	8.5	90	50		M5	198	3.31.50.50.100.M5
	50-50-100 (M5 set/成套加工供货)	8.5	90	50	4xD+1xP	M5	286	3.31.50.50.100.M5.ST

Connecting Elements 连接件

Angle Profile Bracket



挤压角铝

Material: aluminium , anodized (cutting end not anodized)

材质：铝合金，表面阳极氧化（切面无处理）



50x50x9



Application 应用	Description 产品描述	D (mm)	W (mm)	PG (mm)	Fastening Set 紧固组件	Machining Code 加工代码	Mass 重量 (g)	Part No. 订购编号
PG20 60mm 	50-20-60 (pcs/单个供货)	4.5	54	20			119	3.31.50.20.60
	50-20-60 (set/成套供货)	4.5	54	20	6xU		147	3.31.50.20.60.ST
	50-20-60 (M5/加工供货)	4.5	54	20		M5	119	3.31.50.20.60.M5
	50-20-60 (M5 set/成套加工供货)	4.5	54	20	6xU+1xP	M5	149	3.31.50.20.60.M5.ST
PG30 90mm 	50-30-90 (pcs/单个供货)	6.5	82	30			180	3.31.50.30.90
	50-30-90 (set/成套供货)	6.5	82	30	6xV		241	3.31.50.30.90.ST
	50-30-90 (M5/加工供货)	6.5	82	30		M5	180	3.31.50.30.90.M5
	50-30-90 (M5 set/成套加工供货)	6.5	82	30	6xV+1xP	M5	243	3.31.50.30.90.M5.ST
PG40 120mm 	50-40-120 (pcs/单个供货)	8.5	110	40			242	3.31.50.40.120
	50-40-120 (set/成套供货)	8.5	110	40	6xD		372	3.31.50.40.120.ST
	50-40-120 (M5/加工供货)	8.5	110	40		M5	242	3.31.50.40.120.M5
	50-40-120 (M5 set/成套加工供货)	8.5	110	40	6xD+1xP	M5	374	3.31.50.40.120.M5.ST

Connecting Elements 连接件

Angle Profile Bracket


挤压角铝

Material: aluminium , anodized (cutting end not anodized)

材质：铝合金，表面阳极氧化（切面无处理）



50x50x9



D	Fastening Set	P	Fastening Set
	M8x20 Bolt zinc plated		M5x10 Bolt zinc plated
	M8 Washer zinc plated		M5 Washer zinc plated
	M8 T Nut nickel plated		
U	Fastening Set	V	Fastening Set
	M4x14 Bolt zinc plated		M6x16 Bolt zinc plated
	M4 Washer zinc plated		M6 Washer zinc plated
	M4 T Nut nickel plated		M6 T Nut nickel plated
			M5x10 Bolt

Application 应用	Description 产品描述	D (mm)	W (mm)	PG (mm)	Fastening Set 紧固组件	Machining Code 加工代码	Mass 重量 (g)	Part No. 订购编号
PG20 80mm 	50-20-80 (pcs/单个供货)	4.5	74	20			163	3.31.50.20.80
	50-20-80 (set/成套供货)	4.5	74	20	8xU		199	3.31.50.20.80.ST
	50-20-80 (M5/加工供货)	4.5	74	20		M5	163	3.31.50.20.80.M5
	50-20-80 (M5 set/成套加工供货)	4.5	74	20	8xU+1xP	M5	201	3.31.50.20.80.M5.ST
PG30 120mm 	50-30-120 (pcs/单个供货)	6.5	112	30			246	3.31.50.30.120
	50-30-120 (set/成套供货)	6.5	112	30	8xV		326	3.31.50.30.120.ST
	50-30-120 (M5/加工供货)	6.5	112	30		M5	246	3.31.50.30.120.M5
	50-30-120 (M5 set/成套加工供货)	6.5	112	30	8xV+1xP	M5	328	3.31.50.30.120.M5.ST
PG40 160mm 	50-40-160 (pcs/单个供货)	8.5	150	40			330	3.31.50.40.160
	50-40-160 (set/成套供货)	8.5	150	40	8xD		502	3.31.50.40.160.ST
	50-40-160 (M5/加工供货)	8.5	150	40		M5	330	3.31.50.40.160.M5
	50-40-160 (M5 set/成套加工供货)	8.5	150	40	8xD+1xP	M5	504	3.31.50.40.160.M5.ST
PG45 180mm 	50-45-180 (pcs/单个供货)	8.5	170	45			374	3.31.50.45.180
	50-45-180 (set/成套供货)	8.5	170	45	8xD		546	3.31.50.45.180.ST
	50-45-180 (M5/加工供货)	8.5	170	45		M5	374	3.31.50.45.180.M5
	50-45-180 (M5 set/成套加工供货)	8.5	170	45	8xD+1xP	M5	548	3.31.50.45.180.M5.ST

Connecting Elements



连接件

Angle Profile Bracket

挤压角铝

Material: aluminium , anodized (cutting end not anodized)

材质：铝合金，表面阳极氧化（切面无处理）



Application 应用	Description 产品描述	D (mm)	W (mm)	Fastening Set 紧固组件	Machining Code 加工代码	Mass 重量 (g)	Part No. 订购编号
PG30 30mm 	70-30-30 (pcs/单个供货)	7	22			71	3.31.70.30.30
	70-30-30 (set/成套供货)	7	22	2xV		94	3.31.70.30.30.ST
	70-30-30 (M5/加工供货)	7	22		M5	71	3.31.70.30.30.M5
	70-30-30 (M5 set/成套加工供货)	7	22	2xV+1xP	M5	96	3.31.70.30.30.M5.ST
PG40 40mm 	70-40-40 (pcs/单个供货)	9	30			96	3.31.70.40.40
	70-40-40 (set/成套供货)	9	30	2xD		142	3.31.70.40.40.ST
	70-40-40 (M5/加工供货)	9	30		M5	96	3.31.70.40.40.M5
	70-40-40 (M5 set/成套加工供货)	9	30	2xD+1xP	M5	144	3.31.70.40.40.M5.ST
PG40 60mm 	70-40-60 (pcs/单个供货)	9	50			166	3.31.70.40.60
	70-40-60 (set/成套供货)	9	50	2xD		212	3.31.70.40.60.ST
	70-40-60 (M5/加工供货)	9	50		M5	166	3.31.70.40.60.M5
	70-40-60 (M5 set/成套加工供货)	9	50	2xD+1xP	M5	214	3.31.70.40.60.M5.ST
PG45 45mm 	70-45-45 (pcs/单个供货)	9	35			113	3.31.70.45.45
	70-45-45 (set/成套供货)	9	35	2xD		159	3.31.70.45.45.ST
	70-45-45 (M5/加工供货)	9	35		M5	113	3.31.70.45.45.M5
	70-45-45 (M5 set/成套加工供货)	9	35	2xD+1xP	M5	161	3.31.70.45.45.M5.ST
PG45 60mm 	70-45-60 (pcs/单个供货)	9	50			166	3.31.70.45.60
	70-45-60 (set/成套供货)	9	50	2xD		212	3.31.70.45.60.ST
	70-45-60 (M5/加工供货)	9	50		M5	166	3.31.70.45.60.M5
	70-45-60 (M5 Set/成套加工供货)	9	50	2xD+1xP	M5	214	3.31.70.45.60.M5.ST
PG50 50mm 	70-50-50(pcs/单个供货)	9	40			131	3.31.70.50.50
	70-50-50 (set/成套供货)	9	40	2xD		177	3.31.70.50.50ST
	70-50-50 (M5/加工供货)	9	40		M5	131	3.31.70.50.50.M5
	70-50-50 (M5 Set/成套加工供货)	9	40	2xD+1xP	M5	179	3.31.70.50.50.M5.ST
PG60 60mm 	70-60-60 (pcs/单个供货)	9	50			166	3.31.70.60.60
	70-60-60 (set/成套供货)	9	50	2xD		212	3.31.70.60.60.ST
	70-60-60 (M5/加工供货)	9	50		M5	166	3.31.70.60.60.M5
	70-60-60 (M5 Set/成套加工供货)	9	50	2xD+1xP	M5	214	3.31.70.60.60.M5.ST

Connecting Elements 连接件

Angle Profile Bracket


挤压角铝

Material: aluminium , anodized (cutting end not anodized)

材质：铝合金，表面阳极氧化（切面无处理）



70x70x9-135°



D	Fastening Set	P	Fastening Set	V	Fastening Set	M5	Machining Code
	 M8x20 Bolt zinc plated M8 Washer zinc plated M8 T Nut nickel plated		 M5x10 Bolt zinc plated M5 Washer zinc plated		 M6x16 Bolt zinc plated M6 Washer zinc plated M6 T Nut nickel plated	 M5x10 Bolt zinc plated	

Application 应用	Description 产品描述	D (mm)	W (mm)	PG (mm)	Fastening Set 紧固组件	Machining Code 加工代码	Mass 重量 (g)	Part No. 订购编号
PG30 60mm 	70-30-60 (pcs/单个供货)	7	52	30			171	3.31.70.30.60
	70-30-60 (set/成套供货)	7	52	30	4xV		213	3.31.70.30.60.ST
	70-30-60 (M5/加工供货)	7	52	30		M5	171	3.31.70.30.60.M5
	70-30-60 (M5 set/成套加工供货)	7	52	30	4xV+1xP	M5	215	3.31.70.30.60.M5.ST
PG40 80mm 	70-40-80 (pcs/单个供货)	9	70	40			227	3.31.70.40.80
	70-40-80 (set/成套供货)	9	70	40	4xD		313	3.31.70.40.80.ST
	70-40-80 (M5/加工供货)	9	70	40		M5	227	3.31.70.40.80.M5
	70-40-80 (M5 set/成套加工供货)	9	70	40	4xD+1xP	M5	315	3.31.70.40.80.M5.ST
PG45 90mm 	70-45-90 (pcs/单个供货)	9	80	45			262	3.31.70.45.90
	70-45-90 (set/成套供货)	9	80	45	4xD		348	3.31.70.45.90.ST
	70-45-90 (M5/加工供货)	9	80	45		M5	262	3.31.70.45.90.M5
	70-45-90 (M5 set/成套加工供货)	9	80	45	4xD+1xP	M5	350	3.31.70.45.90.M5.ST
PG50 100mm 	70-50-100 (pcs/单个供货)	9	90	50			297	3.31.70.50.100
	70-50-100 (set/成套供货)	9	90	50	4xD		383	3.31.70.50.100.ST
	70-50-100 (M5/加工供货)	9	90	50		M5	297	3.31.70.50.100.M5
	70-50-100 (M5 set/成套加工供货)	9	90	50	4xD+1xP	M5	385	3.31.70.50.100.M5.ST

Connecting Elements 连接件

Angle Profile Bracket



挤压角铝

Material: aluminium , anodized (cutting end not anodized)

材质: 铝合金, 表面阳极氧化 (切面无处理)



80x80x9-45°



Application 应用	Description 产品描述	D (mm)	W (mm)	Fastening Set 紧固组件	Machining Code 加工代码	Mass 重量 (g)	Part No. 订购编号
PG30 30mm 	80-30-30 (pcs/单个供货)	7	22			68	3.31.80.30.30
	80-30-30 (set/成套供货)	7	22	2xV		91	3.31.80.30.30.ST
	80-30-30 (M5/加工供货)	7	22		M5	68	3.31.80.30.30.M5
	80-30-30 (M5 set/成套加工供货)	7	22	2xV+1xP	M5	93	3.31.80.30.30.M5.ST
PG40 40mm 	80-40-40 (pcs/单个供货)	9	30			89	3.31.80.40.40
	80-40-40 (set/成套供货)	9	30	2xD		135	3.31.80.40.40.ST
	80-40-40 (M5/加工供货)	9	30		M5	89	3.31.80.40.40.M5
	80-40-40 (M5 set/成套加工供货)	9	30	2xD+1xP	M5	137	3.31.80.40.40.M5.ST
PG40 60mm 	80-40-60 (pcs/单个供货)	9	50			151	3.31.80.40.60
	80-40-60 (set/成套供货)	9	50	2xD		197	3.31.80.40.60.ST
	80-40-60 (M5/加工供货)	9	50		M5	151	3.31.80.40.60.M5
	80-40-60 (M5 set/成套加工供货)	9	50	2xD+1xP	M5	199	3.31.80.40.60.M5.ST
PG45 45mm 	80-45-45 (pcs/单个供货)	9	35			105	3.31.80.45.45
	80-45-45 (set/成套供货)	9	35	2xD		151	3.31.80.45.45.ST
	80-45-45 (M5/加工供货)	9	35		M5	105	3.31.80.45.45.M5
	80-45-45 (M5 set/成套加工供货)	9	35	2xD+1xP	M5	153	3.31.80.45.45.M5.ST
PG45 60mm 	80-45-60 (pcs/单个供货)	9	50			151	3.31.80.45.60
	80-45-60 (set/成套供货)	9	50	2xD		197	3.31.80.45.60.ST
	80-45-60 (M5/加工供货)	9	50		M5	151	3.31.80.45.60.M5
	80-45-60 (M5 set/成套加工供货)	9	50	2xD+1xP	M5	199	3.31.80.45.60.M5.ST
PG50 50mm 	80-50-50 (pcs/单个供货)	9	50			120	3.31.80.50.50
	80-50-50 (set/成套供货)	9	50	2xD		166	3.31.80.50.50.ST
	80-50-50 (M5/加工供货)	9	50		M5	120	3.31.80.50.50.M5
	80-50-50 (M5 Set/成套加工供货)	9	50	2xD+1xP	M5	168	3.31.80.50.50.M5.ST
PG60 60mm 	80-60-60 (pcs/单个供货)	9	50			151	3.31.80.60.60
	80-60-60 (set/成套供货)	9	50	2xD		197	3.31.80.60.60.ST
	80-60-60 (M5/加工供货)	9	50		M5	151	3.31.80.60.60.M5
	80-60-60 (M5 Set/成套加工供货)	9	50	2xD+1xP	M5	199	3.31.80.60.60.M5.ST

Connecting Elements 连接件

Angle Profile Bracket


挤压角铝

Material: aluminium , anodized (cutting end not anodized)

材质：铝合金，表面阳极氧化（切面无处理）



80x80x9-45°



D	Fastening Set	P	Fastening Set	V	Fastening Set	M5	Machining Code
	 M6x20 Bolt zinc plated  M6 Washer zinc plated  M6 T Nut nickel plated	 M5x10 Bolt zinc plated  M5 Washer zinc plated	 M6x16 Bolt zinc plated  M6 Washer zinc plated  M6 T Nut nickel plated	 M5x10 Bolt zinc plated			

Application 应用	Description 产品描述	D (mm)	W (mm)	PG (mm)	Fastening Set 紧固组件	Machining Code 加工代码	Mass 重量 (g)	Part No. 订购编号
PG30 60mm 	80-30-60 (pcs/单个供货)	7	52	30			156	3.31.80.30.60
	80-30-60 (set/成套供货)	7	52	30	4xV		198	3.31.80.30.60.ST
	80-30-60 (M5/加工供货)	7	52	30		M5	156	3.31.80.30.60.M5
	80-30-60 (M5 set/成套加工供货)	7	52	30	4xV+1xP	M5	200	3.31.80.30.60.M5.ST
PG40 80mm 	80-40-80 (pcs/单个供货)	9	70	40			209	3.31.80.40.80
	80-40-80 (set/成套供货)	9	70	40	4xD		295	3.31.80.40.80.ST
	80-40-80 (M5/加工供货)	9	70	40		M5	209	3.31.80.40.80.M5
	80-40-80 (M5 set/成套加工供货)	9	70	40	4xD+1xP	M5	297	3.31.80.40.80.M5.ST
PG45 90mm 	80-45-90 (pcs/单个供货)	9	80	45			240	3.31.80.45.90
	80-45-90 (set/成套供货)	9	80	45	4xD		326	3.31.80.45.90.ST
	80-45-90 (M5/加工供货)	9	80	45		M5	240	3.31.80.45.90.M5
	80-45-90 (M5 set/成套加工供货)	9	80	45	4xD+1xP	M5	328	3.31.80.45.90.M5.ST
PG50 100mm 	80-50-100 (pcs/单个供货)	9	90	50			271	3.31.80.50.100
	80-50-100 (set/成套供货)	9	90	50	4xD		357	3.31.80.50.100.ST
	80-50-100 (M5/加工供货)	9	90	50		M5	271	3.31.80.50.100.M5
	80-50-100 (M5 set/成套加工供货)	9	90	50	4xD+1xP	M5	359	3.31.80.50.100.M5.ST


Connecting Elements 连接件

Angle Profile Bracket
挤压角铝

Material: aluminium , anodized (cutting end not anodized)
材质：铝合金，表面阳极氧化（切面无处理）



80x80x9-45°



D	Fastening Set	P	Fastening Set	V	Fastening Set	M5	Machining Code
	M8x20 Bolt zinc plated M8 Washer zinc plated M8 T Nut nickel plated		M5x10 Bolt zinc plated M5 Washer zinc plated		M6x16 Bolt zinc plated M6 Washer zinc plated M6 T Nut nickel plated		M5x16 Bolt zinc plated

Application 应用	Description 产品描述	D (mm)	W (mm)	PG (mm)	Fastening Set 紧固组件	Machining Code 加工代码	Mass 重量 (g)	Part No. 订购编号
PG30 90mm 	80-30-90 (pcs/单个供货)	7	82	30			247	3.31.80.30.90
	80-30-90 (set/成套供货)	7	82	30	6xV		308	3.31.80.30.90.ST
	80-30-90 (M5/加工供货)	7	82	30		M5	247	3.31.80.30.90.M5
	80-30-90 (M5 set/成套加工供货)	7	82	30	6xV+1xP	M5	310	3.31.80.30.90.M5.ST
PG40 120mm 	80-40-120 (pcs/单个供货)	9	110	40			329	3.31.80.40.120
	80-40-120 (set/成套供货)	9	110	40	6xD		459	3.31.80.40.120.ST
	80-40-120 (M5/加工供货)	9	110	40		M5	329	3.31.80.40.120.M5
	80-40-120 (M5 set/成套加工供货)	9	110	40	6xD+1xP	M5	461	3.31.80.40.120.M5.ST

Connecting Elements 连接件

Angle Profile Bracket


挤压角铝


Material: aluminium , anodized (cutting end not anodized)

材质：铝合金，表面阳极氧化（切面无处理）



80x80x9-45°





D	Fastening Set	P	Fastening Set	V	Fastening Set	M5	Machining Code
 M8x20 Bolt zinc plated M8 Washer zinc plated M8 T Nut nickel plated		 M5x10 Bolt zinc plated M5 Washer zinc plated		 M6x16 Bolt zinc plated M6 Washer zinc plated M6 T Nut nickel plated		 M5x	

Application 应用	Description 产品描述	D (mm)	W (mm)	PG (mm)	Fastening Set 紧固组件	Machining Code 加工代码	Mass 重量 (g)	Part No. 订购编号
PG30 120mm 	80-30-120 (pcs/单个供货)	7	112	30			337	3.31.80.30.120
	80-30-120 (set/成套供货)	7	112	30	8xV		417	3.31.80.30.120.ST
	80-30-120 (M5/加工供货)	7	112	30		M5	337	3.31.80.30.120.M5
	80-30-120 (M5 set/成套加工供货)	7	112	30	8xV+1xP	M5	419	3.31.80.30.120.M5.ST
PG40 160mm 	80-40-160 (pcs/单个供货)	9	150	40			449	3.31.80.40.160
	80-40-160 (set/成套供货)	9	150	40	8xD		621	3.31.80.40.160.ST
	80-40-160 (M5/加工供货)	9	150	40		M5	449	3.31.80.40.160.M5
	80-40-160 (M5 set/成套加工供货)	9	150	40	8xD+1xP	M5	623	3.31.80.40.160.M5.ST
PG45 180mm 	80-45-180 (pcs/单个供货)	9	170	45			510	3.31.80.45.180
	80-45-180 (set/成套供货)	9	170	45	8xD		682	3.31.80.45.180.ST
	80-45-180 (M5/加工供货)	9	170	45		M5	510	3.31.80.45.180.M5
	80-45-180 (M5 set/成套加工供货)	9	170	45	8xD+1xP	M5	684	3.31.80.45.180.M5.ST

Connecting Elements 连接件

Angle Profile Bracket
挤压角铝
Material: aluminium , anodized
材质: 铝合金, 表面阳极氧化



Application 应用	Description 产品描述	D (mm)	W (mm)	Fastening Set 紧固组件	Machining Code 加工代码	Mass 重量 (g)	Part No. 订购编号
PG40 40mm 	100-40-40 (pcs/单个供货)	9	30			220	3.31.100.40.40
	100-40-40 (set/成套供货)	9	30	2xW+2xJ		324	3.31.100.40.40.ST
	100-40-40 (M5/加工供货)	9	30		M5	220	3.31.100.40.40.M5
	100-40-40 (M5 set/成套加工供货)	9	30	2xW+2xJ+1xP	M5	326	3.31.100.40.40.M5.ST
PG40 60mm 	100-40-60 (pcs/单个供货)	9	50			386	3.31.100.40.60
	100-40-60 (set/成套供货)	9	50	2xW+2xJ		490	3.31.100.40.60.ST
	100-40-60 (M5/加工供货)	9	50		M5	386	3.31.100.40.60.M5
	100-40-60 (M5 set/成套加工供货)	9	50	2xW+2xJ+1xP	M5	492	3.31.100.40.60.M5.ST
PG45 45mm 	100-45-45 (pcs/单个供货)	9	35			261	3.31.100.45.45
	100-45-45 (set/成套供货)	9	35	2xW+2xJ		365	3.31.100.45.45.ST
	100-45-45 (M5/加工供货)	9	35		M5	261	3.31.100.45.45.M5
	100-45-45 (M5 set/成套加工供货)	9	35	2xW+2xJ+1xP	M5	367	3.31.100.45.45.M5.ST
PG45 60mm 	100-45-60 (pcs/单个供货)	9	50			386	3.31.100.45.60
	100-45-60 (set/成套供货)	9	50	2xW+2xJ		490	3.31.100.45.60.ST
	100-45-60 (M5/加工供货)	9	50		M5	386	3.31.100.45.60.M5
	100-45-60 (M5 set/成套加工供货)	9	50	2xW+2xJ+1xP	M5	492	3.31.100.45.60.M5.ST
PG50 50mm 	100-50-50 (pcs/单个供货)	9	40			303	3.31.100.50.50
	100-50-50 (set/成套供货)	9	40	2xW+2xJ		407	3.31.100.50.50.ST
	100-50-50 (M5/加工供货)	9	40		M5	303	3.31.100.50.50.M5
	100-50-50 (M5 set/成套加工供货)	9	40	2xW+2xJ+1xP	M5	409	3.31.100.50.50.M5.ST
PG60 60mm 	100-60-60 (pcs/单个供货)	9	50			386	3.31.100.60.60
	100-60-60 (set/成套供货)	9	50	2xW+2xJ		490	3.31.100.60.60.ST
	100-60-60 (M5/加工供货)	9	50		M5	386	3.31.100.60.60.M5
	100-60-60 (M5 Set/成套加工供货)	9	50	2xW+2xJ+1xP	M5	492	3.31.100.60.60.M5.ST

Connecting Elements 连接件

Angle Profile Bracket


挤压角铝

Material: aluminium , anodized

材质: 铝合金, 表面阳极氧化



100x100x15



P	Fastening Set	W	Fastening Set	J	Fastening Set	M5	Machining Code
	 M5x10 Bolt zinc plated  M5 Washer zinc plated	 M8x30 Bolt zinc plated  M8 Spring Washer zinc plated  M8 Washer zinc plated  M8 T Nut nickel plated	 M8x25 Bolt zinc plated  M8 Spring Washer zinc plated  M8 Washer zinc plated  M8 T Nut nickel plated	 M5x10 Bolt zinc plated  M5 Washer zinc plated	 M5x10 Bolt zinc plated  M5 Washer zinc plated	 M5x10 Bolt zinc plated  M5 Washer zinc plated	 M5x10 Bolt zinc plated  M5 Washer zinc plated

Application 应用	Description 产品描述	D (mm)	W (mm)	PG (mm)	Fastening Set 紧固组件	Machining Code 加工代码	Mass 重量 (g)	Part No. 订购编号
PG40 80mm 	100-40-80 (pcs/单个供货)	9	70	40			522	3.31.100.40.80
	100-40-80 (set/成套供货)	9	70	40	4xW+4xJ		730	3.31.100.40.80.ST
	100-40-80 (M5/加工供货)	9	70	40		M5	522	3.31.100.40.80.M5
	100-40-80 (M5 set/成套加工供货)	9	70	40	4xW+4xJ+1xP	M5	732	3.31.100.40.80.M5.ST
PG45 90mm 	100-45-90 (pcs/单个供货)	9	80	45			605	3.31.100.45.90
	100-45-90 (set/成套供货)	9	80	45	4xW+4xJ		813	3.31.100.45.90.ST
	100-45-90 (M5/加工供货)	9	80	45		M5	605	3.31.100.45.90.M5
	100-45-90 (M5 set/成套加工供货)	9	80	45	4xW+4xJ+1xP	M5	815	3.31.100.45.90.M5.ST
PG50 100mm 	100-50-100 (pcs/单个供货)	9	90	50			688	3.31.100.50.100
	100-50-100 (set/成套供货)	9	90	50	4xW+4xJ		896	3.31.100.50.100.ST
	100-50-100 (M5/加工供货)	9	90	50		M5	688	3.31.100.50.100.M5
	100-50-100 (M5 set/成套加工供货)	9	90	50	4xW+4xJ+1xP	M5	898	3.31.100.50.100.M5.ST