






Floor Elements 地面组件

Castor Plate **New!** 脚轮连接板

The castor plate used for attaching profil to the castor with plate.
此脚轮连接板用于型材平面与底盘式脚轮的连接。

Material: zinc plated steel

材质：碳钢镀锌



J	Fastening Set	AH	Fastening Set	AK	Fastening Set	AM	Fastening Set	AF	Fastening Set
	M8x25 Bolt		M6x20 Bolt		M6x20 Bolt		M8x12 Bolt		M8x25 Bolt
	zinc plated		zinc plated		zinc plated		zinc plated		zinc plated
	M8 Spring Washer		M6 Spring Washer		M6 Spring Washer		M8 Spring Washer		M8 Spring Washer
	zinc plated		zinc plated		zinc plated		zinc plated		zinc plated
	M8 Washer		M6 Washer		M6 Washer		M8 Washer		M8 Washer
	zinc plated		zinc plated		zinc plated		zinc plated		zinc plated
	M8 T Nut		M6 T Nut		M6 T Nut		M8 T Nut		M8 T Nut
	nickel plated		nickel plated		nickel plated		nickel plated		nickel plated

Description 产品描述	H (mm)	L1 (mm)	L2 (mm)	W1 (mm)	W2 (mm)	Φa (mm)	Fastening Set 紧固组件	Mass 重量 (g)	Part No. 订购编号
Castor Plate-PG30 -(set A) 脚轮连接板-30系列-(成套供货A)	10	105	120	30	15	7	4xAH+1xAK+4xAM	1056	5.34.30.STA
Castor Plate-PG30 -(set B) 脚轮连接板-30系列-(成套供货B)	10	105	120	30	15	7	5xAH+4xAM	1049	5.34.30.STB
Castor Plate-PG30 -(set C) 脚轮连接板-30系列-(成套供货C)	10	105	120	30	15	7	3xAH+2xAK+4xAM	1063	5.34.30.STC
Castor Plate-PG30 -(set D) 脚轮连接板-30系列-(成套供货D)	10	105	120	30	15	7	2xAH+3xAK+4xAM	1070	5.34.30.STD
Castor Plate-PG40 -(set A) 脚轮连接板-40系列-(成套供货A)	12	110	130	40	20	9	4xJ+1xAF+4xAM	1229	5.34.40.STA
Castor Plate-PG40 -(set B) 脚轮连接板-40系列-(成套供货B)	12	110	130	40	20	9	5xJ+4xAM	1222	5.34.40.STB
Castor Plate-PG40 -(set C) 脚轮连接板-40系列-(成套供货C)	12	110	130	40	20	9	3xJ+2xAF+4xAM	1236	5.34.40.STC
Castor Plate-PG40 -(set D) 脚轮连接板-40系列-(成套供货D)	12	110	130	40	20	9	2xJ+3xAF+4xAM	1243	5.34.40.STD
Castor Plate-PG45 -(set A) 脚轮连接板-45系列-(成套供货A)	12	120	130	45	22.5	9	4xJ+1xAF+4xAM	1237	5.34.45.STA
Castor Plate-PG45 -(set B) 脚轮连接板-45系列-(成套供货B)	12	120	130	45	22.5	9	5xJ+4xAM	1230	5.34.45.STB
Castor Plate-PG45 -(set C) 脚轮连接板-45系列-(成套供货C)	12	120	130	45	22.5	9	3xJ+2xAF+4xAM	1244	5.34.45.STC
Castor Plate-PG45 -(set D) 脚轮连接板-45系列-(成套供货D)	12	120	130	45	22.5	9	2xJ+3xAF+4xAM	1251	5.34.45.STD



Floor Elements 地面组件

Castor Plate New! 脚轮连接板

The castor plate used for attaching profile to the castor with thread.
此脚轮连接板用于型材平面与牙杆式脚轮的连接。

Material: zinc plated steel

材质：碳钢镀锌



FS	Fastening Set	CQ	Fastening Set
	M6x10 Bolt zinc plated		M6x16 Bolt zinc plated
	M6 T Nut nickel plated		M6 T Nut nickel plated

Description 产品描述	H (mm)	L1 (mm)	L2 (mm)	Fastening Set 紧固组件	Mass 重量 (g)	Part No. 订购编号
Castor Plate-PG30 -(set) 脚轮连接板-30系列-(成套供货)	10	30	60	2xCP	162	5.35.30.ST
Castor Plate-PG40 -(set) 脚轮连接板-40系列-(成套供货)	12	40	80	2xCQ	296	5.35.40.ST
Castor Plate-PG45 -(set) 脚轮连接板-45系列-(成套供货)	12	45	90	2xCQ	377	5.35.45.ST

Note: offer per set (including fastening set).

备注：成套供货 (含紧固件)。

When a castor is installed as figure indicated, the profile end corresponding to the position of the castor lever requires machining of a $\Phi 12.5$ and 20mm deep hole.


使用此方式安装脚轮时，型材对应脚轮牙杆的位置需要加工1个 $\Phi 12.5$ 深20mm的孔。

Floor Elements 地面组件


Castor 脚轮

Material and Color: Base-carbon steel, plastic powder coated, black Wheel-polyurethane
材质和颜色: 底座-碳钢喷塑 黑色 轮-聚氨酯



Castor-Thread-Universal 脚轮-牙杆-万向





Castor-Thread-Brake 脚轮-牙杆-刹车







Castor-Plate-Universal 脚轮-底盘-万向





Castor-Plate-Fixed 脚轮-底盘-定向





Castor-Plate-Brake 脚轮-底盘-刹车



Castor-Plate-Universal-Heavy 脚轮-底盘-万向-重载



Castor-Plate-Fixed-Heavy 脚轮-底盘-定向-重载



Description 产品描述	D (mm)	R (mm)	H (mm)	Load 载荷 (N)	Mass 重量 (g)	Part No. 订购编号
Castor-Thread-Universal 脚轮-牙杆-万向	63	63	92	800	550	5.41.63.M12
	75	73	107	1050	670	5.41.75.M12
	100	87	130	1350	790	5.41.100.M12
Castor-Thread-Brake 脚轮-牙杆-刹车	63	103	92	800	650	5.41.63.M12B
	75	103	107	1050	770	5.41.75.M12B
	100	111	130	1350	930	5.41.100.M12B
Castor-Plate-Fixed 脚轮-底盘-定向	63		92	800	370	5.41.63F
	75		107	1050	490	5.41.75F
	100		130	1350	670	5.41.100F
Castor-Plate-Universal 脚轮-底盘-万向	63	63	92	800	570	5.41.63U
	75	73	107	1050	690	5.41.75U
	100	87	130	1350	870	5.41.100U
Castor-Plate-Brake 脚轮-底盘-刹车	63	103	92	800	670	5.41.63B
	75	103	107	1050	790	5.41.75B
	100	111	130	1350	970	5.41.100B
Castor-Plate-Universal-Heavy 脚轮-底盘-万向-重载	75	65	104	6000	1150	5.41.75UH
Castor-Plate-Fixed-Heavy 脚轮-底盘-定向-重载	75		104	6000	950	5.41.75FH